Journal of Economic Entomology

Published by
THE ENTOMOLOGICAL
SOCIETY OF AMERICA

Volume 65 · 1972

JOURNAL OF ECONOMIC ENTOMOLOGY

WALLACE P. MURDOCH, *Executive Secretary*

RALPH W. BUNN, *Managing Editor* JAMES S. PACKER, *Assistant Managing Editor*

4603 Calvert Road, College Park, Maryland 20740

RANDALL K. LATTA, *Editor* **GEORGE ANASTOS, *Editor***

4603 Calvert Road, College Park, Maryland 20740

EDITORIAL BOARD

FREEMAN L. MCEWEN, *Chairman*, Guelph, Ont. (C, 1972)

M. M. BARNES, Riverside, Calif. (F, 1973) ROBERT E. MENZER, College Park, Md. (B, 1975)

RALPH W. SHERMAN, Silver Spring, Md. (E, 1974) ROGER H. GROTHAUS, Camp Lejeune, N. C. (D, 1976)

A bimonthly journal devoted to the interests of economic entomology. Authors are entirely responsible for statements in the JOURNAL, whether of fact or opinion.

Subscriptions. Nonmembers in North America and U.S. Possessions–$25.00 per year; elsewhere–$26.00. Single copies $5.00. Deliveries overseas are not guaranteed and foreign mailings are made at the subscriber's risk. Subscribers will be charged a service fee of $1.00 for forwarding journals returned to the ESA because of failure of the subscriber to provide a timely change of address. Membership dues: Active $15.00; student $3.00. Members' subscription rates: $12.50 in North America and U.S. Possessions; $13.50 elsewhere.

Missing numbers cannot be supplied free of charge in North America and U. S. Possessions unless notice is received within 60 days after the appearance of issues concerned. The Executive Secretary will be glad to quote prices for back numbers.

Reprints. A reprint price schedule that applies to orders received before the JOURNAL goes to press is shown on the order blank sent with galley proof. No reprints are furnished gratis. For price schedule see BULL. ENTOMOL. SOC. AMER. 18 (1) : Cover 3, March 1972.

Business communications and matters pertaining to subscriptions and advertisements should be sent to the Executive Secretary. Changes of address must be received 5 days prior to the month of issue to be effective for that month.

Manuscripts and other copy should be sent to the Executive Secretary. Authors are urged to consult "Publication Policies and Instructions for Contributors" before submitting manuscripts (BULL. ENTOMOL. SOC. AMER. 17 (4) : 278–81, Dec. 1971). Reproduction of abstracts is authorized. Page charges are $30.00 per page, partial pages proportionately.

METRIC CONVERSION

Contributors of papers on laboratory studies should use the metric system exclusively. Use of the metric system in reporting the results of field studies is a desirable ultimate objective. Since it is difficult to replace immediately such standard concepts as lb/acre by the units kg/hectare, yards by meters, or miles by kilometers, the following table of conversion factors is presented.

1 inch = 2.54 cm	1 ft^3 = 28.3 dm^3	1 cm = 0.394 in.	1 dm^3 = 0.0353 ft^3
1 yard = 0.914 m	1 acre = 0.405 hectares	1 m = 3.28 ft = 1.094 yards	1 hectare = 2.47 acres
1 mile = 1.61 km	1 lb/acre = 1.12 kg/hectare	1 km = 0.621 mile	1 kg/hectare = 0.89 lb/acre
1 lb = 453.6 g	1 lb/$in.^2$ (psi) = 70.3 g/cm^2	1 kg = 2.2 lb	1 g/cm^2 = 0.0142 psi
1 gal (U.S.) = 3.785 liters	1 lb/gal (U.S.) = 120 g/liter	1 liter = 0.264 gal (U.S.)	1 g/liter = 0.83 lb/100 gal (U.S.) = 1000 ppm

ENTOMOLOGICAL SOCIETY OF AMERICA

OFFICERS—1972

President—W. G. Eden, Gainesville, Florida
President-Elect—G. E. Guyer, East Lansing, Michigan
Executive Secretary—W. P. Murdoch, College Park, Maryland

GOVERNING BOARD

W. G. Eden, Gainesville, Florida (1973)
P. L. Adkisson, College Station, Texas (Southwestern, 1973)
G. B. Craig, Jr., Notre Dame, Indiana (D, 1974)
G. E. Guyer, East Lansing, Michigan (F, 1974)
R. H. Harwood, Pullman, Washington (Pacific, 1974)
K. V. Krombein, Washington, D. C. (A, 1972)
L. C. Kuitert, Gainesville, Florida (Southeastern, 1974)
F. L. McEwen, Guelph, Ontario (C, 1973)
W. P. Murdoch, College Park, Maryland (Non-voting)
R. H. Nelson, Lanham, Maryland (Past-President, 1972)
J. V. Osmun, Lafayette, Indiana (North Central, 1972)
L. A. Riehl, Riverside, California (F, 1973)
H. E. Scott, Raleigh, North Carolina (E, 1974)
R. W. Sherman, Silver Spring, Maryland (Eastern, 1973)
C. F. Wilkinson, Ithaca, New York (B, 1972)

BRANCH OFFICERS

President

R. E. Hamman—Ardsley, New York (Eastern)
H. B. Petty, Jr.—Urbana, Illinois (North Central)
H. F. Madsen—Summerland, British Columbia (Pacific)
S. I. Coppock, Jr.—Stillwater, Oklahoma (Southwestern)
C. F. Smith—Raleigh, North Carolina (Southeastern)

President-Elect

J. B. Kring—New Haven, Connecticut (Eastern)
D. L. Goleman—Columbus, Ohio (North Central)
Lauren D. Anderson—Riverside, California (Pacific)
Dieter Enkerlin—Monterrey, N. L., Mexico (Southwestern)
T. R. Pfrimmer—Leland, Mississippi (Southeastern)

Secretary-Treasurers

H. T. Streu—New Brunswick, New Jersey (Eastern)
T. J. Helms—Lincoln, Nebraska (North Central)
R. D. Carter—San Leandro, California (Pacific)
R. O. Drummond—Kerrville, Texas (Southwestern)
J. B. Graves—Baton Rouge, Louisiana (Southeastern)

AUTHOR INDEX TO VOLUME 65

February 1–313
April 315–627
June 629– 938
August 939–1219
October 1221–1534
December 1535–1766

A

ABD ELAAL, M. A., see E. A. ELBADRY 947

ABO-ELGHAR, M. R., S. M. HASSAN, Y. H. ATALLAH, and M. A. HANNA—Acute Toxicity and Latent Effects of Several Insecticides on the Egyptian Cotton Leafworm 360

ADAMSON, R. M., N. V. TONKS, and E. F. MAAS—Yields of Greenhouse Tomatoes Treated with Naled for Control of the Greenhouse Whitefly 1205

ADKISSON, P. L., see M. V. Meisch 1021

ADLER, VICTOR E., MORTON BEROZA, B. A. BIERL, and RAFAEL SARMIENTO—Electroantennograms and Field Attraction of the Gypsy Moth Sex Attractant Disparlure and Related Compounds 679

ADLER, VICTOR E., MORTON BEROZA, and T. P. MCGOVERN—Electrophysiological Response of Antennae of the Japanese Beetle to Attractants and Related Compounds 921

ADLER, VICTOR E., and MARTIN JACOBSON—Electrophysiological Responses of Four Species of Pest Lepidoptera to Synthetic Acetates and Alcohols 1582

ADLERZ, W. C.—*Melothria pendula* Plants Infected with Watermelon Mosaic Virus 1 as a Source of Inoculum for Cucurbits in Collier County, Florida 1303

ADLERZ, W. C.—*Prodecatoma cooki*, a Seed Chalcid on Florida Grapes 1530

AINA—O. J., J. G. RODRIGUEZ, and D. E. KNAVEL—Characterizing Resistance to *Tetranychus urticae* in Tomato 641

AINA, O. J., see J. G. RODRIGUEZ 50

AKAMINE, E. K., see S. T. SEO 1372

AL-ADIL, KHALID M., WENDELL W. KILGORE, AHMED I. GADALLAH, and RUTH R. PAINTER—Biochemical Effect of Metepa on House Fly Eggs 321

AL-ADIL, KHALID M., WENDELL W. KILGORE, and RUTH R. PAINTER—Toxicity and Sterilization Effectiveness of Aflatoxins B_1 and G_1 and Distribution of Aflatoxin B_1-^{14}C in House Flies 375

AL-ADIL, KHALID M., WENDELL W. KILGORE, and RUTH R. PAINTER—House Fly Lipids and the Effect of Chemosterilization with Metepa 887

ALBANO, D. J., see H. R. MOFFITT 770, 882

ALBIN, R. C., see D. N. UECKERT 1286

ALGER, NELDA E., and EDELBERTO J. CABRERA—An Increase in Death Rate of *Anopheles stephensi* Fed on Rabbits Immunized with Mosquito Antigen 165

ALI, M., see J. E. LLOYD 387

ALINIAZEE, M. TASKEEN—Susceptibility of the Confused and Red Flour Beetles to Anoxia Produced by Helium and Nitrogen at Various Temperatures 60

ALINIAZEE, M. T., and E. M. STAFFORD—Notes on the Biology, Ecology, and Damage of *Platynota stultana* on Grapes 1042

ALINIAZEE, M. T., and E. M. STAFFORD—Control of the Grape Mealybug on Thompson Seedless Grapes in California 1744

ALLEN, NORMAN, see WILLIAM S. KINARD 1417

AL-RUBAE, ADNAN Y., and CHARLES O. KNOWLES—Metabolism of Chloroprophylate and Bromopropylate Acaricides by Twospotted Spider Mites and House Flies 1600

AMMAN, GENE D.—Mountain Pine Beetle Brood Production in Relation to Thickness of Lodgepole Pine Phloem 138

AMYX, CHARLES M., see W. N. SULLIVAN ..1442, 1462

ANDERSON, H. V., see C. L. MANGUM 289

ANDO, KUNIO, see TAKAO SAGAWA 372

APPLEBY, JAMES E., see HENRY F. PIERCE, JR. .. 1736

ARGAUER, R. J., R. E. REDFERN, and H. SHIMANUKI—Relative Toxicity of Several Carbamates to the Honey Bee and the Large Milkweed Bug 924

ARGAUER, ROBERT J., and W. W. CANTELO—Spectrofluorometric Determination of Fluorescein-Tagged Tobacco Hornworms 539

ARMBRUST, EDWARD J., see CLARENCE E. WHITE 85

ARMBRUST, EDWARD J., see JERALD R. DEWITT .. 1289

ARMSTRONG, J. F., see P. D. GERHARDT 491

ARN, H., see C. J. ECKENRODE 1343

ASHDOWN, DONALD, see CHARLES R. WARD 523, 561, 764

ASHDOWN, DONALD, see ELLIS W. HUDDLESTON .. 851

ASHLEY, JANE, see CLARENCE E. WHITE 85

ASHRAFI, SHAHID H., ELVIN W. TILTON, and JOHN H. BROWER—Inheritance of Radiation-Induced Partial Sterility in the Indian Meal Moth 1265

ASKARI, AHMAD, and VERNON M. STERN—Effect of Temperature and Photoperiod on *Orius tristicolor* Feeding on *Tetranychus pacificus* 132
ATALLAH, Y. H., see M. R. ABO-ELGHAR 360
ATMAR, J. W., and J. J. ELLINGTON—Construction and Control Characteristics of Environmental Simulation Chambers 401

B

BAILEY, C. FRANK, see CHARLES R. WARD 561
BAILEY, DONALD L., see L. G. PICKENS 6
BAILEY, J. C., see REYNARD MOODY 1764
BAILEY, JACK C., see REYNARD MOODY 1501
BALDERSTON, C. P., see R. L. CAMPBELL 912, 1745
BALL, HAROLD J.—A System for Recording Activity of Small Insects 129
BALL, HAROLD J., see JOSEPH H. TARNOPOL ... 980
BALSBAUGH, EDWARD U., JR., see HOWARD KESSLER 1636
BANKS, W. A., G. P. MARKIN, J. W. SUMMERLIN, and C. S. LOFGREN—Four Mirex Bait Formulations for Control of the Red Imported Fire Ant 1468
BARNES, E. E., and MAX H. BASS—Effect of Certain Temperatures on the Life Cycle of the Whitefringed Beetle 918
BARNES, M. M., see B. A. CROFT 211
BARRAS, STANLEY J.—Improved White's Solution for Surface Sterilization of Pupae of *Dendroctonus frontalis* 1504
BARRY, DEAN—Chemical Control of Sorghum Shoot Fly on a Susceptible Variety of Sorghum in Uganda 1123
BARSTOW, D. A., see J. L. SAUNDERS 500, 896
BARTELL, R. J., see W. L. ROELOFS 1276
BARTLETT, B. R., and D. W. CLANCY—The Comstock Mealybug in California and Observations on Some of Its Natural Enemies 1329
BARTLETT, F. J., see H. R. GROSS, JR. 611
BARTLETT, F. J., see D. P. HARLAN 1260
BARTON, HARVEY E., see CHARLES L. SELMAN .. 1018
BASS, MAX H., see RONALD H. SMITH 193, 606
BASS, MAX H., see E. E. BARNES 918
BATISTE, WILLIAM C., and JOHN JOOS—Codling Moth: A New Pheromone Trap 1741
BATTH, SURAT S.—Baler Twine Test Against Mice and Cricket Damage 276
BATTH, SURAT S.—Evaluation of Vinyl Garment Bags as Chambers for Paradichlorobenzene Fumigation of Fabric-Insect Pests 1074
BATTH, SURAT S.—Pesticide Effectiveness and Biorhythm in the House Fly 1191
BAUERLE, W. L., see R. K. LINDQUIST 1406
BAUMAN, ED B., see HAGEN B. GILLENWATER .. 1450
BEARD, RAIMON L.—Lethal Action of UV Irradiation on Insects 650
BEARDSLEY, D. W., see B. W. HAYES 1368
BEATTIE, G. A. C., A. B. BOŘKOVEC, and F. J. D. MCDONALD—Chemosterilization of *Lucilia cuprina* with *N,N'*-Hexamethylenebis- (1-aziridinecarboxamide) 1352
BEAVERS, J. B., H. A. DENMARK, and A. G. SELHIME—Predation by *Blattisocius keegani* on Egg Masses of *Diaprepes abbreviatus* in the Laboratory 1483
BEAVERS, J. B., T. P. MCGOVERN, MORTON BEROZA, and R. A. SUTTON—Synthetic Attractants for Some Dipteran Species 1740
BECK, E. W., and J. L. SKINNER—Seasonal Light-Trap Collections of the Twolined Spittlebug in Southern Georgia 110
BECKHAM, C. M., and H. H. TIPPINS—Observations of Sunflower Insects 865
BELL, J. V., R. J. HAMALLE, and JEROME A. ONSAGER—Mortality of Larvae and Pupae of the Banded Cucumber Beetle in Soil and Sand Following Topical Application of Fungus Spores 605
BENEZET, H. J., and A. J. FORGASH—PENETRATION and Distribution of Topically Applied Malathion in the House Fly 53
BENEZET, HERMAN J., and ANDREW J. FORGASH —Reduction of Malathion Penetration in House Flies Pretreated with Silicic Acid 895
BENKE, G. M., C. F. WILKINSON, and J. N. TELFORD—Microsomal Oxidases in a Cockroach, *Gromphadorhina portentosa* 1221
BERISFORD, C. WAYNE, and U. EUGENE BRADY— Attraction of Nantucket Pine Tip Moth Males to the Female Sex Pheromone 430
BERNARD, R. L., see D. B. BROERSMA 78
BEROZA, MORTON, see BARBARA A. BIERL 659
BEROZA, MORTON, see RAFAEL SARMIENTO 665
BEROZA, MORTON, see VICTOR E. ADLER 679, 921
BEROZA, MORTON, see LYNN J. STEVENS 1090
BEROZA, MORTON, see J. B. BEAVERS 1740
BERRY, E. C., J. E. CAMPBELL, C. R. EDWARDS, J. A. HARDING, W. G. LOVELY, and G. M. MCWHORTER—Further Field Tests of Chemicals for Control of the European Corn Borer 1113
BERRY, E. C., see C. R. EDWARDS 1129
BERRY, E. C., see G. M. MCWHORTER 1414
BERRY, EDWIN C., see TOM M. HILLS 1697
BERRY, RALPH E.—Garden Symphylan: Reproduction and Development in the Laboratory 1628
BHIRUD, K. M., and H. N. Pitre-Influence of Soil Class and Soil Moisture on Bioactivity of Carbofuran and Disulfoton in Corn in Greenhouse Tests: Relationship to Leafhopper Vector Control and Corn Stunt Disease Incidence 324
BHIRUD, K. M., and H. N. Pitre—Bioactivity of Systemic Insecticides in Corn: Relationship to Leafhopper Vector Control and Corn Stunt Disease Incidence 1134
BHIRUD, K. M., and H. N. PITRE—Bioactivity of Carbofuran and Disulfoton in Corn in Greenhouse Tests, Particularly in Relation to Leaf Positions on the Plant 1183
BHIRUD, K. M., and H. N. Pitre—Comparative Susceptibility of Three Cicadellid Vectors of the Corn Stunt Disease Agent to Carbofuran and Disulfoton in Greenhouse Tests 1236
BHIRUD, K. M., see H. N. PITRE 1195

BIERL, BARBARA A., MORTON BEROZA, and C. W. COLLIER—Isolation, Identification, and Synthesis of the Gypsy Moth Sex Attractant 659
BIERL, B. A., see VICTOR E. ADLER 679
BIERL, BARBARA A., see RAFAEL SARMIENTO 665
BISHOP, P. M., see C. E. STRINGER, JR. 872
BLUME, RICHARD R.—Additional Insects Associated with Bovine Droppings in Kerr and Bexar Counties, Texas 621
BOBB, MARVIN L.—Observations on the Biology and Control of *Platynota flavedana* 1486
BOETHEL, DAVID J., and HORACE W. VAN CLEAVE—Dosage Mortality Studies on Laboratory-Reared and Field-Collected Larvae of the Hickory Shuckworm 232
BOLING, J. C.—Insecticidal Control of Cabbage Looper in Small Field Plots 1737
BOŘKOVEC, A. B., C. W. WOODS, and D. G. MCHAFFEY—Chemosterilants Against the Boll Weevil. 1. Aziridines 1543
BOŘKOVEC, A. B., see S. C. CHANG 390
BOŘKOVEC, A. B., see DAN A. WOLFENBARGER ... 962
BOŘKOVEC, A. B., see G. A. C. BEATTIE 1352
BOŘKOVEC, A. B., see A. B. DEMILO 1548
BOŘKOVEC, A. B., see P. H. TERRY 1550
BOŘKOVEC, ALEXEJ B., ALBERT B. DEMILO, and RICHARD L. FYE—Triazinyl Chemosterilants for the House Fly: 2,4-Diamino-*s*-triazines.... 69
BOSWELL, ANTHONY L., see FLOYD F. SMITH 1466
BOTTRELL, D. G., see A. L. WALKER 286, 422
BOTTRELL, D. G., see D. S. MOODY 1215
BOWLING, C. C.—Status of Rice Water Weevil Resistance to Aldrin in Texas 1490
BOWMAN, M. C., see D. B. LEUCK 257
BOWMAN, MALCOLM C., see ROY E. BRY 584
BOWMAN, MALCOLM C., see PHILIP B. MORGAN . 1269
BOYS, FRANK E., and PAUL P. BURBUTIS—Influence of *Phytoseiulus persimilis* on Populations of *Tetranychus turkestani* at the Economic Threshold on Roses 114
BRADY, U. EUGENE, see C. WAYNE BERISFORD .. 430
BRANSON, TERRY F.—Resistance to the Corn Leaf Aphid in the Grass Tribe Maydeae 195
BRATKOWSKI, THOMAS A., and FUMIO MATSUMURA—Properties of a Brain Adenosine Triphosphatase Sensitive to DDT 1238
BRAUN, H. E., see H. W. GOBLE 837
BRETT, CHARLES H.—Bioactivity of Hydrolyzed Trichloromethyl Pyridines 931
BREWER, J. W.—Control of a Pinyon Stunt Needle Midge in Colorado 216
BRINDLEY, T. A., see W. B. SHOWERS 285
BRINDLEY, TOM A.—FLOYD ANDRE (1909–1972) ..... (Obit.) 938
BRINGHURST, R. S., see A. N. KISHABA 117
BROERSMA, D. B., R. L. BERNARD, and W. H. LUCKMANN—Some Effects of Soybean Pubescence on Populations of the Potato Leafhopper 78
BROWER, JOHN H., and ELVIN W. TILTON—Insect Disinfestation of Shelled Pecans, Almonds, and Walnuts by Gamma Radiation .. 222
BROWER, JOHN H., and ELVIN W. TILTON—Gamma-Radiation Effects on *Trogoderma inclusum* and *T. variabile* 250
BROWER, JOHN H., see GARY A. BROWN 203
BROWER, JOHN H., see ELVIN W. TILTON 531
BROWER, JOHN H., see MIR M. HOSSAIN ...673, 1566
BROWER, JOHN H., see ROBERT R. COGBURN ... 818
BROWER, JOHN H., see SHAHID H. ASHRAFI ... 1265
BROWN, GARY A., JOHN H. BROWER, and ELVIN W. TILTON—Gamma Radiation Effects on *Sitophilus zeamais* and *S. granarius* 203
BROWN, GARY A., and ROBERT DAVIS—Sensitivity of Grain Mite Eggs to Gamma Radiation as Influenced by Dose Rate and Treatment Age 1619
BROWN, GARY A., see ELVIN W. TILTON 531
BROWN, LELAND R., ANDREW S. DEAL, and CLARK O. EADS.—Soil Injection of Oxydemetonmethyl to Control the Painted Maple Aphid 874
BROWN, R. T., see S. C. CHANG 390
BROWN, SYLVIA, J., see ROBERT L. LYON 928
BROWNE, LLOYD E.—An Emergence Cage and Refrigerated Collector for Wood-Boring Insects and Their Associates 1499
BRUCE, W. N.—Separation and Identification of Carbofuran, Its Metabolites, and Conjugates Found in Fish Exposed to Ring ^{14}C-Labeled Carbofuran Using ITLC Silica Gel Strips .. 1738
BRUDER, K. W., and A. P. GUPTA—Habitats and Distribution of the Pavement Ant in New Jersey 1180
BRUER, H. L., see T. L. LADD, JR. 1338
BRUNSON, M. H., see W. A. SHANDS 511
BRY, ROY E., MALCOLM C. BOWMAN, FARRIST G. CRUMLEY, JOE H. LANG, and R. SPENCER CAIL—Evaluation of Ciba C-9491 as a Mothproofing Agent. Part 2. 584
BRY, ROY E., L. L. MCDONALD, and J. H. LANG—Protecting Stored Woolens Against Fabric-Insect Damage: A Long-Term Nonchemical Method 1735
BUCKER, G. E., see H. H. CHENG 1761
BULL, D. L., and C. J. WHITTEN—The Metabolism of Bay 93820 in Cotton Plants 973
BURBUTIS, P. P., C. P. DAVIS, L. P. KELSEY, and C. E. MARTIN—Control of Green Peach Aphid on Sweet Peppers in Delaware 1436
BURBUTIS, PAUL P., see FRANK E. BOYS 114
BURDEN, G. S.—Gas-Propelled Aerosols and Micronized Dusts for Control of Insects in Aircraft. 6. Insects of Medical Importance . 1458
BURGER, T. L., and M. C. HOLMES—A Modified Büchner Funnel for Dispensing Eggs of the Cereal Leaf Beetle and the Threelined Potato Beetle for Parasite Production 1185
BURGESS, E. E., H. E. WILLIAMS, R. E. WILKINSON, and E. A. HEINRICHS—Field Tests of Insecticides Against *Plagiotrochus cornigerus*.. 1484
BURIFF, C. R., and G. W. STILL—Seasonal Activity of Adult Elder Shoot Borer as Indicated by Blacklight Traps 1201
BURKHARDT, C. C., see JAMES J. LACKETT 19

BURKHARDT, C. C., see RABINDER KUMAR 1593
BURNSIDE, J. A., see T. T. Y. WONG 697, 1034
BURRAGE, R. H., and J. G. SAHA—Insecticide Residues in Pheasants After Being Fed on Wheat Seed Treated with Heptachlor and ^{14}C-Lindane 1013
BURT, E. C., see E. P. LLOYD 1153
BURTON, R. L., and W. D. PERKINS—WSB, A New Laboratory Diet for the Corn Earworm and the Fall Armyworm 385
BUSH, GUY L., see RONALD J. PROKOPY 597
BUSTILLO, A. E., see A. T. DROOZ 89
BUTLER, GEORGE D., JR.—Flight Times of *Lygus hesperus* 1299
BUTLER, GEORGE D., JR., and WILLARD A. DICKERSON—Life Cycle of the Convergent Lady Beetle in Relation to Temperature 1508
BUTLER, L.—Parasitization of the Black Carpet Beetle by the Straw Itch Mite 702
BUTLER, L. I., L. M. MCDONOUGH, G. TAMAKI, and B. J. LANDIS—Precursor of Female Sex Pheromone Found in Males of the Zebra Caterpillar 1174
BUTLER, L. I., see R. L. WALLIS 945
BUTT, B. A., J F. HOWELL, H. R. MOFFITT, and A. E. CLIFT—Suppression of Populations of Codling Moths by Integrated Control (Sanitation and Insecticides) in Preparation for Sterile-Moth Release 411
BUTT, B. A., see L. M. MCDONOUGH 108
BUTT, B. A., see H. R. MOFFITT 1321
BYERS, ROBERT A., and ROBERT L. GALLUN—Ability of the Hessian Fly to Stunt Winter Wheat. 1. Effect of Larval Feeding on Elongation of Leaves 955
BYERS, ROBERT A., and ROBERT L. GALLUN—Ability of the Hessian Fly to Stunt Winter Wheat. 2. Paper Chromatography of Extracts of Freeze-Dried Larvae and Wheat Plants 997
BYERS, R. A., and R. L. GALLUN—Ability of the Hessian Fly to Stunt Winter Wheat. 3. Gibberellic Acid and Elongation of Second and Third Leaves of Infested Plants 1001

C

CABRERA, EDELBERTO J., see NELDA E. ALGER .. 165
CAHILL, W. P., see G. W. WARE 590, 1170
CAIL, R. SPENCER, see ROY E. BRY 584
CALCOTE, V. R., C. R. GENTRY, and G. W. EDWARDS—Nightly Activity and Mating Behavior of Pecan Nut Casebearers Captured in Traps 909
CALCOTE, V. R., C. R. GENTRY, and G. W. EDWARDS—Comparison of Two Types of Light Traps in Capturing Moths of the Pecan Nut Casebearer 933
CALKINS, C. O., see G. R. SUTTER 1470
CAMPBELL, J. E., see E. C. BERRY 1113
CAMPBELL, R. L., and C. P. BALDERSTON—Insecticidal Control of *Adelges cooleyi* on Douglas-Fir in Ohio, with Notes on Biology 912
CAMPBELL, R. L., and C. P. BALDERSTON—Insecticidal Control of Eastern Spruce Gall Aphid During Autumn in Ohio 1745
CANERDAY, T. DON, see JAMES W. TODD 501
CANERDAY, T. DON, see RICHARD B. CHALFANT 1679
CANTELO, W. W., see ROBERT J. ARGAUER 539
CANTU, ELIUD, and DAN A. WOLFENBARGER—Toxicity of Esters of *cis-trans*-(±)-2,2-Dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylic Acid to the Tobacco Budworm, Fall Armyworm, and Bollworm 615
CARDÉ, R. T., see D. L. ROELOFS 1276
CARDWELL, DIANA L., see DENNIS R. SUKKESTAD . 353
CARLSON, ELMER C.—Aphid Damage and Control on Safflower 1085
CARMAN, GLEN E., See DANIEL S. MORENO 698
CARPENTER, G. P., and DONALD R. SCOTT—Sugar beet Wireworm Control in Potatoes in Idaho 773
CARTER, S. W., see G. L. REED 1472
CATE, J. R., JR., R. L. RIDGWAY, and P. D. LINGREN—Effects of Systemic Insecticides Applied to Cotton on Adults of an Ichneumonid Parasite, *Campoletis perdistinctus* 484
CATE, J. R., JR., see A. L. WALKER 286, 422
CHALFANT, R. B., and A. W. JOHNSON—Field Evaluation of Pesticides Applied to the Soil for Control of Insects and Nematodes Affecting Southern Peas in Georgia 1711
CHALFANT, RICHARD B., E. F. SUBER, and T. DON CANERDAY—Resistance of Southern Peas to the Cowpea Curculio in the Field 1679
CHAMBERS, D. L., K. OHINATA, M. FUJIMOTO, and S. KASHIWAI—Treating Tephritids with Attractants to Enhance Their Effectiveness in Sterile-Release Programs 279
CHAMBERS, D. L., see W. J. SCHROEDER 969
CHAMBERS, D. L., see S. T. SEO 1372, 1652
CHAMBERS, D. L., see N. TANAKA 1727
CHAMBERS, DERRELL L., see IRVING KEISER 1514
CHAMBERS, G. V., see D. W. MICKS 158
CHAMBLISS, O. L., see F. P. CUTHBERT, JR. 542
CHANDRAN, S. R., and M. A. Q. KHAN—Microsomes: Mixed-Function Oxidase in the Mid-Gut of the Corn Earworm 1510
CHANG, S. C., J. E. OLIVER, R. T. BROWN, and A. B. BOŘKOVEC—Chemosterilization of Male House Flies with Dithiazolium Compounds and with Tetramethyldithiobiuret 390
CHANG, S. C., and J. E. OLIVER—Formation of an Active Male Chemosterilant from Degradation of 1,1,5,5-Tetramethyl-2,4-dithiobiuret.. 1751
CHANG, V. C. S., and LESLIE JENSEN—A Diet for Studying Clonal Resistance of Sugarcane to the New Guinea Sugarcane Weevil 1197
CHENG, CHING-HUAN, and M. D. PATHAK—Resistance to *Nephotettix virescens* in Rice Varieties 1148
CHENG, H. H., and G. E. BUCHER—Field Comparison of the Neoaplectanid Nematode DD 136 with Diazinon for Control of *Hylemya* spp. on Tobacco 1761
CHENG, TIEN-HSI, see ARTHUR A. HOWER, JR.. 602

CHENG, WEN-YI, and DAVID T. NORTH—Inherited Sterility in the F_1 Progeny of Irradiated Male Pink Bollworms 1272
CHESNUT, THOMAS LLOYD—Flight Habits of the Maize Weevil as Related to Field Infestation of Corn 434
CHIANG, H. C., see MARK B. WINDELS 1055
CLABORN, H. V., see M. C. IVEY 1647
CLANCY, D. W., see B. R. BARTLETT 1329
CLARK, WILLIAM J., F. A. HARRIS, F. G. MAXWELL, and E. E. HARTWIG—Resistance of Certain Soybean Cultivars to Bean Leaf Beetle, Striped Blister Beetle, and Bollworm 1669
CLIFT, A. E., see B. A. BUTT 411
CHISHOLM, D., and A. W. MACPHEE—Persistence and Effects of Some Pesticides in Soil 1010
CLEVELAND, T. C., see J. E. LEGGETT 1182
CLIFT, A. E., see J F. HOWELL 888
CLINE, RICHARD E.—Lethal Effects of Aqueous Formulations Containing Fatty Amines or Acids Against Eggs and Larvae of *Aedes aegypti* 177
COGBURN, ROBERT R.—Natural Surfaces in a Gulf Port Warehouse: Influence on the Toxicity of Malathion and Gardona to Confused Flour Beetles 1706
COGBURN, ROBERT R., and ROY D. SPEIRS—Toxicity of Malathion to Gamma-Irradiated and Nonirradiated Adult Red Flour Beetles 185
COGBURN, ROBERT R., and HAGEN B. GILLENWATER—Interaction of Gamma Radiation and Fumigation on Confused Flour Beetles 245
COGBURN, ROBERT R., ELVIN W. TILTON, and JOHN H. BROWER—Bulk-Grain Gamma Irradiation for Control of Insects Infesting Wheat 818
COLE, M. M., D. L. VANNATTA, W. ELLERBE, and F. WASHINGTON—Rearing the Oriental Rat Flea 1495
COLLIER, C. W., see BARBARA A. BIERL 659
COLMER, R. P.—CLAY LYLE (1894–1971) (Obit.) 1532
CONE, WYATT W., and STEFAN PRUSZYNSKI—Pheromone Studies of the Twospotted Spider Mite. 3. Response of Males to Different Plant Tissues, Age, Searching Area, Sex-Ratios, and Solvents in Bioassay Trials 74
COONS, L. B., and F. E. GUTHRIE—High Resolution Radioautography of ^{3}H-DDT-Treated Insects 1004
COOPER, J. F., see B. A. PORTER ..... (Obit.) 627
COPONY, J. A.—Chemical Control of Coneworms 1491
COPONY, JAMES A., and CALEB L. MORRIS—Southern Pine Beetle Suppression with Frontalure and Cacodylic Acid Treatments 754
COPPEL, H. C., see F. MATSUMURA 600
COPPINGER, A. J., see T. L. LADD, JR. 1338
CORLEY, CALVIN, see FLOYD F. SMITH 288
COSTER, JACK E., ROBERT G. MERRIFIELD, and R. A. WOESSNER—Evaluation of Four Systemic Insecticides Against Cottonworm Twig Borer.. 612
COTHRAN, WARREN R., and CHARLES G. SUMMERS—Sampling for the Egyptian Alfalfa Weevil: A Comment on the Sweep-Net Method .. 689
COTHRAN, WARREN R., see CHARLES G. SUMMERS. 1479
COULSON, ROBERT N., AKIRA MUTUURA, and EUGENE MUNROE—The *Dioryctria* Species of Loblolly Pine in East Texas with Comments on the Occurrence of Two New Species 868
COWAN, C. B., JR., see J. W. DAVIS 231
COWAN, C. B., JR., see C. R. PARENCIA, JR. 480
COWAN, C. B., JR., and J. W. DAVIS—Insecticides Evaluated in Field Tests Against Cotton Insects in Central Texas, 1970 1111
COX, D. F., see LARRY P. PEDIGO 414
CRAIG, C. H., see C. E. STRINGER, JR. 872
CREIGHTON, C. S., T. L. MCFADDEN, R. B. CUTHBERT, and J. A. ONSAGER—Control of Four Species of Caterpillars on Cabbage with *Bacillus thuringiensis* var. *alesti*, 1969–70 1399
CRENSHAW, G. L., see E. C. LOOMIS 450
CROFT, B. A., and J. A. MCMURTRY—Minimum Releases of *Typhlodromus occidentalis* to Control *Tetranychus mcdanieli* on Apple .. 188
CROFT, B. A., and M. M. BARNES—Comparative Studies on Four Strains of *Typhlodromus occidentalis*. VI. Persistence of Insecticide-Resistant Strains in an Apple Orchard Ecosystem. 211
CROFT, B. A., and E. E. NELSON—An Index to Predict Efficient Interactions of *Typhlodromus occidentalis* in Control of *Tetranychus mcdanieli* in Southern California Apple Trees 310
CROOKS, E. ELLIOTT, see W. N. SULLIVAN ..1442, 1462
CROSBY, HEBER, see AUGUSTINE DAY 1164
CROSS, W. H., see D. D. HARDEE 97
CRUMLEY, FARRIST G., see ROY E. BRY 584
CRYSTAL, MAXWELL M., see JAMES E. OLIVER .. 303
CRYSTAL, MAXWELL M., see PAUL H. TERRY .. 307
CRYSTAL, MAXWELL M., see ALBERT B. DEMILO 594
CUNNINGHAM, R. T., and L. F. STEINER—Field Trial of Cue-Lure + Naled on Saturated Fiberboard Blocks for Control of the Melon Fly by the Male-Annihilation Technique ... 505
CUNNINGHAM, R. T., see G. J. FARIAS 914
CUNNINGHAM, R. T., see W. J. SCHROEDER 1217
CUNNINGHAM, ROY T., L. F. STEINER, and KIICHI OHINATA—Field Tests of Thickened Sprays of Methyl Eugenol Potentially Useful in Male-Annihilation Programs Against Oriental Fruit Flies 556
CUTHBERT, F. P., and B. W. DAVIS—Factors Contributing to Cowpea Curculio Resistance in Southern Peas 778
CUTHBERT, F. P., JR., and O. L. CHAMBLISS—Sources of Resistance to Cowpea Curculio in *Vigna sinensis* and Related Species 542
CUTHBERT, F. P., JR., and ALFRED JONES—Resistance in Sweetpotatoes to Coleoptera Increased by Recurrent Selection 1655
CUTHBERT, R. B., see C. S. CREIGHTON 1399

D

DANIELS, NORRIS E.—Insecticidal Control of Greenbugs in Grain Sorghum 235
DARLINGTON, W. A., G. F. LUDVIK, and R. M. SACHER—MON-0856: A Promising New Selective Insecticide 48

DARLINGTON, W. A., see G. F. LUDVIK 474, 1166
DARROW, D. I., and T. M. WHETSTONE—Age and Susceptibility of Nymphal Lone Star Ticks to Selected Ixodicides 156
DARROW, D. I., see R. O. DRUMMOND 745
DAUTERMAN, W. C., see NELSON SUPLICY 1585
DAVICH, T. B., see DAVID G. MCHAFFEY 13
DAVICH, T. B., see JACK C. MCCARTY, JR. 370
DAVICH, T. B., see E. P. LLOYD 552, 1144
DAVICH, T. B., see G. H. MCKIBBEN 1190, 1512
DAVIS, B. W., see F. P. CUTHBERT 778
DAVIS, C. P., see P. P. BURBUTIS 1436
DAVIS, D. E., see PHILIP TUGWELL 1731
DAVIS, D. G., see T. T. Y. WONG 697, 1034
DAVIS, EDWARD E., and CHARLES S. REBERT—Elements of Olfactory Receptor Coding in the Yellowfever Mosquito 1058
DAVIS, FRANK M., C. A. HENDERSON, and GENE E. SCOTT—Movements and Feeding of Larvae of the Southwestern Corn Borer on Two Stages of Corn Growth 519
DAVIS, HARRY G., see CARL A. JOHANSEN 40
DAVIS, J. W., and C. B. COWAN, JR.—Field Evaluation of Three Formulations of Aldicarb for Control of Cotton Insects 231
DAVIS, J. W., see C. B. COWAN, JR. 1111
DAVIS, RICHARD B., JAMES J. O'GRADY, JR., and B. G. HIGHTOWER—A Device Providing Continuous Stimulus to Oviposition for Individual Screwworm Flies 1214
DAVIS, ROBERT, See GARY A. BROWN 1619
DAWKINS, C. C., see W. J. GLADNEY 1491
DAWKINS, CHARLES C., see WILLIAM J. GLADNEY 174
DAXL, R., see R. H. RHODE 1749
DAY, AUGUSTINE, and HEBER CROSBY—Further Field Evaluation of Insecticides for Control of Southern Potato Wireworms 1164
DEAL, ANDREW S., see LELAND R. BROWN 874
DE LA ROSE, H. H., see H. M. GRAHAM 645
DEMILO, A. B., A. B. BOŘKOVEC, and D. G. MCHAFFEY—Chemosterilants Against the Boll Weevil. 2. *s*-Triazines 1548
DEMILO, ALBERT B., and MAXWELL M. CRYSTAL—Chemosterilants Against Screwworm Flies. 3. 594
DEMILO, ALBERT B., see ALEXEJ B. BOŘKOVEC .. 69
DEMING, J. M., see R. M. SACHER 329
DENMARK, H. A., see J. B. BEAVERS 1483
DENNIS, N. M., G. EASON, and H. B. GILLENWATER—Formation of Methyl Chloride During Methyl Bromide Fumigations 1753
DEPEW, LESTER J.—Further Evaluation of Insecticides for Greenbug Control on Grain Sorghum in Kansas 1095
DEWITT, JERALD R., and EDWARD J. ARMBRUST—Photoperiodic Sensitivity of the Alfalfa Weevil During Larval Development 1289
DIAZ, MIGUEL, JR., see P. D. LINGREN 1295
DICKERSON, WILLARD A., see J. DAVID HOFFMAN 301
DICKERSON, WILLARD A., see GEORGE D. BUTLER, JR. 1508
DITTRICH, VOLKER—Phenotypic Expression of Gene OP^L for Resistance in Twospotted Spider Mites Tested with Various Organophosphates 1248
DOGGETT, C. A.—Notes on the Biology of *Neodiprion excitans* in North Carolina 701
DOLPHIN, R. E., see T. T. Y. WONG 697, 1034
DOROUGH, H. W., H. M. MEHENDALE, and T. LIN—Modification of Carbaryl Metabolism in Rats with Monoamine Oxidase Inhibitors .. 958
DOROUGH, H. WYMAN, and B. C. PASS—Residues in Corn and Soils Treated with Technical Chlordane and High-Purity Chlordane (HCS 3260) 976
DOYLE, J., see R. E. RICE 1212
DREA, J. J., see L. DURESEAU 604
DROOZ, A. T., and A. E. BUSTILLO—*Glena bisulca*, a Serious Defoliator of *Cupressus lusitanica* in Columbia 89
DRUDGE, J. H., see F. W. KNAPP 925
DRUMMOND, R. O., D. I. DARROW, and W. J. GLADNEY—Further Evaluation of Animal Systemic Insecticides, 1971 745
DRUMMOND, R. O., and R. E. GINGRICH—Detection of Systemic Activity of Insecticides Applied Dermally to White Mice Infested with Larvae of *Cuterebra* sp. 1211
DRUMMOND, R. O., S. E. ERNST, J. L. TREVINO, W. J. GLADNEY, and O. H. GRAHAM—*Boophilus annulatus* and *B. microplus:* Sprays and Dips of Insecticides for Control on Cattle 1354
DRUMMOND, R. O., T. M. WHETSTONE, S. E. ERNST, and W. J. GLADNEY—Control of Three-Host Ticks: Laboratory Tests of Systemic Insecticides in Feed of Cattle 1641
DRUMMOND, R. O., see WILLIAM J. GLADNEY .. 174
DRUMMOND, R. O., see R. E. GINGRICH 742
DUCKLES, C. K., see R. B. ROBERTS 1277
DUKES, P. D., see JAMES W. TODD 295
DULMAGE, H. T., see R. L. MCGARR 897
DULMAGE, H. T., see DAN A. WOLFENBARGER .. 1245
DUMENIL, L. C., see F. T. TURPIN 1615
DUNBAR, DENNIS M., and HARRY K. KAYA—*Bacillus thuringiensis:* Control of the Gypsy Moth and Elm Spanworm with Three New Commercial Formulations 1119
DUNBAR, DENNIS M., see HARRY K. KAYA 1132
DUNNING, L. L., see E. C. LOOMIS 450
DURESEAU, L., E. RIVET, and J. J. DREA—*Ephedrus plagiator*, a Parasite of the Greenbug in France 604

E

EADS, CLARK O., see LELAND R. BROWN 874
EASON, G., see N. M. DENNIS 1753
EASON, GERALD, see HAGEN B. GILLENWATER .. 1450
ECKENRODE, C. J., and H. ARN—Trapping Cabbage Maggots with Plant Bait and Allyl Isothiocyanate 1343

EDLAND, TORGEIR—Laboratory and Field Evaluation of the Persistence of Some Insecticides on Noctuid Larvae on Apple in Norway ... 208
EDWARDS, C. R., and E. C. BERRY—Evaluation of Five Systemic Insecticides for Control of the European Corn Borer 1129
EDWARDS, C. R., see E. C. BERRY 1113
EDWARDS, G. W., see V. R. CALCOTE 909, 933
EDWARDS, GEORGE W., see WALKER L. TEDDERS. 1624
EIKENBARY, R. D., see C. E. ROGERS 1313
EISLER, JAMES I., and CHARLES D. PLESS—Laboratory Rearing of *Lysiphlebus testaceipes* on *Rhopalosiphum maidis* 293
ELBADRY, E. A., and M. A. ABD ELAAL—Effects of Gamma Radiation on a Spider Mite, *Tetranychus arabicus*. 1. Irradiation of Eggs 947
ELDUMIATI, I. I., and W. C. LEVENGOOD—Summary of Attractive Responses in Lepidoptera to Electromagnetic Radiation and Other Stimuli 291
ELLERBE, W., see M. M. COLE 1495
ELLINGTON, J. J., see J. W. Atmar 401
ELLIS, C. R.—Susceptibility of Two Strains of *Sitophilus granarius* to 1,2-Dibromoethane. 1. Effect of Weight-Dependent Respiration and Fumigant Uptake on Strain Susceptibility .. 42
ELLIS, C. R.—Susceptibility of Two Strains of *Sitophilus granarius* to 1,2-Dibromoethane. 2. Strain Difference in Uptake and Metabolism of Radiolabeled Fumigant 1573
ELLIS, C. R.—Susceptibility of Two Strains of *Sitophilus granarius* to 1,2-Dibromoethane. 3. Effect of Total Lipid on Strain Susceptibility 1579
ENGLISH, L. M., see J. C. REESE 1047
ERNST, S. E., see R. O. DRUMMOND 1354, 1641
ESCHLE, J. L., see M. C. IVEY 1647
ESTERLINE, ALBERT L., and HAROLD L. ZIMMACK—Histological Effects of *Escherichia coli* and *Serratia marcescens* upon the European Corn Borer 283
ESTESEN, BETTY J., see G. W. WARE 590
ESTESEN, B. J., see G. W. WARE 1170
EVERETT, R. E., see M. A. PRICE 454
EVERETT, R. E., see S. E. KUNZ 1207
EVES, JACK, see CARL JOHANSEN 546
EWING, K. P., and C. F. RAINWATER—George Leslie Smith (1897–1971) ..... (Obit.) 936

F

FAIRCHILD, M. L., see LEROY L. PETERS. .576, 581, 1168
FAIRCHILD, M. L., see J. C. REESE 1047
FARIAS, G. J., R. T. CUNNINGHAM, and S. NAKAGAWA—Reproduction in the Mediterranean Fruit Fly: Abundance of Stored Sperm Affected by Duration of Copulation, and Affecting Egg Hatch 914
FARIAS, G. J., see W. J. SCHROEDER 1217
FERGUSON, WAYNE, see ARTHUR A. HOWER, JR. . 1742
FIFE, L. C., see H. M. GRAHAM 708
FIORI, B. J., H. TASHIRO, G. L. MACK, G. R. FRYER, and M. MCKOY—European Chafer: Noncyclodiene Insecticides for Control of Grubs 1686
FIORI, B. J., see R. J. KUHR 1555
FISHER, RICHARD G., see RONALD P. QUINTANA .. 66
FLAVELL, T. H., see H. L. LAMBERT 292
FLINT, H. M., see DAVID G. MCHAFFEY 13
FLYNN, A. D., see WILLIS MATHIS 748
FOILES, L. L., see JEROME A. ONSAGER 1498
FOREHAND, CHARLES E., see ELLIS W. HUDDLESTON 851
FORGASH, A. J., see H. J. BENEZET 53
FORGASH, ANDREW J., see HERMAN J. BENEZET .. 895
FORGASH, ANDREW J., see ALAN D. TOMLIN ..942, 953
FORSYTHE, H. Y., JR., and FRANKLIN R. HALL—Control of the Plum Curculio in Ohio 1703
FOSTER, T. S., H. V. MORLEY, R. PURKAYASTHA, R. GREENHALGH, and J. R. HUNT—Residues in Eggs and Tissues of Hens Fed a Ration Containing Low Levels of Pesticides with and without Charcoal 982
FRANK, R., see H. W. GOBLE 837
FRAZAR, E. D., see R. L. HARRIS 738, 915
FRICK, KENNETH E.—Biological Notes on Adults and Eggs of *Phytomyza syngenesiae* in North-Central Coastal California 1310
FROST, K. R., see G. W. WARE 590, 1170
FRYE, R. H., and J. M. SCHMID—Polypropylene Jars Improve Performance of Bark Beetle Emergence Cages 931
FRYER, G. R., see B. J. FIORI 1686
FUJIMOTO, M., see D. L. CHAMBERS 279
FUKUTO, T. R., see R. L. JONES 28
FURR, K. O., see HAROLD R. STERLING 1071
FURR, R. E., see M. L. LASTER 1524
FURR, R. E., see E. A. STADELBACHER 1682
FYE, R. E.—Populations of Lepidopterous Larvae in Outer and Inner Portions of a Cotton Field 287
FYE, R. E.—Temperatures Near the Surface of Cotton Leaves 1209
FYE, R. E.—Preliminary Investigation of Vertical Distributions of Fruiting Forms and Insects on Cotton Plants 1410
FYE, R. E., see R. O. KUEHL 855
FYE, RICHARD L., see ALEXEJ B. BORKOVEC 69
FYE, RICHARD L., see G. C. LABRECQUE 751

G

GADALLAH, AHMED I., WENDELL W. KILGORE, and RUTH R. PAINTER—Effect of the Chemosterilant *P,P'-Bis* (1-aziridinyl) *-N-* (3-methoxypropyl) phosphinothioic Amide on Some Dehydrogenases During Oögenesis and Embryogenesis of the House Fly 36
GADALLAH, AHMED I., WENDELL W. KILGORE, RUTH R. PAINTER, and NASR MAREI—Separation of Ribosomal Proteins of House Fly Eggs by Acrylamide Gel Electrophoresis 298

GADALLAH, AHMED I., WENDELL W. KILGORE, and RUTH R. PAINTER—Effect of an Aziridinyl Chemosterilant on the Proteins of the Haemolymph, Ovaries, and Eggs of House Flies: A Study by Gel Acrylamide Electrophoresis ... 393

GADALLAH, AHMED I., WENDELL W. KILGORE, RUTH R. PAINTER, and NASR MAREI—Effect of Thiotepa on Ribosomal Protein of House Fly Eggs ... 1176

GADALLAH, AHMED I., WENDELL W. KILGORE, and NASR M. MAREI—Effect of the Chemosterilant *P,P'*-Bis (1-aziridinyl) -*N*- (3-methoxypropyl) Phosphinothioic Acid on Esterases of the House Fly ... 1568

GADALLAH, AHMED I., see RUTH R. PAINTER ... 23

GADALLAH, AHMED I., see KHALID M. AL-ADIL .. 321

GADDY, N. K., see D. W. MICKS ... 158

GAINES, T. POWELL, see JAMES W. TODD ... 729

GALFORD, J. R., and L. R. SCHREIBER—Effect of Feeding on Twigs from Benomyl-Treated Seedlings on the Smaller European Elm Bark Beetle ... 1542

GALFORD, JIMMY R.—Some Basic Nutritional Requirements of Smaller European Elm Bark Beetle Larvae ... 681

GALLAGHER, K. J., see A. G. GENTILE ... 488

GALLUN, R. L., see R. A. BYERS ... 1001

GALLUN, ROBERT L., see ROBERT A. BYERS ... 955, 997

GAMEY, L. N., see L. M. MCDONOUGH ... 108

GARCIA, JOSÉ J., see B. G. HIGHTOWER .. 877, 1349, 1527

GARCIA, R. D., see H. M. GRAHAM ... 645

GARCIA, R. D., see A. A. GUERRA ... 966

GARCIA, R. D., see DAN A. WOLFENBARGER ... 1245

GARCIA, R. D., see ANTONIO A. GUERRA ... 1341

GASTON, LYLE K., see J. R. MCLAUGHLIN ... 1592

GEMRICH, EDWIN G., II—Effect of Polyene Antibiotics on the Growth and Development of the House Fly ... 1552

GENTILE, A. G., and K. J. GALLAGHER—Pollen Germination and Tube Elongation in Petunia Inhibited or Reduced by Commercial Formulations of Pesticides in Vitro ... 488

GENTRY, C. R., see V. R. CALCOTE ... 909, 933

GEORGE, D. A., see L. M. MCDONOUGH ... 108

GEORGE, JOHN A., see W. E. YAHNKE ... 1478

GERHARDT, P. D., LEON MOORE, J. F. ARMSTRONG, and L. J. KASPERSEN—Southwestern Corn Borer Control in Grain Sorghum ... 491

GETZIN, L. W., see M. E. KAGEYAMA ... 873

GIBSON, KENNETH E., and A. K. RAINA—A Simple Laboratory Method of Determining the Seed Host Preference of Bruchidae ... 1189

GIFFORD, J. R., B. F. OLIVER, and G. B. TRAHAN—Insecticidal Seed Dressings on Drill-Seeded Rice to Control the Rice Water Weevil ... 1380

GIFFORD, J. R., see B. F. OLIVER ... 268, 711

GILLENWATER, H. B., see N. M. DENNIS ... 1753

GILLENWATER, HAGEN B., GERALD EASON, and ED B. BAUMAN—Gas-Propelled Aerosols and Micronized Dusts for Control of Insects in Aircraft. 4. Potential for Controlling Stored-Product Insects ... 1450

GILLENWATER, HAGEN B., see ROBERT R. COGBURN 245

GILLETTE, NANCY L., see JACQUELINE L. ROBERTSON ... 1560

GINGRICH, JOHN B., see HERBERT T. STREU ... 427

GINGRICH, R. E., R. O. DRUMMOND, and W. J. GLADNEY—Use of White Mice Experimentally Infested with Larvae of a Rodent Bot Fly for Screening Systemic Insecticides ... 742

GINGRICH, R. E., see R. O. DRUMMOND ... 1211

GLADNEY, W. J., and C. C. DAWKINS—Insecticidal Tests Against the Brown Recluse Spider 1491

GLADNEY, W. J., see R. E. GINGRICH ... 742

GLADNEY, W. J., see R. O. DRUMMOND .745, 1354, 1641

GLADNEY, WILLIAM J., CHARLES C. DAWKINS, and R. O. DRUMMOND—Insecticides Tested for Control of Nymphal Brown Dog Ticks by the "Tea-Bag" Technique ... 174

GLANCEY, B. MICHAEL, see C. E. STRINGER, JR. 872

GLOVER, D., JR., see J. R. STEWART ... 861

GOBLE, H. W., F. L. MCEWEN, H. E. BRAUN, and R. FRANK—Cabbage Maggot Control in Root and Stem Crucifers with New Insecticides ... 837

GONZALEZ, N. C., see DAN A. WOLFENBARGER ... 962

GORDON, C. H., see R. W. MILLER ... 455, 1064

GORDON, CORINNE C., see W. A. SHANDS ... 810, 1099

GORE, F. L., see A. R. THOMPSON ... 1255

GORZ, H. J., F. A. HASKINS, and G. R. MANGLITZ—Effect of Coumarin and Related Compounds on Blister Beetle Feeding in Sweetclover ... 1632

GOUCK, HARRY K., see RONALD P. QUINTANA .. 66

GOUGH, D. G., see M. W. STIMMANN ... 994

GRAHAM, C. L., and M. J. MCNEILL—Soybean Crown and Root Damage by *Bradysia coprophila* ... 597

GRAHAM, H. M.—Cold Tolerance of Diapausing Larvae of the Pink Bollworm ... 1503

GRAHAM, H. M., M. T. OUYE, R. D. GARCIA, and H. H. DE LA ROSA—Dosages of Gamma Irradiation for Full and Inherited Sterility in Adult Pink Bollworms ... 645

GRAHAM, H. M., and L. C. FIFE—Overwintering of *Heliothis* spp. in the Lower Rio Grande Valley, Texas ... 708

GRAHAM, H. M., see C. A. RICHMOND ... 435

GRAHAM, O. H., see R. L. HARRIS ... 738, 915

GRAHAM, O. H., see R. O. DRUMMOND ... 1354

GREEN, N., see W. W. WOLF ... 1039

GREEN, NATHAN, see SHLOMO NEUMARK ... 1709

GREENE, G. L., see M. M. JANES ... 521

GREENE, GERALD L.—Economic Damage Threshold and Spray Interval for Cabbage Looper Control on Cabbage ... 205

GREENHALGH, R., see T. S. FOSTER ... 982

GREENWOOD, R. A., see W. H. GUTENMANN ... 842

GRETZ, GORDON H., see DENYS J. VOADEN ... 358

GROSS, H. R., JR., and F. J. BARTLETT—Improved Technique for Collecting Eggs of White-fringed Beetles ... 611

GROSS, H. R., JR., Z. A. SHAW, J. A. MITCHELL, and G. R. PADGETT—Crop Damage by Larvae of the Whitefringed Beetle as Related to Time of Larval Introduction into Soil 713
GROSS, H. R., JR., J. A. MITCHELL, Z. A. SHAW, and G. R. PADGETT—Extended Storage of Eggs of Whitefringed Beetles 731
GRUBER, F., E. RIVET, and C. PRIETO—A Technique for Obtaining Cells of a Soil-Pupating Insect, *Oulema melanopus* 904
GRUN, PAUL, see A. JAMES MACDONALD 761
GUELDNER, R. C., see D. D. HARDEE 97
GUELDNER, R. C., see P. A. HEDIN 1232, 1284
GUELDNER, R. C., see G. H. MCKIBBEN 1512
GUERRA, A. A.—Introduction of Sexual Sterility in Bollworms and Tobacco Budworms by Heat Treatment of Pupae 368
GUERRA, A. A.—Sterility Induced in Tobacco Budworms by Combination of Reserpine and Gamma Irradiation Affected by Age and Sex of Pupae 1282
GUERRA, A. A., D. A. WOLFENBARGER, D. E. HENDRICKS, R. D. GARCIA, and J. R. RAULSTON—Competitiveness and Behavior of Tobacco Budworms Sterilized with Reserpine and Gamma Irradiation 966
GUERRA, A. A., see DAN A. WOLFENBARGER 1122, 1245, 1377, 1596
GUERRA, ANTONIO A., DAN A. WOLFENBARGER, and R. D. GARCIA—Factors Affecting Reproduction of the Tobacco Budworm in the Laboratory 1341
GUNDU RAO, H. R., and PHILLIP K. HAREIN—Dichlorvos as an Inhibitor of Aflatoxin Production on Wheat, Corn, Rice, and Peanuts 988
GUNDU RAO, H. R., see PHILLIP K. HAREIN 1402
GUPTA, A. P., see K. W. BRUDER 1180
GUTENMANN, W. H., R. A. GREENWOOD, GEORGE G. GYRISCO, and R. J. LITTLE—Studies of Aldrin and Chlordane in Silt Loam Soils and Their Possible Translocation in Field Corn in New York 842
GUTHRIE, F. E., see L. G. SELLERS 378
GUTHRIE, F. E., see L. B. COONS 1004
GUTHRIE, FRANK E., see NELSON SUPLICY 1585
GUTIÉRREZ, J., see R. H. RHODE 1749
GYRISCO, GEORGE G., see W. H. GUTENMANN ... 842

H

HABECK, D. H., see C. H. VAN MIDDELEM 495
HACKEROTT, H. L., see T. L. HARVEY 1661
HAGEL, G. T., and B. J. LANDIS—Chemical Control of the Twospotted Spider Mite on Field Beans 775
HALE, R. L., and H. H. SHOREY—Cabbage Looper Control on Cole Crops in Southern California: Granular Systemic Insecticides in Soil Indicate Lack of Promise 1658
HALL, FRANKLIN R.—Influence of Alar on Populations of European Red Mite and Apple Aphid on Apples 1751
HALL, FRANKLIN R., see H. Y. FORSYTHE, JR. ... 1703
HAMA, HIROSHI, see TOSHIKAZU IWATA 643
HAMALLE, R. J., see J. V. BELL 605
HAMILTON, D. W., see T. L. LADD, JR. 1338
HAMILTON, EUGENE W.—The Insect as a Physiological Battery 654
HAMILTON, EUGENE W.—Pollen Substitute and Honey in Diet for *Diabrotica* 887
HANNA, M. A., see M. R. ABO-ELGHAR 360
HANSEN, RICHARD M., see DARRELL N. UECKERT. 1263
HARDEE, D. D., G. H. MCKIBBEN, R. C. GUELDNER, E. B. MITCHELL, J. H. TUMLINSON, and W. R. CROSS—Boll Weevils in Nature Respond to Grandlure, a Synthetic Pheromone. 97
HARDEE, D. D., see E. P. LLOYD 552
HARDEE, D. D., see G. H. MCKIBBEN 1512
HARDING, J. A., see E. C. BERRY 1113
HARE, W. W., see J. R. Young 786
HAREIN, PHILLIP K., and H. R. GUNDU RAO—Dichlorvos and Gardona as Protectants for Stored Wheat Against Granary Weevil Infestations in Laboratory Studies 1402
HAREIN, PHILLIP K., see H. R. GUNDU RAO 988
HARLAN, D. P., J. A. MITCHELL, G. R. PADGETT, and Z. A. SHAW—D-D Mixture for Control of Larvae of Whitefringed Beetles 879
HARLAN, D. P., F. J. BARTLETT, E. F. PITTMAN, R. G. PADGETT, J. A. MITCHELL, and Z. A. SHAW—Resistance to Dieldrin in Larval Whitefringed Beetles 1260
HARRELL, E. A., see J. R. YOUNG 786
HARRELL, E. A., see W. W. MCMILLIAN 229
HARRELL, EDSEL A., see RICHARD L. JONES 123
HARRELL, S., see T. J. HENNEBERRY 93
HARRIS, C. R.—Behavior of Dieldrin in Soil: Laboratory Studies on the Factors Influencing Biological Activity 8
HARRIS, C. R.—Factors Influencing the Biological Activity of Technical Chlordane and Some Related Components in Soil 341
HARRIS, C. R.—Cross-Resistance Shown by Susceptible and Aldrin-Resistant Strains of Seedcorn Maggots, Onion Maggots, and Cabbage Maggots to Chlordane 347
HARRIS, C. R., and W. W. SANS—Behavior of Dieldrin in Soil: Microplot Field Studies on the Influence of Soil Type on Biological Activity and Absorption by Carrots 333
HARRIS, C. R., and W. W. SANS—Behavior of Heptachlor Epoxide in Soil 336
HARRIS, F. A.—Resistance to Methyl Parathion and Toxaphene-DDT in Bollworm and Tobacco Budworm from Cotton in Mississippi.. 1193
HARRIS, F. A., see WILLIAM J. CLARK 1669
HARRIS, R. F., see T. L. LADD, JR. 1338
HARRIS, R. L., O. H. GRAHAM, and E. D. FRAZAR—Mating Compatibility of Five Strains of Stable Flies 738
HARRIS, R. L., O. H. GRAHAM, and E. D. FRAZAR—Susceptibility of Five Strains of Stable Flies to Certain Insecticides 915

HART, R. A., see N. TANAKA 866
HART, RICHARD A., and L. F. STEINER—Abnormalities in Teneral Oriental Fruit Flies from a White Strain 300
HARTMAN, MARGARET J.—Insecticidal Action of Carbamates on the Eggs of the House Cricket 638
HARTSOCK, J. G., see W. L. TEDDERS, JR. 148
HARTWIG, E. E., see WILLIAM J. CLARK 1669
HARVEY, T. L., H. L. HACKEROTT, and E. L. Sorensen—Pea Aphid-Resistant Alfalfa Selected in the Field 1661
HASKINS, F. A., see H. J. GORZ 1632
HASSAN, S. M., see M. R. ABO-ELGHAR 360
HATHAWAY, D. O., L. G. SCHOENLEBER, and L. V. LYDIN—Codling Moths: Plastic Pellets or Waxed Paper as Oviposition Substrates .. 1756
HAWKES, R. B.—A Fluorescent Dye Technique for Marking Insect Eggs in Predation Studies 1477
HAYES, B. W., M. J. JANES, and D. W. BEARDSLEY—Dust Bag Treatments in Improved Pastures to Control Horn Flies and Cattle Grubs 1368
HAYES, D. K., P. S. REYNOLDS, J. U. MCGUIRE, and M. S. SCHECHTER—Synthesis of Macromolecules in Diapausing and Nondiapausing Larvae of the European Corn Borer 676
HAYES, D. K., D. B. WASH, and M. S. SCHECHTER—Monoamine Oxidase Activity in Larvae of the European Corn Borer 1229
HAYNES, DEAN L., see FREDERICK W. STEHR 405
HAYNES, J. W., see DAVID G. MCHAFFEY 13
HAYNES, J. W., see G. H. MCKIBBEN 1190
HEDIN, P. A., L. R. MILES, A. C. THOMPSON, and R. C. GUELDNER—Constituents of the Boll Weevil. V. Factors Inhibiting Larval Development 1232
HEDIN, P. A., L. R. MILES, A. C. THOMPSON, and R. C. GUELDNER—Constituents of the Boll Weevil. VI. Effect of Free Fatty Acid Content on Larval Development 1284
HEDIN, P. A., see G. H. MCKIBBEN 1512
HEINRICHS, E. A., see E. E. BURGESS 1484
HENDERSON, C. A., see FRANK M. DAVIS 519
HENNEBERRY, T. J., M. W. STIMMANN, and S. Harrell—Effects of Tepa and Metepa on the Reproductive Tissues of Cabbage Looper Moths 93
HENDRICKS, D. E., see A. A. GUERRA 966
HENNEBERRY, T. J., see WILLLIAM S. KINARD .. 1417
HIGHTOWER, B. G., and JOSÉ J. GARCIA—Longevity and Sexual Activity of Newly Eclosed Irradiated Screwworm Flies Held at Immobilizing Low Temperatures 877
HIGHTOWER, B. G., GEORGE E. SPATES, JR., and JOSÉ J. GARCIA—Growth and Critical Size at Pupation for Larvae of the Screwworm Developing in Fresh Wounds 1349
HIGHTOWER, B. G., G. E. SPATES, JR., and JOSÉ J. GARCIA—Relationship Between Weight of Mature Larvae, Size of Adults, and Mating Capability in Medium-Reared Male Screwworms 1527
HIGHTOWER, B. G., see RICHARD B. DAVIS 1214
HILL, A. J., see C. W. MCCOY 135
HILL, A. S., see W. L. ROELOFS 1276
HILL, ELWOOD F.—Observations of Birds Watering from Small Receptacles Serving as Potential Mosquito-Breeding Sites 608
HILL, R. R. JR., and R. C. NEWTON—A Method for Mass Screening Alfalfa for Meadow Spittlebug Resistance in the Greenhouse During the Winter 621
HILL, ROSCOE E., see DONALD E. SHORT 685
HILLS, TOM M., DON C. PETERS, and WALTER G. LOVELY—Application Equipment and Techniques Used in the Evaluation of Granular Insecticides for Control of Western Corn Rootworm Larvae 1116
HILLS, TOM M., DON C. PETERS, and EDWIN C. BERRY—Timing of Insecticidal Applications to Control the Western Corn Rootworm and the European Corn Borer 1697
HILLS, TOM M., and DON C. PETERS—Methods of Applying Insecticides for Controlling Western Corn Rootworm Larvae 1714
HILLS, TOM M., see CHARLES R. WARD 523
HIMEL, CHESTER M., and SOLANG UK—The Dose-Toxicity of Chlorpyrifos and Endosulfan Insecticides on the House Fly by Topical, Vapor, and Spray Treatments as Estimated by gas Chromatography 990
HIRANO, SEIJI, see TAKAO SAGAWA 372
HITCHCOCK, J. D., see JAMES J. LACKETT 19
HITCHCOCK, STEPHEN W.—Generation Time of *Ooencyrtus kuwanai* on Gypsy Moth Eggs in the Field 284
HOFFMAN, J. DAVID, and WILLARD A. DICKERSON—Sterilization of Adult Male Tobacco Hornworms with Tepa 301
HOFFMAN, R. A., and B. F. HOGAN—Selected Toxicants for Control of Lice on Poultry at Kerrville, Texas 1961–69 468
HOFMASTER, R. N., and R. L. WATERFIELD—Insecticides Applied to the Soil for Control of the Colorado Potato Beetle in Virginia 1672
HOGAN, B. F., see R. A. HOFFMAN 468
HOGAN, B. F., see M. C. IVEY 1647
HOLDSWORTH, R. P.—European Red Mite and Its Major Predators: Effects of Sulfur 1098
HOLMES, M. C., see T. L. BURGER 1185
HOLT, G. G., see J. WENDELL SNOW 906
HOOPER, G. H. S.—Sterilization of the Mediterranean Fruit Fly with Gamma Radiation: Effect on Male Competitiveness and Change in Fertility of Females Alternately Mated with Irradiated and Untreated Males 1
HOPKINS, A. R., H. M. TAFT, S. H. ROACH, and W. JAMES—Movement and Survival of Boll Weevils in Several Hibernation Environments 82
HOPKINS, A. R., H. M. TAFT, C. E. JERNIGAN, and W. JAMES—Control of the Carmine Spider Mite on Cotton at Florence, S. C. in 1968–70 617

HOPKINS, A. R., H. M. TAFT, and W. JAMES—Comparison of Mechanical Cultivation and Herbicides on Emergence of Bollworms and Tobacco Budworms 870
HOPKINS, A. R., see H. M. TAFT 1663
HORANIC, G. E., see C. W. MCCOY 135
HORSFALL, WILLIAM R.—Longevity of Embryos of *Aedes stimulans* 891
HOSSAIN, MIR M., JOHN H. BROWER, and ELVIN W. TILTON—Radiation Sensitivity of Successively Irradiated Generations of the Indian Meal Moth 673
HOSSAIN, MIR M., JOHN H. BROWER, and ELVIN W. TILTON—Sensitivity to an Acute Gamma Radiation Exposure of Successively Irradiated Generations of the Cowpea Weevil 1566
HOSTETTER, DONALD L., see WILLIAM H. KEARBY 477
HOWELL, D. E., see PAUL D. STERLING 1173
HOWELL, J FRANKLIN—Modifications of the Artificial Diet for Codling Moths to Improve Larval Acceptance and Production of Moths .. 57
HOWELL, J FRANKLIN—An Improved Sex Attractant Trap for Codling Moths 609
HOWELL, J FRANKLIN—Rearing the Codling Moth on a Soya, Wheat Germ, Starch Medium 636
HOWELL, J F., and A. E. CLIFT—Rearing Codling Moths on an Artificial Diet in Trays .. 888
HOWELL, J F., see B. A. BUTT 411
HOWER, ARTHUR A., JR., and TIEN-HSI CHENG—A Field-Cage Study of Feeding Behavior of the Face Fly on Dairy Cattle 602
HOWER, ARTHUR A., JR., and WAYNE FERGUSON—A Square-Foot Device for Use in Vacuum Sampling Alfalfa Insects 1742
HOWLAND, A. F., see A. N. KISHABA 117
HOYT, AVERY S., see ARLO M. VANCE .. (Obit.) 1531
HUDDLESTON, ELLIS W., DONALD ASHDOWN, BRUCE MAUNDER, CHARLES R. WARD, GERALD WILDE, and CHARLES E. FOREHAND—Biology and Control of the Sorghum Midge. I. Chemical and Cultural Control Studies in West Texas 851
HUDDLESTON, ELLIS W., CHARLES R. WARD, and RICARDO A. PARODI—Chemical Control of *Astylus atromaculatus* Attacking Grain Sorghum in Argentina 892
HUDDLESTON, ELLIS W., see CHARLES R. WARD 523, 561, 764, 817
HUDDLESTON, ELLIS W., see ROBERT L. STANFORD 796
HUGGANS, J. L., see G. L. REED 1472
HUMMEL, H. E., see J. R. MCLAUGHLIN 1592
HUNT, J. R., see T. S. FOSTER 982
HUNTER, PRESTON E., see MERLE SHEPARD 1721
HUSZAR, C. K., see M. W. STIMMANN 102
HUTT, R. B., and L. D. WHITE—Polystyrene Toxic to Codling Moths 615
HUTT, R. B., L. D. WHITE, L. G. SCHOENLEBER, and R. E. SHORT—Automatic Collection of Mass-Reared Codling Moths by Phototaxic Response and a Chilled Environment 1525
HUTT, R. B., see L. D. WHITE 140, 692

I

IGNOFFO, CARLO M., see WILLIAM H. KEARBY .. 477
IVEY, M. C., H. D. MANN, D. D. OEHLER, H. V. CLABORN, J. L. ESCHLE, and B. F. HOGAN—Chlorpyrifos and Its Oxygen Analogue: Residues in the Body Tissues of Dipped Cattle .. 1647
IVY, E. E.—Pencap M: An Improved Methyl Parathion Formulation 473
IWATA, TOSHIKAZU, and HIROSHI HAMA—Insensitivity of Cholinesterase in *Nephotettix cincticeps* Resistant to Carbamate and Organophosphorus Insecticides 643

J

JACKSON, H. B., see C. E. ROGERS 1313
JACOBSON, ERLING T., see GAILEN D. WHITE 1523
JACOBSON, J., see J. D. WARTHEN, JR. 1760
JACOBSON, MARTIN, see DENYS J. VOADEN 358
JACOBSON, MARTIN, see VICTOR E. ADLER 1582
JAKOB, W. L., D. R. MADDOCK, H. F. SCHOFF, and J. E. PORTER—Gas-Propelled Aerosols and Micronized Dusts for Control of Insects in Aircraft. 5. Effectiveness Against Insects of Public Health Importance 1454
JALIL, M.—Effect of Temperature on Larval Growth of *Aedes triseriatus* 625
JAMES, P. E., see C. L. MANGUM 289
JAMES, W., see A. R. HOPKINS 82, 617, 870
JANES, M. J., see B. W. HAYES 1368
JANES, M. M., and G. L. GREENE—Corn Earworm Control on Sweet Corn Ears in Central and South Florida, 1969–70 521
JAQUES, R. P.—Control of the Cabbage Looper and the Imported Cabbageworm by Viruses and Bacteria 757
JENKINS, JOHNIE N., JACK C. MCCARTY, JR., WILLIAM L. PARROTT, O. H. LINDIG, and R. E. MCLAUGHLIN—Genetic Characteristics of an Ebony, Pearl Strain of Boll Weevil 1621
JENKINS, JOHNIE N., see JACK C. MCCARTY, JR. 370
JENKINS, JOHNIE N., see MICHAEL F. SCHUSTER 1104, 1108, 1110
JENSEN, LESLIE, see V. C. S. CHANG 1197
JENSEN, R. L., and L. D. NEWSOM—Effect of Sink Bug-Damaged Soybean Seeds on Germination, Emergence, and Yield 261
JENSEN, S. G., see G. R. SUTTER 1505
JERNIGAN, C. E., see A. R. HOPKINS 617
JEWETT, D. M., see F. MATSUMURA 600
JOHANSEN, CARL A., and HARRY G. DAVIS—Toxicity of Nine Insecticides to the Western Yellowjacket 40
JOHANSEN, CARL, and JACK EVES—Acidified Sprays, Pollinator Safety, and Integrated Pest Control on Alfalfa Grown for Seed 546
JOHANNSEN, FREDERICK R., and CHARLES O. KNOWLES—Citrate Accumulation in Two-spotted Spider Mites, House Flies, and Mice Following Treatment with the Acaricide 2-Fluoro-*N*-methyl-*N*-(1-naphthyl) Acetamide 1754

JOHANSSON, M. P., see T. S. K. JOHANSSON 356
JOHANSSON, T. S. K., and M. P. JOHANSSON—Sublethal Doses of Sodium Fluoride Affecting Fecundity of Confused Flour Beetles 356
JOHNSON, A. W., see R. B. CHALFANT 1711
JOHNSON, E. R., see YUN-PEI SUN 349, 629, 667
JOHNSON, H. E., see C. G. WRIGHT 1763
JOHNSON, NORMAN E., see DAVID G. NIELSEN .. 1161
JONES, ALFRED, see F. P. CUTHBERT, JR. 1655
JONES, J. P., see S. L. POE 792
JONES, R. A., see R. E. RICE 1212
JONES, R. L., T. R. FUKUTO, and R. L. METCALF—Structure, Reactivity, and Biological Activity of *O* (Methylcarbamoyl) oximes of Substituted Benzaldehydes 28
JONES, R. L., see J. WENDELL SNOW 1431
JONES, RICHARD L., EDSEL A. HARRELL, and J. WENDELL SNOW—Three Dyes as Markers for Corn Earworm Moths 123
JONES, RICHARD L., see J. WENDELL SNOW 906
JONES, R. R., see T. W. JONES 1520
JONES, T. W., see C. O. REXRODE 1520
JONES, W. A., see J. D. WARTHEN, JR. 1760
JOOS, JOHN, see WILLIAM C. BATISTE 1741
JUDGE, F. D., and R. J. KUHR—Laboratory and Field Screening of Granular Formulations of Candidate Molluscicides 242
JUDGE, F. D., and J. J. NATTI—Insecticide-Fungicide Treatments for Bean Seed 248
JURIMAS, J. P., see T. L. LADD, JR. 407

K

KABIR, S. M. H., and MAFIZAL H. KHAN—Effects of Diazinon, Dieldrin, and Supracide on Seedlings of Tomato, Eggplant, and Cabbage 1179
KADOUM, AHMED M., and DELMON W. LAHUE—Degradation of Malathion on Viable and Sterilized Sorghum Grain 497
KADOUM, AHMED M., see DALE R. MOSHER 847
KAGEYAMA, M. E., W. A. RAWLINS, and L. W. GETZIN—Loss of Activity of Diazinon for Onion Maggot Control in Marl-Containing Muck Soil 873
KALOOSTIAN, G. H., and H. D. PIERCE—Notes on *Scaphytopius nitridus* on Citrus in California 880
KAMASAKI, H., H. S. MYERS, and D. F. RALSTON—Mass Rearing the Apple Maggot 1292
KAMASAKI, H., see L. D. WHITE 692
KAMASAKI, H., see T. T. Y. WONG 1034
KAMM, J. A.—Thrips That Affect Production of Grass Seed in Oregon 1050
KAMM, J. A., and K. G. SWENSON—Termination of Diapause in *Draeculacephala crassicornis* with Synthetic Juvenile Hormone 364
KAPOOR, K. N., R. A. RAWAT, W. H. LUCKMANN, and M. L. PUROHIT—Damage to Soybean Grain by the Almond Moth in Madhya Pradesh, India 902
KASHI, KATTERA P.—Apparatus for Oral Bioassay of Insecticides Using *Musca domestica nebulo* 1186
KASHIWAI, S., see D. L. CHAMBERS 279
KASPERSEN, L. J., see P. D. GERHARDT 491
KATIYAR, V. N., and ANDRÉ LEMONDE—Biological Effects of Some Organophosphate and Carbamate Insecticides on the Confused Flour Beetle 939
KAUR, DHARM, and B. C. WENTWORTH—Studies on the Chemosterilization of the Face Fly .. 21
KAYA, HARRY K., and DENNIS M. DUNBAR—Effect of *Bacillus thuringiensis* and Carbaryl on an Elm Spanworm Egg Parasite *Telenomus alsophilae* 1132
KAYA, HARRY K., see DENNIS M. DUNBAR 1119
KEARBY, WILLIAM H., DONALD L. HOSTETTER, and CARLO M. IGNOFFO—Laboratory and Field Evaluation of *Bacillus thuringiensis* for Control of the Bagworm 447
KEASTER, ARMON J.—Evaluation of Insecticides for Control of the Southwestern Corn Borer in Southeastern Missouri, 1967–69 563
KEISER, IRVING, DERRELL L. CHAMBERS, and ESTHER L. SCHNEIDER—Modified Commercial Containers as Laboratory Cages, Watering Devices, and Egging Receptacles for Fruit Flies 1514
KELLOGG, O. E., see P. H. WESTIGARD 191
KELSEY, L. P., see P. P. BURBUTIS 1436
KENNEDY, JOHN W., see HERBERT ROTH 1650
KERR, S. H., see D. R. MINNICK 1577
KESSLER, HOWARD, and EDWARD U. BALSBAUGH, JR.—Parasites and Predators of the Face Fly in East-Central South Dakota 1636
KHAN, A. A., and H. I. MAIBACH—A Study of Insect Repellents. 1. Effect on the Flight and Approach by *Aedes aegypti* 1318
KHAN, M. A. Q., see S. R. CHANDRAN 1510
KHAN, MAFIZAL H., see S. M. H. KABIR 1179
KILGORE, WENDELL W., see RUTH R. PAINTER .. 23
KILGORE, WENDELL W., see AHMED I. GADALLAH 36, 298, 393, 1176, 1568
KILGORE, WENDELL W., see KHALID M. AL-ADIL 321, 375, 887
KINARD, WILLIAM S., T. J. HENNEBERRY, and NORMAN ALLEN—Tobacco Stalk Cutting: Effect on Insect Populations 1417
KINZER, H. G., and B. J. RIDGILL—A Rapid Field Method for Sexing the Ponderosa Pine Cone Beetle 1188
KINZER, H. G., B. J. RIDGILL, and J. M. REEVES—Response of Walking *Conophthorus ponderosae* to Volatile Attractants 726
KINZER, RICHARD E., SHARON YOUNG, and R. R. WALTON—Rearing and Testing Tobacco Thrips in the Laboratory to Discover Resistance in Peanuts 782
KINZER, RICHARD E., see SHARON YOUNG 828
KIRK, LARRY D., see CHARLES L. STOREY 1126
KIRKPATRICK, ROBERT L., see ELVIN W. TILTON 531

KISHABA, A. N., VICTOR VOTH, A. F. HOWLAND, R. S. BRINGHURST, and H. H. TOBA—Two-spotted Spider Mite Resistance in California Strawberries ... 117
KISHABA, A. N., see H. H. TOBA ... 127, 408
KISHABA, A. N., see W. W. WOLF ... 1039
KLASSEN, W., see DAVID G. MCHAFFEY ... 13
KLEIN, MICHAEL G., and KENNETH O. LAWRENCE—Japanese Beetle: An Inexpensive Apparatus to Manipulate Medium and Larvae During Screening of Insecticides ... 1516
KNAPP, F. W.—Prevention of Cattle Grub Infestation in Lactating Dairy Cows by Use of Daily Applications of Crotoxyphos ... 466
KNAPP, F. W.—Evaluation of Dust Bags for Horn Fly Control on Cattle ... 470
KNAPP, F. W., J. H. DRUDGE, and E. T. LYONS—Evaluation of Safety and Anthelmintic Activity of Topically Applied Dichlorvos to Calves ... 925
KNAVEL, D. E., see J. G. RODRIGUEZ ... 50
KNAVEL, D. E., see O. J. AINA ... 641
KNISLEY, C. BARRY, and FRED C. SWIFT—Qualitative Study of Mite Fauna Associated with Apple Foliage in New Jersey ... 445
KNOPF, J. A. E., and G. B. PITMAN—Aggregation Pheromone for Manipulation of the Douglas-Fir Beetle ... 723
KNOWLES, CHARLES O., see SURENDRA P. SHRIVASTAVA ... 1488
KNOWLES, CHARLES O., see ADNAN Y. AL-RUBAE 1600
KNOWLES, CHARLES O., see FREDERICK R. JOHANNSEN ... 1754
KOBAYASHI, R. M., see S. T. SEO ... 1652
KOEHLER, C. S., and P. N. MEHTA—Relationships of Insect Control Attempts by Chemicals to Components of Yield of Cowpeas in Uganda 1421
KOHLS, H. L., see J. A. WEBSTER ... 923
KOMBLAS, K. N., and W. H. LONG—Field Studies of Aphid Vectors of Sugarcane Mosaic ... 439
KOMURA, M., see S. T. SEO ... 1372, 1652
KOTCHMAN, JEAN KAUPPILA, and DALE E. WAGONER—Mating Discrimination in Various Strains of the House Fly ... 571
KRUEGER, H. R., see R. K. LINDQUIST ... 862
KUEHL, R. O., and R. E. FYE—An Analysis of the Sampling Distributions of Cotton Insects in Arizona ... 855
KUHR, R. J., J. L. SCHOHN, H. TASHIRO, and B. J. FIORI—Dieldrin Resistance in the European Chafer Grub ... 1555
KUHR, R. J., see F. D. JUDGE ... 242
KUMAR, RABINDER, and C. C. BURKHARDT—Bioassay Determination of Insecticide Residues in Alfalfa ... 1593
KUNZ, S. E., M. A. PRICE, and R. E. EVERETT—Large-Scale Testing of Chlorpyrifos for Control of *Neoschöngastia americana* on Turkeys 1207
KUNZ, S. E., see M. A. PRICE ... 454
KUNZ, SIDNEY E., and R. D. RADELEFF—Evaluation of the Hazard of Chlorpyrifos Soil Treatments on Turkeys ... 1208
KUNZ, SIDNEY E., see R. D. RADELEFF ... 162

L

LABRECQUE, G. C., RICHARD L. FYE, and J. MORGAN, JR.—Induction of Sterility in Adult House Flies and Stable Flies by Chemosterilization of Pupae ... 751
LABRECQUE, G. C., and H. G. WILSON—Residual Toxicity of Some New Insecticides to Adult House Flies ... 867
LABRECQUE, G. C., see PHILIP B. MORGAN ... 1269
LACKETT, JAMES J., C. C. BURKHARDT, and J. D. HITCHCOCK—Oxodene: Longevity of Honey Bees ... 19
LADD, T. L., JR., and J. P. JURIMAS—Influence of Trap Height on Captures of Japanese Beetles ... 407
LADD, T. L., JR., A. J. COOPINGER, R. F. HARRIS, D. M. PETTY, D. W. HAMILTON, and H. L. BRUER—Effects of Releasing Sterile Male Japanese Beetles on the Fertility of Ova of an Isolated Population in Eastern Tennessee ... 1338
LAHUE, DELMON W., see AHMED M. KADOUM ... 497
LAING, J. E., see J. A. L. OSBORN ... 1175
LAMBERT, H. L., and T. H. FLAVELL—Rearing the Pales Weevil ... 292
LANDA, VLADIMIR, see MONIR M. METWALLY ... 1603
LANDIS, B. J., see G. T. HAGEL ... 775
LANDIS, B. J., see L. I. BUTLER ... 1174
LANDIS, B. J., see JEROME A. ONSAGER ... 1498
LANG, J. H., see ROY E. BRY ... 1735
LANG, JERRY T., and ROBERT E. TREECE—Boric Acid Effects on Face Fly Fecundity ... 740
LANG, JOE H., see ROY E. BRY ... 584
LASTER, M. L., and R. E. FURR—*Heliothis* Populations in Cotton-Sesame Interplantings ... 1524
LASTER, M. L., see E. A. STADELBACHER ... 1682
LAWRENCE, KENNETH O., see MICHAEL G. KLEIN 1516
LECATO, G. LEONARD, III, and R. L. PIENKOWSKI—High- or Low-Temperature Treatments Affecting Alfalfa Weevil Fecundity, Egg Fertility, and Longevity ... 146
LEE, C., see J. A. WEBSTER ... 832
LEE, C. Y. L., see S. T. SEO ... 1372, 1652
LEGGETT, J. E., T. C. CLEVELAND, and W. P. SCOTT—Comparison of Several Insecticide Combinations for Control of *Heliothis* spp. ... 1182
LEMONDE, ANDRÉ, see V. N. KATIYAR ... 939
LENTZ, G. L., see LARRY P. PEDIGO ... 414
LEUCK, D. B.—Induced Fall Armyworm Resistance in Pearl Millet ... 1608
LEUCK, D. B., and M. C. BOWMAN—Persistence of Residues of Dasanit and Three of Its Metabolites in Coastal Bermudagrass, Forage Corn, and Corn Silage ... 257
LEUCK, D. B., and W. D. PERKINS—A Method of Estimating Fall Armyworm Progeny Reduction When Evaluating Control Achieved by Host-Plant Resistance ... 482
LEVENGOOD, W. C., see I. I. ELDUMIATI ... 291
LEWIS, L. C., see G. M. MCWHORTER ... 1414

LEWIS, W. J., and J. R. YOUNG—Parasitism by *Trichogramma evanescens* of Eggs from Tepa-Sterilized and Normal *Heliothis zea* 705
LEWIS, W. J., see J. WENDELL SNOW 1431
LIANG, T. T., and E. P. LICHTENSTEIN—Effect of Light, Temperature, and *p*H on the Degradation of Azinphosmethyl 315
LICHTENSTEIN, E. P., see T. T. LIANG 315
LIENK, S. E.—European Red Mite Control on Apple with Early-Season Sprays 1684
LILES, J. N., see H. SINGH 656
LILES, J. N., see HARPAL SINGH 1213
LIN, T., see H. W. DOROUGH 958
LINDGREN, D. L., see L. E. VINCENT 1429, 1667
LINDIG, O. H., see JOHNIE N. JENKINS 1621
LINDQUIST, R. K., H. R. KRUEGER, R. R. SPADAFORA, and J. F. MASON—Application of Aldicarb to Greenhouse Tomatoes: Plant Growth, Fruit Yields, Greenhouse Whitefly Control and Residues in Fruits 862
LINDQUIST, R. K., W. L. BAUERLE, and R. R. SPADAFORA—Effect of the Greenhouse Whitefly on Yields of Greenhouse Tomatoes 1406
LINDQUIST, R. K., and R. R. SPADAFORA—Control of Twospotted Spider Mites on Greenhouse Roses 1746
LINDQUIST, R. K., see R. R. SPADAFORA 1718
LINGREN, P. D., and L. W. NOBLE—Preference of *Campoletis perdistinctus* for Certain Noctuid Larvae 104
LINGREN, P. D., D. A. WOLFENBARGER, J. B. NOSKY, and MIQUEL DIAZ, JR.—Response of *Campoletis perdistinctus* and *Apanteles marginiventris* to Insecticides 1295
LINGREN, P. D., see J. R. CATE, JR. 484
LITTLE, R. J., see W. H. GUTENMANN 842
LLOYD, E. P., M. E. MERKL, F. C. TINGLE, W. P. SCOTT, D. D. HARDEE, and T. B. DAVICH—Evaluation of Male-Baited Traps for Control of Boll Weevils Following a Reproduction-Diapause Program in Monroe County, Mississippi 552
LLOYD, E. P., W. P. SCOTT, K. K. SHAUNAK, F. C. TINGLE, and T. B. DAVICH—A Modified Trapping System for Suppressing Low-Density Populations of Overwintered Boll Weevils 1114
LLOYD, E. P., J. R. MCCOY, W. P. SCOTT, E. C. BURT, D. B. SMITH, and F. C. TINGLE—In-Season Control of the Boll Weevil with Ultra-Low-Volume Sprays of Azinphosmethyl or Malathion 1153
LLOYD, E. P., J. R. MCCOY, J. R. STEWART, and W. J. TORRIES—A Portable Shaker for Sampling Populations of Overwintering Boll Weevils in Surface Woods Trash 1502
LLOYD, J. E., R. E. PFADT, M. ALI, and G. SHARAFI—The Residual Toxicity to *Aulocara elliotti* of ULV Malathion Extended with Polyester Resin 387
LOFGREN, C. S., see W. A. BANKS 1468
LONG, W. H., see K. N. KOMBLAS 439
LOOK, M., see R. B. ROBERTS 1277
LOOMIS, E. C., G. L. CRENSHAW, and L. L. DUNNING—Systemic Insecticide Study on Livestock in California, 1967-68. 2. Evaluation of Imidan® for Cattle Grub Control 450
LOOMIS, E. C., A. NOORDERHAVEN, and W. J. ROULSTON—Control of the Southern Cattle Tick by Pour-on Animal Systemic Insecticides 1638
LOPEZ-D, FERNANDO, see L. F. STEINER 1447
LOVELY, W. G., see E. C. BERRY 1113
LOVELY, WALTER G., see TOM M. HILLS 1116
LUCKMANN, W. H., see D. B. BROERSMA 78
LUCKMANN, W. H., see K. N. KAPOOR 902
LUDVIK, G. F.—A Device for Producing Artificial Squares for Boll Weevil Oviposition and Feeding 1200
LUDVIK, G. F., and W. A. DARLINGTON—Activity of a Salicylanilide in the Field Against the Bollworm on Cotton 1166
LUDVIK, G. F., M. L. RANDOLPH, and W. A. DARLINGTON—Comparison of Performance in the Greenhouse and in the Field of Toxaphene-DDT (2 + 1) Against the Bollworm on Cotton 474
LUDVIK, G. F., see W. A. DARLINGTON 48
LUDVIK, G. F., see R. M. SACHER 329
LUKE, JAMES E., and ROBERT SNETSINGER—Laboratory Evaluation of Six Insecticides for Control of the Firebrat 917
LUM, P. T. M., and R. H. PHILLIPS—Combined Effects of Light and Carbon Dioxide on Egg Production of Indian Meal Moths 1316
LUM, P. T. M., see J. W. PRESS 254
LYDIN, L. V., see D. O. HATHAWAY 1756
LYON, R. L., see R. B. ROBERTS 1277
LYON, ROBERT L., SYLVIA J. BROWN, and JACQUELINE L. ROBERTSON—Contact Toxicity of Sixteen Insecticides Applied to Forest Tent Caterpillars Reared on Artificial Diet 928
LYON, ROBERT L., see JACQUELINE L. ROBERTSON 1560
LYONS, E. T., see F. W. KNAPP 925

M

MAAS, E. F., see R. M. ADAMSON 1205
MACCARTER, L. E., see J. L. OVERMAN 1140
MACDONALD, A. JAMES, ROBERT SNETSINGER, and PAUL GRUN—Inheritance of Resistance in *Solanum* to the Twospotted Spider Mite 761
MACDONALD, ROBERT H., see JOSEPH O. MOFFETT 32
MACK, G. L., see B. J. FIORI 1686
MACKAUER, MANFRED—Antennal Amputation as a Method for Bio-Marking Aphids 1725
MACPHEE, A. W., see D. CHISHOLM 1010
MADDOX, D. M., and A. MAYFIELD—A Method of Rearing and Studying *Amynothrips andersoni* in the Laboratory 1521
MADDOCK, D. R., see W. L. JAKOB 1454
MAHANY, PATRICK G., see HELEN C. F. SU 844, 1433, 1438
MAIBACH, H. I., see A. A. KHAN 1318

MANGLITZ, G. R., see H. J. GORZ 1632
MANGUM, C. L., P. E. JAMES, and H. V. ANDERSON—A Device for Treating Pink Bollworm Eggs for Suppression of Cytoplasmic Polyhedrosis Virus Infection 289
MANGUM, CHARLES L., see DAN A. WOLFENBARGER 919, 962,
MANN, H. D., see M. C. IVEY 1647
MARCH, RALPH B., see ARNOLD S. ROJAKOVICK. 1505
MAREI, NASR, see AHMED I. GADALLAH. 298, 1176, 1568
MARKIN, G. P., see W. A. BANKS 1468
MARTIN, B. B., see C. E. STRINGER, JR. 872
MARTIN, C. E., see P. P. BURBUTIS 1436
MASON, J. R., see R. K. LINDQUIST 862
MASTRO, V. C., see T. L. PAYNE 1178
MATHIS, WILLIS, A. D. FLYNN, and H. F. SCHOOF—House Fly Resistance in the Savannah, Georgia, Area and Its Influence on Chemical-Control Measures 748
MATLOCK, R. S., see SHARON YOUNG 828
MATSUMURA, F., D. M. JEWETT, and H. C. COPPEL—Interspecific Response of Termite to Synthetic Trail-Following Substances 600
MATSUMURA, FUMIO, see THOMAS A. BRATKOWSKI 1238
MAUNDER, BRUCE, see ELLIS W. HUDDLESTON .. 851
MAXWELL, F. G., see MICHAEL F. SCHUSTER 1104. 1108, 1110
MAXWELL, F. G., see WILLIAM J. CLARK 1669
MAYFIELD, A., see D. M. MADDOX 1521
MAYO, Z. B., JR.—Damage to Sorghum in the Greenhouse by Fall Armyworms Reared on Artificial Diet for Different Lengths of Time. 927
MCCALLEY, NORMAN F., and DER-I WANG—Field Evaluation of Insecticides for Control of the Green Peach Aphid and Alfalfa Looper on Head Lettuce 794
MCCARTY, JACK C., JR., JOHNIE N. JENKINS, W. L. PARROTT, and T. B. DAVICH—Effect of Dyes on Body Fat and Eye Color of Ebony Pearl Boll Weevils 370
MCCARTY, JACK C., JR., see JOHNIE N. JENKINS.. 1621
MCCLOUD, WILLIE, see R. A. SUTTON 184
MCCOY, C. W., A. J. HILL, and G. E. HORANIC—A Device for Measuring and Recording the Amount and Duration of Free Water on Vegetation in the Field 135
MCCOY, J. R., see E. P. LLOYD 1153, 1502
MCDANIEL, H. C., see C. G. WRIGHT 1763
MCDONALD, F. J. D., see G. A. C. BEATTIE 1352
MCDONALD, IAN C., and DELORES E. OVERLAND—Temperature-Sensitive Mutations in the House Fly: The Characterization of Heat-Sensitive Recessive Lethal Factors on Autosome III 1364
MCDONALD, L. L., see ROY E. BRY 1735
MCDONALD, LEHMAN L., and ROY D. SPEIRS—Toxicity of Five New Insecticides to Stored-Product Insects 529
MCDONALD, S.—Laboratory Evaluation of Several New Insecticides for Control of the Red-backed Cutworm 533
MCDONOUGH, L. M., D. A. GEORGE, B. A. BUTT, L. N. GAMEY, and M. C. STEGMEIER—Field Tests of Artificial and Natural Sex Pheromones for the Codling Moth 108
MCDONOUGH, L. M., see R. L. WALLIS 945
MCDONOUGH, L. M., see L. I. BUTLER 1174
MCEWEN, F. L., see H. W. GOBLE 837
MCFADDEN, T. L., see C. S. CREIGHTON 1399
MCGAUGHEY, WM. H.—Diatomaceous Earth for Confused Flour Beetle and Rice Weevil Control in Rough, Brown, and Milled Rice 1427
MCGARR, R. L., H. T. DULMAGE, and D. A. WOLFENBARGER—Field Tests with HD-1, δ-Endotoxin of *Bacillus thuringiensis*, and with Chemical Insecticides for Control of the Tobacco Budworm and the Bollworm in 1970 .. 897
MCGARR, R. L., and D. A. WOLFENBARGER—Cotton Leafperforator: Field Tests with Insecticides in 1971 1765
MCGAUGHEY, WM. H.—Protectants for Stored Rough Rice: Gardona, Dichlorvos, and a Gardona-Dichlorvos Mixture 1694
MCGOVERN, T. P., see VICTOR E. ADLER 921
MCGOVERN, T. P., see J. B. BEAVERS 1740
MCGUIRE, J. U., see D. K. HAYES 676
MCHAFFEY, DAVID G., H. M. FLINT, J. W. HAYNES, W. KLASSEN, NORMAN MITLIN, and T. B. DAVICH—Sterility Induced in Boll Weevils by Alkylating Agents Administered in an Adult Diet 13
MCHAFFEY, D. G., see A. B. BORKOVEC 1543
MCHAFFEY, D. G., see A. B. DEMILO 1548
MCHAFFEY, D. G., see P. H. TERRY 1550
MCKIBBEN, G. H.—A Device for Injecting Grandlure into Cigarette Filters 1509
MCKIBBEN, G. H., NORMAN MITLIN, J. W. HAYNES, and T. B. DAVICH—Feeding Stimulants Added to Diet of Adult Boll Weevils.. 1190
MCKIBBEN, G. H., R. C. GUELDNER, P. A. HEDIN, D. D. HARDEE, and T. B. DAVICH—Release Characteristics of Polymeric Attractant and Repellent Compositions 1512
MCKIBBEN, G. H., see D. D. HARDEE 97
MCKOY, M., see B. J. FIORI 1686
MCLAUGHLIN, J. R., LYLE K. GASTON, H. H. SHOREY, H. E. HUMMEL, and F. D. STEWART—Sex Pheromones of Lepidoptera. XXXIII. Evaluation of the Disruptive Effect of Tetradecyl Acetate on Sex Pheromone Communication in *Pectinophora gossypiella* 1592
MCLAUGHLIN, R. E., see JOHNIE N. JENKINS ... 1621
MCMILLIAN, W. W., B. R. WISEMAN, N. W. WIDSTROM, and E. A. HARRELL—Resistant Sweet Corn Hybrid Plus Insecticide to Reduce Losses from Corn Earworms 229
MCMILLIAN, W. W., and B. R. WISEMAN—Separating Egg Masses of the Fall Armyworm .. 900
MCMILLIAN, W. W., see B. R. WISEMAN 767, 835
MCMURTRY, J. A., see B. A. CROFT 188
MCNEILL, M. J., see C. L. GRAHAM 597
MCWHORTER, G. M., E. C. BERRY, and L. C. LEWIS—Control of the European Corn Borer with Two Varieties of *Bacillus thuringiensis* . 1414

McWHORTER, G. M., see E. C. BERRY 1113
MEDINGER, L. E., see P. H. WESTIGARD 191
MEHENDALE, H. M., see H. W. DOROUGH 958
MEHTA, P. N., see C. S. KOEHLER 1421
MEISCH, M. V., S. J. NEMEC, and P. L. ADKISSON—Effects of Temperature and Photoperiod on the Toxicity of Azinphosmethyl and Malathion to the Boll Weevil 1021
MERKL, M. E., see E. P. LLOYD 552
MERRIFIELD, ROBERT G., see JACK E. COSTER .. 612
METCALF, R. L., see R. L. JONES 28
METWALLY, MONIR M., FRANTISEK SEHNAL, and VLADIMIR LANDA—Reduction of Fecundity and Control of the Khapra Beetle by Juvenile Hormone Mimics 1603
MEYER, RONALD H.—Response of Bloom and Fruit Set to Plant Spray Oils on Apple 1408
MICKS, D. W., N. K. GADDY, and G. V. CHAMBERS—Mosquito Control Agents Derived from Petroleum Hydrocarbons. V. Methods for Evaluating Larvicidal Activity 158
MILES, L. R., see P. A. HEDIN 1232, 1284
MILLER, A. M., see J. W. PRESS 254
MILLER, E., see G. R. SUTTER 1470
MILLER, EUGENE, see GERALD R. SUTTER 717
MILLER, M. C., R. WHITE, and C. L. SMITH—A Trap for Winter Collection of Adult Alfalfa Weevils 624
MILLER, R. W.—House Fly Larvicidal Action of Some Carbohydrates and Ethanol 1202
MILLER, R. W., and C. H. GORDON—Encapsulated Rabon for Larval House Fly Control in Cow Manure 455
MILLER, R. W., and C. H. GORDON—Technical Rabon for Larval House Fly Control in Cow Manure 1064
MILLER, R. W., see L. G. PICKENS 6, 144
MILLER, R. W., see R. W. THIMIJAN 876
MILLER, RICHARD W., see NEAL O. MORGAN .. 1061
MILLS, GILES D., JR., see R. E. REDFERN 1605
MILSTEAD, JAMES E., see D. E. PINNOCK 1747
MINER, F. D., see PHILIP TUGWELL 1731
MINNICK, D. R., S. H. KERR, and R. C. WILKINSON—Control of *Cryptotermes brevis* 1577
MINTON, N. A., see JAMES W. TODD 295
MISTRIC, W. J., JR., and F. D. SMITH—Control of Overwintered Tobacco Flea Beetles on Flue-Cured Tobacco with Insecticidal Treatments Effective Against Wireworms 916
MISTRIC, W. J., JR., and F. D. SMITH—Carbofuran and Disulfoton Applied to Soil in Flue-Cured Tobacco Plant Bed for Control of Certain Insects Attacking Plants in Bed and Transplants in Field 1203
MITCHELL, E. B., see D. D. HARDEE 97
MITCHELL, J. A., see H. R. GROSS, JR. 713, 731
MITCHELL, J. A., see D. P. HARLAN 879, 1260
MITLIN, NORMAN, see DAVID G. MCHAFFEY 13
MITLIN, NORMAN, see G. H. MCKIBBEN 1190
MIYABARA, R. Y., see W. J. SCHROEDER 969, 1217
MOFFETT, JOSEPH O., HOWARD L. MORTON, and ROBERT H. MACDONALD—Toxicity of Some Herbicidal Sprays to Honey Bees 32
MOFFITT, H. R., and D. J. ALBANO—Effects of Commercial Fruit Storage on Stages of the Codling Moth 770
MOFFITT, H. R., and D. J. ALBANO—Vacuum Application of Fluorescent Powders as Markers for Adult Codling Moths 882
MOFFITT, H. R., and L. D. WHITE—Susceptibility of Gamma-Irradiated and Unirradiated Codling Moths to Azinphosmethyl, Carbaryl, and DDT 1008
MOFFITT, H. R., L. G. SCHOENLEBER, B. A. BUTT, and R. G. WINTERFELD—Release of Unpackaged Adult Codling Moths from Rotary or Fixed-Wing Aircraft 1321
MOFFITT, H. R., see B. A. BUTT 411
MOODY, D. S., J. R. WHITE, and D. G. BOTTRELL—A Machine for Dispensing Grandlure on Cigarette Filters Used to Bait Boll Weevil Traps 1215
MOODY, REYNARD, and JACK C. BAILEY—A Small Cage for Insect Studies on Seedling Soybeans 1501
MOODY, REYNARD, and J. C. BAILEY—Box Cage for Holding Insects on Plants 1764
MOORE, LEON, see P. D. GERHARDT 491
MOORE, RICHARD C.—Boric Acid-Silica Dusts for Control of German Cockroaches 458
MOORE, R. F., JR., and H. M. TAFT—Relationship Between Phospholipids and Triglycerides in the Boll Weevil and Susceptibility to Toxaphene + DDT 1733
MORGAN, C. E., see G. D. THOMAS 169
MORGAN, J., JR., see G. C. LABRECQUE 751
MORGAN, LOY W., see JAMES W. TODD 567
MORGAN, N. O., see L. G. PICKENS 144
MORGAN, N. O., see R. W. THIMIJAN 876
MORGAN, NEAL O., LAWRENCE G. PICKENS, and RICHARD W. MILLER—Doorway Curtains Help Exclude Flies from Dairy Barns 1061
MORGAN, PHILIP B., MALCOLM C. BOWMAN, and G. C. LABRECQUE—Malathion in House Flies: Its Rate of Uptake, Translocation-Distribution, and Loss After Administration by Injection and After Contact with Treated Surfaces 1269
MORENO, DANIEL S., RICHARD E. RICE, and GLEN E. CARMAN—Specificity of the Sex Pheromones of Female Yellow Scales and California Red Scales 698
MORLEY, H. V., see T. S. FOSTER 982
MORRILL, WENDELL L., and W. H. WHITCOMB—A Trap for Alate Imported Fire Ants 1194
MORRIS, CALEB L., see JAMES A. COPONY 754
MORRISON, R. K., see J. D. WILKINSON 264
MORTON, HOWARD L., see JOSEPH O. MOFFETT .. 32
MOSHER, DALE R., and AHMED M. KADOUM—Effects of Four Lights on Malathion Residues on Glass Beads, Sorghum Grain, and Wheat Grain 847
MOUZIN, T. E., see T. T. Y. WONG 697, 1034
MUI, PAUL T., see RONALD P. QUINTANA 66

MUNIAPPAN, R.—Effect of the Antifeeding Compound AC-24055 on the Philippine Lady Beetle ... 1482
MUNROE, EUGENE, see ROBERT N. COULSON ... 868
MUSICK, G. J.—Efficacy of Phorate for Control of Slugs in Field Corn ... 220
MUSTAKAS, GUS C., see CHARLES L. STOREY ... 1126
MUTUURA, AKIRA, see ROBERT N. COULSON ... 868
MYERS, H. S., see H. KAMASAKI ... 1292

N

NAKAGAWA, S., see G. J. FARIAS ... 914
NASH, R. F., and C. A. THOMAS—Adult Pecan Weevil Emergence in the Upper Coastal Plains of South Carolina ... 908
NATTI, J. J., see F. D. JUDGE ... 248
NELSON, DENNIS R., see DENNIS R. SUKKESTAD ... 353
NELSON, E. E., see B. A. CROFT ... 310
NEMEC, S. J., see M. V. MEISCH ... 1021
NEUMARK, SHLOMO, NATHAN GREEN, and IZHAK TEICH—The Pink Bollworm Attractant, Hexalure: Improvement by Formulation with an Antioxidant ... 1709
NEWSOM, L. D., see R. L. JENSEN ... 261
NEWTON, R. C., see R. R. HILL, JR. ... 621
NIELSON, DAVID G., and NORMAN E. JOHNSON—Control of the Pine Needle Scale in Central New York ... 1161
NOBLE, L. W., see P. D. LINGREN ... 104
NOBLET, RAYMOND, see MERLE SHEPARD ... 1721
NOORDERHAVEN, A., see E. C. LOOMIS ... 1638
NORMAN, P. A., R. A. SUTTON, and A. G. SELHIME—Further Evidence that Tristeza Virus is Transmitted Semipersistently by the Melon Aphid ... 593
NORTH, DAVID T., see WEN-YI CHENG ... 1272
NORTH, D. T., see H. H. TOBA ... 408
NORTH, D. T., see J. WENDELL SNOW ... 906
NOSKY, J. B., see DAN A. WOLFENBARGER ... 962
NOSKY, J. B., see P. D. LINGREN ... 1295

O

OATMAN, E. R., see G. R. PLATNER ... 1336
OEHLER, D. D., see M. C. IVEY ... 1647
O'GRADY, JAMES J., JR., see RICHARD B. DAVID 1214
OHINATA, K., see D. L. CHAMBERS ... 279
OHINATA, K., see N. TANAKA ... 1727
OHINATA, KIICHI, see ROY T. CUNNINGHAM ... 556
OISHI, HIDEO, see TAKAO SAGAWA ... 372
OKAMOTO, R., see N. TANAKA ... 1727
OKAMOTA, R. Y., see N. TANAKA ... 866
OLIVER, B. F., J. R. GIFFORD, and G. B. TRAHAN—Evaluation of Insecticidal Sprays for Controlling the Rice Stinkbug in Southwest Louisiana ... 268
OLIVER, B. F., J. R. GIFFORD, and G. B. TRAHAN—Differential Infestation of Rice Lines by the Rice Stalk Borer ... 711
OLIVER, B. F., and K. W. TIPTON—Effect of Diet Formulated from Sorghum Hybrids on Weight Gain of Corn Earworm Larvae ... 1759
OLIVER, B. F., see J. R. GIFFORD ... 1380
OLIVER, J. E., see S. C. CHANG ... 390, 1751
OLIVER, JAMES E., and MAXWELL M. CRYSTAL—Chemosterilants Against Screwworm Flies. 1. 303
ONSAGER, JEROME A., B. J. LANDIS, and L. L. FOILES—Bioassays of Insecticides Against the Tenlined June Beetle ... 1498
ONSAGER, J. A., see C. S. CREIGHTON ... 1399
ONSAGER, JEROME A., see J. V. BELL ... 605
OSBORN, J. A. L., and J. E. LAING—An Open Cell for Confining Small Wingless Arthropods 1175
OSBURN, MAX, see W. L. TEDDERS, JR. ... 148
OUYE, M. T., see H. M. GRAHAM ... 645
OVERLAND, DELORES E., see IAN C. MCDONALD 1364
OVERMAN, J. L., and L. E. MACCARTER—Evaluating Seedlings of Cantaloupe for Varietal Nonpreference-Type Resistance to *Diabrotica* spp. 1140
OWENS, JOHN C., see CHARLES R. WARD ... 523, 561, 764, 899

P

PADGETT, G. R., see H. R. GROSS, JR. ... 713, 731
PADGETT, G. R., see D. P. HARLAN ... 879, 1260
PAINTER, RUTH R., WENDELL W. KILGORE, and AHMED I. GADALLAH—Influence of Apholate on the Haemolymph Proteins of Adult House Flies ... 23
PAINTER, RUTH R., see AHMED I. GADALLAH ... 36, 298, 393, 1176
PAINTER, RUTH R., see KHALID M. AL-ADIL ... 321, 375, 887
PAIR, S. D., see A. L. WALKER ... 422
PALMER, J. S., see J. C. SCHLINKE ... 64
PALMER, S. E., see H. N. PITRE ... 1195
PANGALDAN, R., see M. W. STIMMANN ... 596
PARENCIA, C. R., JR., and C. B. COWAN, JR.—Comparative Yields of Cotton in Treated and Untreated Plots in Insect-Control Experiments in Central Texas, 1939–1970 ... 480
PARKER, BRUCE L., and ROBERT G. TYLER—Converting a Homemade Utility Trailer to a Spray Rig ... 1757
PARKER, FRED W., and N. M. RANDOLPH—Mass Rearing the Chinch Bug in the Laboratory 894
PARKER, G. K., see W. W. WOLF ... 1044
PARKER, M. B., see JAMES W. TODD ... 729
PARODI, RICARDO A., see CHARLES R. WARD ... 817
PARODI, RICARDO A., see ELLIS W. HUDDLESTON 892
PARROTT, W. L., see JACK C. MCCARTY, JR. ... 370
PARROTT, W. L., see MICHAEL F. SCHUSTER ... 1104
PARROTT, WILLIAM L., see JOHNIE N. JENKINS 1621
PAUL, T. C., see R. N. SINHA ... 1301

PAUSCH, ROBERT D.—Local House Fly Control with Baited Chemosterilants. 2. Field Application in Enclosed Situations 449
PASS, B. C., see H. WYMAN DOROUGH 976
PATE, R. R., see C. E. YONCE 1206
PATHAK, M. D., see CHING-HUAN CHENG 1148
PAYNE, J. A., see C. E. YONCE 1206
PAYNE, JERRY A., see SAMMY G. POLLES 1529
PAYNE, T. L., R. A. WOESSNER, and V. C. MASTRO—Evaluation of Cottonwood Clonal Selections for Resistance to Cottonwood Twig Borer Attack 1178
PAYNE, T. L., see H. H. SHOREY 911
PEAY, WALTER E., ROBERT L. WALLIS, and GILBERT SHAW—James Robert Douglass (1894–1970) ..... (Obit.) 313
PEDIGO, LARRY P., G. L. LENTZ, JAY D. STONE, and D. F. COX—Green Cloverworm Populations in Iowa Soybean with Special Reference to Sampling Procedure 414
PEDIGO, LARRY P., see JAY D. STONE 197
PERDOMO, A., see R. H. RHODE 1749
PEREZ, C. T., see C. A. RICHMOND 435
PERKINS, W. D., and J. R. YOUNG—A Modified Loop for Feeding Solutions to Adult Lepidopterans 1518
PERKINS, W. D., see R. L. BURTON 385
PERKINS, W. D., see D. B. LEUCK 482
PETERS, D. C., see F. T. TURPIN 1615
PETERS, DON C., see TOM M. HILLS 1116, 1697, 1714
PETERS, LEROY L., M. L. FAIRCHILD, and M. S. ZUBER—Effect of Corn Endosperm Containing Different Levels of Amylose on Angoumois Grain Moth Biology. 1. Life Cycle, Certain Physiological Responses, and Infestation Rates 576
PETERS, LEROY L., M. S. ZUBER, and M. L. FAIRCHILD—Effect of Corn Endosperm Containing Different Levels of Amylose on Angoumois Grain Moth Biology. 2. Physical and Chemical Properties of Experimental Corn .. 581
PETERS, LEROY L., M. L. FAIRCHILD, and M. S. ZUBER—Effect of Corn Endosperm Containing Different Levels of Amylose on Angoumois Grain Moth Biology. 3. Interrelationship of Amylose Levels and Moisture Content of Diets 1168
PETERS, P. K., see J. D. WILKINSON 264
PETERSEN, H. D. V. see L. D. WHITE 692
PETTY, D. M., see T. L. LADD, JR. 1338
PFADT, R. E., see J. E. LLOYD 387
PFRIMMER, T. R., see E. A. STADELBACHER 1030, 1611
PHILLIPS, R. H., see J. W. PRESS 254
PHILLIPS, R. H., see P. T. M. LUM 1316
PICKENS, L. G., R. W. MILLER, and DONALD L. BAILEY—Cross Resistance to Rabon in the House Fly Pressured with Diazinon in the Field and in the Laboratory 6
PICKENS, L. G., N. O. MORGAN, and R. W. MILLER—Comparison of Traps and Other Methods for Surveying Density of Populations of Flies in Dairy Barns 144
PICKENS, L. G., see R. W. THIMIJAN 876
PICKENS, LAWRENCE G., see NEAL O. MORGAN .. 1061
PIENKOWSKI, R. L., see G. LEONARD LECATO, III 146
PIEPER, G. R.—Effect of Target Size and Air Movement on Drop Impingement Efficiency and Drop Size Distribution 884
PIERCE, H. D., see J. G. SHAW 619
PIERCE, H. D., see G. H. KALOOSTIAN 880
PIERCE, HENRY F., JR., and JAMES E. APPLEBY—Chemical Control of the Leaf Crumpler in Laboratory Studies 1736
PINNOCK, D. E., and JAMES E. MILSTEAD—Evaluation of *Bacillus thuringiensis* for Suppression of Naval Orangeworm Infestation of Almonds 1747
PITMAN, G. B., see J. A. E. KNOPF 723
PITRE, H. N., R. H. PLUENNEKE, K. M. BHIRUD, and S. E. PALMER—Dimethyl Sulfoxide (DM SO) : Influence on Bean Pod Mottle Disease and Interaction with Disulfoton and Phorate 1195
PITRE, H. N., see K. M. BHIRUD 324, 1134, 1183, 1236
PITTMAN, E. F., see D. P. HARLAN 1260
PLAPP, FREDERICK W., JR.—Laboratory Tests of Alternate Insecticides for Control of Methyl Parathion-Resistant Tobacco Budworms 903
PLATNER, G. R., and E. R. OATMAN—Techniques for Culturing and Mass Producing Parasites of the Potato Tuberworm 1336
PLESS, CHARLES D., see JAMES I. EISLER 293
PLUENNEKE, R. H., see H. N. PITRE 1195
POE, S. L.—Treatment for Control of a Root Mealybug on Nursery Plants 241
POE, S. L., and S. S. WOLTZ—Antimetabolite Effects on Larval Feeding of *Spodoptera eridania* 201
POE, S. L., and J. P. JONES—Compatibility of Fungicides and Insecticides on Tomato 792
POLLES, S. G.—Pecan Splittlebug: Chemical-Control Studies 1519
POLLES, SAMMY G., and JERRY A. PAYNE—An Improved Emergence Trap for Adult Pecan Weevils 1529
POMONIS, J. GEORGE, see DENNIS R. SUKKESTAD 353
POOS, FRED W., see ARLO M. VANCE ... (Obit.) 1531
PORTER, B. A., and J. F. COOPER—William Walter Yothers (1879–1971) ..... (Obit.) 627
PORTER, J. E., see W. L. JAKOB 1454
POWELL, DONNIE M., see GEORGE TAMAKI 271
PREE, D. J., and J. L. SAUNDERS—Chemical Control of the European Pine Shoot Moth 1081
PRESS, J. W., R. H. PHILLIPS, P. T. M. LUM, and A. M. MILLER—Tricalcium Phosphate as an Additive to CSM and All-Purpose Wheat Flour for Control of Insect Infestations 254
PRICE, M. A., S. E. KUNZ, and R. E. EVERETT—Further Evaluation of Insecticides to Control the Chigger *Neoschongastia americana* on Turkeys 454
PRICE, M. A., see S. E. KUNZ 1207
PRICE, R. G., see HAROLD R. STERLING 1071
PRIETO, C., see F. GRUBER 904

PROKOPY, RONALD J., and GUY L. BUSH—Apple Maggot Infestation of Pear 597
PRUSZYNSKI, STEFAN, see WYATT W. CONE 74
PURKAYASTHA, R., see T. S. FOSTER 982
PUROHIT, M. L., see K. N. KAPOOR 902

Q

QUINTANA, RONALD P., PAUL T. MUI, RICHARD G. FISHER, CARL SCHRECK, and HARRY K. GOUCK—Dihydroxyacetone Monoester Mosquito Repellents. Effect of Branching, Cyclization, and Unsaturation upon Repellent Efficacy 66

R

RADELEFF, R. D., and SIDNEY E. KUNZ—Toxicity and Hazard of Diazinon, Ethion, and Supracide to Turkeys 162
RADELEFF, R. D., see SIDNEY E. KUNZ 1208
RAINA, A. K., see KENNETH E. GIBSON 1189
RAINWATER, C. F., see K. P. EWING .... (Obit.) 936
RALSTON, D. F., see L. D. WHITE 692
RALSTON, D. F., see T. T. Y. WONG 697, 1034
RALSTON, D. F., see H. KAMASAKI 1292
RANDOLPH, M. L., see G. F. LUDVIK 474
RANDOLPH, N. M., see FRED W. PARKER 894
RASMUSSEN, LYNN A.—Attraction of Mountain Pine Beetles to Small-Diameter Lodgepole Pines Baited with *Trans*-Verbenol and Alpha-Pinene 1396
RAULSTON, J. R., see A. A. GUERRA 966
RAWAT, R. R., see K. N. KAPOOR 902
RAWLINS, W. A., see M. E. KAGEYAMA 873
RAY, LEWIS, see S. H. ROACH 559
REBERT, CHARLES S., see EDWARD E. DAVIS 1058
REDFERN, R. E., GILES D. MILLS, JR., and PHILIP E. SONNET—Aziridines as Potentiators of Juvenile Hormone Activity in Tests on the Yellow Mealworm and the Large Milkweed Bug ... 1605
REDFERN, R. E., see R. J. ARGAUER 924
REDLINGER, L. M., see N. W. WIDSTROM 790
REED, D. K., J. E. RICH, and J. G. SHAW—A Portable Apparatus for Detection of Virus-Diseased Citrus Red Mites in the Field 890
REED, D. K., J. G. SHAW, and J. E. RICH—Increased Infection through Laboratory Culturing of Citrus Red Mites Collected from Diseased Populations 1507
REED, D. K., see J. G. SHAW 1512
REED, G. L., W. B. SHOWERS, J. L. HUGGANS, and S. W. CARTER—Improved Procedures for Mass Rearing the European Corn Borer 1472
REED, G. L., see W. B. SHOWERS 285
REESE, J. C., L. M. ENGLISH, T. R. YONKE, and M. L. FAIRCHILD—A Method for Rearing Black Cutworms 1047
REEVES, J. M., see H. G. KINZER 726
REICHELDERFER, CHARLES F., see E. DAVID THOMAS 1766
RESPICIO, NAPOLEON C., and MARTIN SHERMAN—Toxicity and Anticholinesterase Activity of Phenyl Methylcarbamate Insecticides to *Chrysomya megacephala* and *Phaenicia cuprina* .. 1535
REXRODE, C. O., T. W. JONES, and R. R. JONES—Overwintering Stages and Spring Emergence of *Pseudopityophthorus* spp. in Missouri and West Virginia 1520
REYNOLDS, P. S., see D. K. HAYES 676
RHODE, R. H., A. PERDOMO, R. DAXL, and J. GUTIÉRREZ—Control of Mediterranean Fruit Flies in Shade-Grown Coffee with Ultra-Low-Volume Aerial Insecticide Applications 1749
RICE, R. E., J. DOYLE, and R. A. JONES—Pear as a Host of the Oriental Fruit Moth in California 1212
RICE, RICHARD E., see DANIEL S. MORENO 698
RICH, J. E., see D. K. REED, ...890, 1507
RICH, J. E., see J. G. SHAW 1512
RICHARDSON, L. GENE, see CHARLES R. WARD .. 523
RICHMOND, C. A., H. M. GRAHAM, and C. T. PEREZ—Temperatures for Storing Pupae and Adults of the Pink Bollworm 435
RICHMOND, CHARLES E.—Juvenile Hormone Analogues Tested on Larvae of Western Spruce Budworm 950
RIDGILL, B. J., see H. G. KINZER 726, 1188
RIDGWAY, R. L., see J. R. CATE, JR. 484
RINGS, ROY W.—Contributions to the Bionomics of Climbing Cutworms; Distribution and Developmental Biology of *Abagrotis barnesi* ... 397
RINGS, ROY W.—Contributions to the Bionomics of Climbing Cutworms; the Distribution and Developmental Biology of the Brown Climbing Cutworm, *Rhynchagrotis cupida* 734
RINGS, ROY W.—Contributions to the Bionomics of Green Fruitworms: The Life History of *Lithophane unimoda* 1325
RINGS, ROY W.—Contributions to the Bionomics of Climbing Cutworms: The Life History and Seasonal Development of *Eupsilia morrisoni* 1333
RIVET, E., see L. DURESEAU 604
RIVET, E., see F. GRUBER 904
ROACH, S. H., and LEWIS RAY—Boll Weevils Captured at Socastee, South Carolina, in 1970, in Wing Traps Placed Around Fields with and without Growing Cotton 559
ROACH, S. H., see A. R. HOPKINS 82
ROACH, S. H., see H. M. TAFT 1663
ROBERTS, R. B., R. L. LYON, C. K. DUCKLES, and M. LOOK—Influence of Selected Synergists on the Action of Five Insecticides on Larval Western Spruce Budworm: Absence of Synergism and in Vitro Oxidation of Zectran 1277
ROBERTSON, JACQUELINE L., ROBERT L. LYON, FAY L. SHON, and NANCY L. GILLETTE—Contact Toxicity of Twenty Insecticides Applied to *Symmerista canicosta* 1560
ROBERTSON, JACQUELIN E. L., see ROBERT L. LYON 928

ROCK, GEORGE C., and D. RAY YEARGAN—Laboratory Studies on Toxicity of Dinocap to *Neoseiulus fallacis* and Its Prey 932
RODRIGUEZ, J. G., D. E. KNAVEL, and O. J. AINA—Studies in the Resistance of Tomatoes to Mites 50
RODRIGUEZ, J. G., see O. J. AINA 641
ROELOFS, W. L., R. J. BARTELL, A. S. HILL, R. T. CARDÉ, and L. H. WATERS—Codling Moth Sex Attractant—Field Trials with Geometrical Isomers 1276
ROGERS, C. E.—Economic Impact of Midges on Guar Seed Production in the Texas Rolling Plains 1689
ROGERS, C. E., H. B. JACKSON, and R. D. EIKENBARY—Voracity and Survival of *Propylea 14-punctata* Preying upon Greenbugs 1313
ROGERS, CALVIN J.—A Method for Marking Ground-Nesting Yellowjackets 1487
ROGOFF, WILLIAM M., see DENYS J. VOADEN ... 358
ROJAKOVICK, ARNOLD S., and RALPH B. MARCH—In Vitro and in Vivo Inhibition of House Fly Acetylcholinesterase by the *N*-Acetyl Phosphoramidothioate Orthene 1505
ROOS, URS-PETER, and WILLIAM B. TAPPAN—Laboratory Evaluation of Six Insecticides Against the Tobacco Flea Beetle 217
ROSARIO, SALVADOR B., see WILLIAM G. YENDOL 1027
ROSENSTIEL, R. G.—Control of Young Larvae of the Rough Strawberry Root Weevil with Carbofuran 881
ROTH, HERBERT—Factors Affecting Concentrations of Methyl Bromide During and After Fumigation of Coniferous Seeds 1374
ROTH, HERBERT, and JOHN W. KENNEDY—Methyl Bromide and Aluminum Phosphide as Fumigants for Control of Adult Boll Weevils: Laboratory Studies 1650
ROULSTON, W. J., see E. C. LOOMIS 1638
RUIZ, GONZALO, see CHARLES R. WARD 817
RUPPEL, ROBERT F.—Tests of Chemical Control of the Cereal Leaf Beetle 824

S

SACHER, R. M., see W. A. DARLINGTON 48
SACHER, R. M., G. F. LUDVIK, and J. M. DEMING—Bioactivity and Persistence of Some Parathion Formulations in Soil 329
SAGAWA, TAKAO, SEIJI HIRANO, HIRONOBU TAKAHASHI, NOBUHIKO TANAKA, HIDEO OISHI, KUNIO ANDO, and KUNIHIKO TOGASHI—Tetranactin, a New Miticidal Antibiotic. III. Miticidal and Other Biological Properties 372
SAHA, J. G.—Residues in Seedlings of Ten Wheat Varieties Grown in Dieldrin-Treated Soil 302
SAHA, J. G., see R. H. BURRAGE 1013
SALIBA, LOUIS J.—Toxicity Studies on *Cerambyx dux* in Malta 423
SALONIUS, P. O.—Effect of DDT and Fenitrothion on Forest-Soil Microflora 1089
SANBORN, J. R., see D. A. WUSTNER 1745
SANS, W. W., see C. R. HARRIS 333, 336
SARAI, DARSHAN S.—Seasonal History and Effect of Soil Moisture on Mortality of Newly Hatched Larvae of the Grape Root Borer in Southern Missouri 182
SARDESAI, J. B.—Response of Diapausing and Nondiapausing Larvae of *Plodia interpunctella* to Hydrogen Cyanide and Methyl Bromide 1562
SARMIENTO, RAFAEL, MORTON BEROZA, BARBARA A. BIERL, and J. G. R. TARDIF—Activity of Compounds Related to Disparlure, the Sex Attractant of the Gypsy Moth 665
SARMIENTO, RAFAEL, see VICTOR E. ADLER 679
SAUNDERS, J. L., and D. A. BARSTOW—*Trisetacus campnodus* Control on *Pinus sylvestris* 500
SAUNDERS, J. L., and D. A. BARSTOW—ULV Sprays for *Schizolachnus pineti* Control in Christmas Tree Plantations 896
SAUNDERS, J. L., see D. J. PREE 1081
SAXENA, K. N., and R. N. SHARMA—Embryonic Inhibition and Oviposition Induction in *Aedes aegypti* by Certain Terpenoids 1588
SCALES, A. L., and E. A. STADELBACHER—Populations of Bollworms, Tobacco Budworms, Tarnished Plant Bugs, and Other Cotton Pests in Four Varieties of Upland Cotton ... 425
SCHAEFER, CHARLES H., and WILLIAM H. WILDER—Insect Developmental Inhibitors: A Practical Evaluation as Mosquito Control Agents 1066
SCHAEFERS, G. A.—Insecticidal Evaluations for Reduction of Tarnished Plant Bug Injury in Strawberries 1156
SCHECHTER, M. S., and W. N. SULLIVAN—Gas-Propelled Aerosols and Micronized Dusts for Control of Insects in Aircraft. 2. Pesticide Formulations 1444
SCHECHTER, M. S., see D. K. HAYES 676, 1229
SCHECHTER, M. S., see W. N. SULLIVAN ... 1442, 1462
SCHILLING, P. E., see C. D. STEELMAN 462
SCHLINKE, J. C., and J. S. PALMER—Toxicity of Two Organophosphorous Insecticides in Stressed Cattle 64
SCHMID, J. M.—Reduced Ethylene Dibromide Concentrations or Fuel Oil Alone Kills Spruce Beetles 1520
SCHMID, J. M., see R. H. FRYE 931
SCHNEIDER, ESTHER L., see IRVING KEISER 1514
SCHOENLEBER, L. G., see H. R. MOFFITT 1321
SCHOENLEBER, L. G., see R. B. HUTT 1525
SCHOENLEBER, L. G., see D. O. HATHAWAY 1756
SCHOHN, J. L., see R. J. KUHR 1555
SCHOOF, H. F., see WILLIS MATHIS 748
SCHOFF, H. F., see W. L. JAKOB 1454
SCHRECK, CARL, see RONALD P. QUINTANA 66
SCHREIBER, L. R., see J. R. GALFORD 1542
SCHROEDER, W. J., R. Y. MIYABARA, and D. L. Chambers—Protein Products for Rearing Three Species of Larval Tephritidae 969

SCHROEDER, W. J., R. T. CUNNINGHAM, R. Y. MIYABARA, and G. J. FARIAS—A Fluorescent Compound for Marking Tephritidae 1217
SCHUREMAN, B. S., see M. W. STIMMANN 596
SCHUSTER, MICHAEL F., F. G. MAXWELL, JOHNIE N. JENKINS, and W. L. PARROTT—Mass Screening Seedlings of *Gossypium* sp. for Resistance to the Twospotted Spider Mite 1104
SCHUSTER, MICHAEL F., F. G. MAXWELL, and JOHNIE N. JENKINS—Resistance to the Twospotted Spider Mite in Certain *Gossypium hirsutum* Races, *Gossypium* Species, and Glanded-Glandless Counterpart Cottons 1108
SCHUSTER, MICHAEL F., F. G. MAXWELL, and JOHNIE N. JENKINS—Antibiosis to Twospotted Spider Mite in Upland and American Pima Cotton 1110
SCHWARZ, MEYER, see JAMES E. WRIGHT 1644
SCOTT, D. R.—Biological Notes on a Seed Chalcid Attacking Carrot in Idaho 296
SCOTT, D. R.—Lygus Bugs Feeding on Developing Carrot Seed: Apparent Transmission of a Viruslike Foliage Disorder 297
SCOTT, DONALD R., see G. P. CARPENTER 773
SCOTT, GENE E., see FRANK M. DAVIS 519
SCOTT, W. P., see E. P. LLOYD 552, 1144, 1153
SCOTT, W. P., see J. E. LEGGETT 1182
SEAWRIGHT, J. A.—A Genetic Study of Apholate Resistance in *Aedes aegypti* 1357
SECHRIEST, RALPH E.—Control of the Garden Symphylan in Illinois Cornfields 599
SEHNAL, FRANTISEK, see MONIR M. METWALLY .. 1603
SELF, F. L., see F. J. SUBIRATS 306
SELHIME, A. G., see P. A. NORMAN 593
SELHIME, A. G., see R. A. SUTTON 184
SELHIME, A. G., see J. B. BEAVERS 1483
SELLERS, L. G., and F. E. GUTHRIE—Distribution and Metabolism of ^{14}C-Dieldrin in the Resistant and Susceptible House Fly 378
SELMAN, CHARLES L., and HARVEY E. BARTON—Seasonal Trends in Catches of Moths of Twelve Harmful Species in Blacklight Traps in Northeast Arkansas 1018
SEO, S. T., D. L. CHAMBERS, E. K. AKAMINE, M. KOMURA, and C. Y. L. LEE—Hot Water-Ethylene Dibromide Fumigation-Refrigeration Treatment for Mangoes Infested by Oriental and Mediterranean Fruit Flies 1372
SEO, S. T., D. L. CHAMBERS, R. M. KOBAYASHI, M. KOMURA, and C. Y. L. LEE—Mediterranean and Oriental Fruit Flies: Survival in Commercial Fruit Cocktail 1652
SHANDS, W. A., and GEDDES W. SIMPSON—Effects of Aluminum Foil Mulches upon Abundance of Aphids on, and Yield of Potatoes in Northeastern Maine 507
SHANDS, W. A., GEDDES W. SIMPSON, and M. H. BRUNSON—Insect Predators for Controlling Aphids on Potatoes. 1. In Small Plots 511
SHANDS, W. A., and GEDDES W. SIMPSON—Insect Predators for Controlling Aphids on Potatoes. 2. In Small Plots with Two Kinds of Barriers, in Small Fields, or in Large Cages 514
SHANDS, W. A., GEDDES W. SIMPSON, and R. H. STORCH—Insect Predators for Controlling Aphids on Potatoes. 3. In Small Plots Separated by Aluminum Flashing Strip-Coated with a Chemical Barrier and in Small Fields 799
SHANDS, W. A., and GEDDES W. SIMPSON—Insect Predators for Controlling Aphids on Potatoes. 4. Spatial Distribution of Introduced Eggs of Two Species of Predators in Small Fields 805
SHANDS, W. A., GEDDES W. SIMPSON, and CORINNE C. GORDON—Insect Predators for Controlling Aphids on Potatoes. 5. Number of Eggs and Schedules for Introducing Them in Large Field Cages 810
SHANDS, W. A., CORINNE C. GORDON, and GEDDES W. SIMPSON—Insect Predators for Controlling Aphids on Potatoes. 6. Development of a Spray Technique for Applying Eggs in the Field 1099
SHANDS, W. A., and GEDDES W. SIMPSON—Insect Predators for Controlling Aphids on Potatoes. 7. A Pilot Test of Spraying Eggs of Predators on Potatoes in Plots Separated by Bare Fallow Land 1383
SHANDS, W. A., and GEDDES W. SIMPSON—Insect Predators for Controlling Aphids on Potatoes. 8. Green Peach Aphid Consumption by *Coccinella septempunctata* and *C. transversoguttata* 1388
SHANDS, W. A., GEDDES W. SIMPSON, and R. H. STORCH—Insect Predators for Controlling Aphids on Potatoes. 9. Winter Survival of *Coccinella* Species in Field Cages Over Grassland in Northeastern Maine 1392
SHARAFI, G., see J. E. LLOYD 387
SHARMA, R. N., see K. N. SAXENA 1588
SHAUNAK, K. K., see E. P. LLOYD 1144
SHAW, GILBERT, see WALTER E. PEAY ... (Obit) 313
SHAW, J. G., and H. D. PIERCE—Persistence of a Viral Disease of Citrus Red Mites Despite Chemical Control 619
SHAW, J. G., J. E. RICH, and D. K. REED—Effect of Prolonged Storage on a Noninclusion Virus of the Citrus Red Mite 1512
SHAW, J. G., see D. K. REED 890, 1507
SHAW, Z. A., see H. R. GROSS, JR. 713, 731
SHAW, Z. A., see D. P. HARLAN 879, 1260
SHEPARD, MERLE, RAYMOND NOBLET, and PRESTON E. HUNTER—Biology and Flight Ability of the House Fly Following Irradiation of the Pupae 1721
SHERMAN, MARTIN, see NAPOLEON C. RESPICIO .. 1535
SHIMANUKI, H., see R. J. ARGAUER 924
SHON, FAY L., see JACQUELINE L. ROBERTSON .. 1560
SHOREY, H. H., T. L. PAYNE, and L. L. SOWER—Evaluation of High-Frequency Sound for Control of Oviposition by Corn Earworm Moths in Sweet Corn 911
SHOREY, H. H., see J. R. MCLAUGHLIN 1592
SHOREY, H. H., see R. L. HALE 1658
SHORT, DONALD E., and ROSCOE E. HILL—Adult Emergence, Ovarian Development, and Oviposition Sequence of the Western Corn Rootworm in Nebraska 685

SHORT, R. E., see R. B. HUTT 1525
SHOWERS, W. B., G. L. REED, and T. A. BRINDLEY—External Support for Insect Field Cages 285
SHOWERS, W. B., see G. L. REED 1472
SHRIVASTAVA, SURENDRA P., and CHARLES O. KNOWLES—Stability Studies of Iodofenphos Insecticide 1488
SIMPSON, GEDDES W., see W. A. SHANDS 507, 511, 514, 799, 805, 810, 1099, 1383, 1388, 1392
SINGH, H., and J. N. LILES—Effects of Gamma Rays on the Acute Lethality and Reproductive Potential of Lesser Grain Borer Adults 656
SINGH, HARPAL, and J. N. LILES—Sex Differences in the Radiosensitivity of *Rhyzopertha dominica* Adults 1213
SINGH, I. D., and J. B. WEAVER, JR.—Growth and Infestation of Boll Weevils on Normal-Glanded, Glandless, and High-Gossypol Strains of Cotton 821
SINHA, R. N., and T. C. PAUL—Survival and Multiplication of Two Stored-Product Mites on Cereals and Processed Foods 1301
SKINNER, J. L., see E. W. BECK 110
SLOSSER, J. E., and T. F. WATSON—Relationship Between Percent Boll Infestation and Mean Number of Pink Bollworm Larvae Per Boll . 1493
SMITH, C. E., see C. G. WRIGHT 1763
SMITH, C. L., see M. C. MILLER 624
SMITH, D. B., see E. P. LLOYD 1153
SMITH, D. H., JR., see J. A. WEBSTER 832
SMITH, F. D., see W. J. MISTRIC, JR. 916, 1203
SMITH, FLOYD F., and CALVIN CORLEY—Mexican Bean Beetle, Yields, and Residues of Malathion Sprays on Snap Beans 288
SMITH, FLOYD F., and ANTHONY L. BOSWELL—Gas-Propelled Aerosols and Micronized Dusts for Control of Insects in Aircraft. 8. Toxicity of Micronized Dusts to Some Greenhouse Insects 1466
SMITH, J. C.—Tobacco Thrips—Nematode Control on Virginia-Type Peanuts 1700
SMITH, RONALD H., and MAX H. BASS—Soybean Response to Various Levels of Podworm Damage 193
SMITH, RONALD H., and MAX H. BASS—Relationship of Artificial Pod Removal to Soybean Yields 606
SNETSINGER, ROBERT, see A. JAMES MACDONALD 761
SNETSINGER, ROBERT, see JAMES E. LUKE 917
SNOW, J. WENDELL, RICHARD L. JONES, D. T. NORTH, and G. G. HOLT—Effects of Irradiation on Ability of Adult Male Corn Earworms to Transfer Sperm, and Field Attractiveness of Females Mated to Irradiated Males 906
SNOW, J. WENDELL, J. R. YOUNG, W. J. LEWIS, and R. L. JONES—Sterilization of Adult Fall Armyworms by Gamma Irradiation and Its Effect on Competitiveness 1431
SNOW, J. WENDELL, see RICHARD L. JONES 123
SOLOMON, J. D.—Biology and Habits of the Living Beech Borer in Red Oaks 1307
SONNET, PHILIP E., see R. E. REDFERN 1605
SORENSEN, E. L., see T. L. HARVEY 1661
SOWER, L. L., see H. H. SHOREY 911
SPADAFORA, R. R., and R. K. LINDQUIST—Ovicidal Action of Benomyl on Eggs of the Two-spotted Spider Mite 1718
SPADAFORA, R. R., see R. K. LINDQUIST 862, 1406, 1746
SPATES, GEORGE E., see JAMES E. WRIGHT 1346
SPATES, GEORGE E., JR., see B. G. HIGHTOWER 1349, 1527
SPEARS, J. F.—Lev Fowler Curl (1899–1971) ..... (Obit.) 1219
SPEIRS, ROY D., see ROBERT R. COGBURN 185
SPEIRS, ROY D., see LEHMAN L. MCDONALD 529
SPEIRS, ROY D., HELEN C. F. SU 844, 1433, 1438
STADELBACHER, E. A., and T. R. PFRIMMER—Winter Survival of the Bollworm at Stoneville, Mississippi 1030
STADELBACHER, E. A., and T. R. PFRIMMER—Tobacco Budworms and Bollworms: Age and Mating Status of Adults Collected in Light Traps in Mississippi 1611
STADELBACHER, E. A., R. E. FURR, and M. L. LASTER—Bollworms and Tobacco Budworms: Mortality of Adults Exposed to Insecticides on Cotton 1682
STADELBACHER, E. A., see A. L. SCALES 425
STAFFORD, E. M., see M. T. ALINIAZEE 1042, 1744
STANDIFER, L. N.—Toxicity of Triton X-100 to Honey Bees 306
STANFORD, ROBERT L., ELLIS W. HUDDLESTON, and C. R. WARD—Biology and Control of the Sorghum Midge. 3. Importance of Stage of Bloom and Effective Residual of Selected Insecticides 796
STARKS, K. J., E. A. WOOD, JR., and D. E. WEIBEL—Nonpreference of a Biotype of the Greenbug for a Broomcorn Cultivar 623
STARKS, K. J., see E. A. WOOD, JR. 1507
STEELMAN, C. D., T. W. WHITE, and P. E. SCHILLING—Effects of Mosquitoes on the Average Daily Gain of Feedlot Steers in Southern Louisiana 462
STEGMEIER, M. C., see L. M. MCDONOUGH 108
STEHR, FREDERICK W., and DEAN L. HAYNES—Establishment in the United States of *Diaparsis carinifer*, a Larval Parasite of the Cereal Leaf Beetle 405
STEINER, L. F., FERNANDO LOPEZ-D, and J. R. WOODLEY—Gas-Propelled Aerosols and Micronized Dusts for Control of Insects in Aircraft. 3. Effectiveness Against Free Flying Caribbean Fruit Flies 1447
STEINER, L. F., see R. T. CUNNINGHAM 505, 556
STEINER, L. F., see RICHARD A. HART 300
STEINER, L. F., see N. TANAKA 866
STERLING, HAROLD R., R. G. PRICE, and K. O. FURR—Laboratory Evaluation of Insecticides on Various Surfaces and at Various Intervals for Control of the Brown Recluse Spider 1071
STERLING, PAUL D., and D. E. HOWELL—The Repellency of Additives Used in Pesticide Formulations 1173

STERN, VERNON M., see AHMAD ASKARI 132
STEVENS, L. J., see J. G. R. TARDIF 1199
STEVENS, LYNN J., and MORTON BEROZA—Mating-Inhibition Field Tests Using Disparlure, the Synthetic Gypsy Moth Sex Pheromone 1090
STEWART, F. D., see J. R. MCLAUGHLIN 1592
STEWART, J. R., D. GLOVER, JR., and W. J. TORRIES—Automated System for Mass Producing Diet for Boll Weevil Adults 861
STEWART, J. R., see E. P. LLOYD 1502
STILL, G. W., see C. R. BURIFF 1201
STIMMANN, M. W., W. W. WOLF, and C. K. HUSZAR—Effect of Mechanical Impacts on Pupae of the Cabbage Looper: Survival of Pupae and Condition of Imago 102
STIMMANN, M. W., R. PANGALDAN, and B. S. SCHUREMAN—Improved Method of Rearing the Beet Armyworm 596
STIMMANN, M. W., and D. G. GOUGH—Inherited Sterility Among Progeny of Cabbage Loopers Treated with Tretamine 994
STIMMANN, M. W., W. W. WOLF, and H. H. TOBA—Pheromone Response of Gamma-Irradiated Cabbage Loopers in the Field 1496
STIMMANN, M. W., see T. J. HENNEBERRY 93
STIMMANN, M. W., see W. W. WOLF 719, 1044
STOCKDALE, HAROLD J.—Harold Gunderson (1913–1971) ..... (Obit.) 937
STONE, JAY D., and LARRY P. PEDIGO—Development and Economic-Injury Level of the Green Cloverworm on Soybean in Iowa 197
STONE, JAY D., see LARRY P. PEDIGO 414
STORCH, R. H., see W. A. SHANDS 799, 1392
STOREY, CHARLES L., LARRY D. KIRK, and GUS C. MUSTAKAS—Fate of EDC-CCl_4 (75:25) Residues During Milling and Oil Extraction of Soybeans 1126
STRAYER, J. R., see C. H. VAN MIDDELEM 495
STREU, HERBERT T., and JOHN B. GINGRICH—Seasonal Activity of the Winter Grain Mite in Turfgrass in New Jersey 427
STRINGER, C. E., JR., B. MICHAEL GLANCEY, P. M. BISHOP, C. H. CRAIG, and B. B. MARTIN—Air Separation of Different Castes of the Imported Fire Ant 872
STUCKER, R. E., see MARK B. WINDELS 1055
SU, HELEN C. F., ROY D. SPEIRS, and PATRICK G. MAHANY—Toxic Effects of Soybean Saponin and Its Calcium Salt on the Rice Weevil 844
SU, HELEN, C. F., ROY D. SPEIRS, and PATRICK G. MAHANY—Toxicity of Citrus Oils to Several Stored-Product Insects: Laboratory Evaluation 1438
SU, HELEN, C. F., ROY D. SPEIRS, and PATRICK G. MAHANY—Citrus Oils as Protectants of Black-Eyed Peas Against Cowpea Weevils: Laboratory Evaluation 1433
SUBER, E. F., see RICHARD B. CHALFANT 1679
SUBIRATS, F. J., and R. L. SELF—Inciting Bud Drop and Flower Deterioration of Camellias by a Camellia Bud Mite in Alabama 306
SUKKESTAD, DENNIS R., DIANA L. CARDWELL, J. GEORGE POMONIS, and DENNIS R. NELSON—Quantitative Analysis of Busulfan in Boll Weevils by Gas Chromatography 353
SULLIVAN, W. N., M. S. SCHECHTER, CHARLES M. AMYX, and E. ELLIOTT CROOKS—Gas-Propelled Aerosols and Micronized Dusts for Control of Insects in Aircraft. 1. Test Protocol 1442
SULLIVAN, W. N., M. S. SCHECHTER, CHARLES M. AMYX, and E. ELLIOTT CROOKS—Gas-Propelled Aerosols and Micronized Dusts for Control of Insects in Aircraft. 7. Effectiveness Against Pest Insects of Agriculture 1462
SULLIVAN, W. N., see M. S. SCHECHTER 1444
SUMMERLIN, J. W., see W. A. BANKS 1468
SUMMERS, CHARLES G., and WARREN R. COTHRAN—Egyptian Alfalfa Weevil: Winter and Early-Spring Treatments for Control in California 1479
SUMMERS, CHARLES G., see WARREN R. COTHRAN 689
SUN, YUN-PEI—Correlation of Toxicity of Insecticides to the House Fly and to the Mouse 632
SUN, YUN-PEI, and E. R. JOHNSON—Quasi-Synergism and Penetration of Insecticides 349
SUN, YUN-PEI, and E. R. JOHNSON—Relationship Between the Degree of Synergism and Structural Changes of Gardona Analogues Tested Against House Flies 629
SUN, YUN-PEI, and E. R. JOHNSON—Dynamics of Insecticide and Drug Effects on the Mechanism of Water Conservation of House Flies and Their Interactions Affecting Weight Loss, Water Balance, Intoxication, and Recovery of Insects 667
SUPLICY, NELSON, FRANK E. GUTHRIE, and W. C. DAUTERMAN—Toxicity of a Series of Dimethoate Analogues to Resistant and Susceptible House Flies 1585
SUTTER, G. R., E. MILLER, and C. O. CALKINS—Rearing the Pale Western Cutworm on Artificial Diet 1470
SUTTER, G. R., and S. G. JENSEN—A Device for Transferring Newly Hatched Larvae 1505
SUTTER, GERALD R., and EUGENE MILLER—Rearing the Army Cutworm on an Artificial Diet 717
SUTTON, R. A., A. G. SELHIME, and WILLIE MCCLOUD—Colonization and Release of *Tetrastichus haitiensis* as a Biological Control Agent for Citrus Root Weevils 184
SUTTON, R. A., see P. A. NORMAN 593
SUTTON, R. A., see J. B. BEAVERS 1740
SWENSON, K. G., see J. A. KAMM 364
SWIFT, FRED C., see C. BARRY KNISLEY 445

T

TAFT, H. M., A. R. HOPKINS, and S. H. ROACH—Suppression of Emerging, Early-Season Boll Weevils Using Integrated Control 1663
TAFT, H. M., see A. R. HOPKINS 82, 617, 870
TAFT, H. M., see R. F. MOORE, JR. 1733

TANAKA, N., K. OHINATA, D. L. CHAMBERS, and R. OKAMOTO—Transporting Pupae of the Melon Fly in Polyethylene Bags 1727
TAKAHASHI, HIRONOBU, see TAKAO SAGAWA 372
TAMAKI, G., see L. I. BUTLER 1174
TAMAKI, GEORGE, and DONNIE M. POWELL—An Insecticide and a Defoliant Evaluated for Use in a Program of Integrated Control Designed to Suppress the Green Peach Aphid on Peach Trees 271
TAMAKI, GEORGE, J. E. TURNER, and R. L. WALLIS—Life Tables for Evaluating the Rearing of the Zebra Caterpillar 1024
TANAKA, N., R. A. HART, R. Y. OKAMOTA, and L. F. STEINER—Control of the Excessive Metabolic Heat Produced in Diet by a High Density of Larvae of the Mediterranean Fruit Fly 866
TANAKA, NOBUHIKO, see TAKAO SAGAWA 372
TAPPAN, WILLIAM B., see URS-PETER ROOS 217
TARDIF, J. G. R., and L. J. STEVENS—A Simple Method of Pinioning Insects 1199
TARDIF, J. G. R., see RAFAEL SARMIENTO 665
TARNOPOL, JOSEPH H., and HAROLD J. BALL—A Survey of Some Common Midwestern Plants for Juvenile Hormone Activity 980
TASHIRO, H., see R. J. KUHR 1555
TASHIRO, H., see B. J. FIORI 1686
TEDDERS, W. L., JR., J. G. HARTSOCK, and MAX OSBURN—Suppression of Hickory Shuckworm in a Pecan Orchard with Blacklight Traps .. 148
TEDDERS, WALKER L., and GEORGE W. EDWARDS—Effects of Blacklight Trap Design and Placement on Catch of Adult Hickory Shuckworms 1624
TEICH, IZHAK, see SHLOMO NEUMARK 1709
TELFORD, J. N., see G. M. BENKE 1221
TERRY, P. H., A. B. BOŘKOVEC, and D. G. MCHAFFEY—Chemosterilants Against the Boll Weevil. 3. Phosphorus Amides 1550
TERRY, PAUL H., and MAXWELL M. CRYSTAL—Chemosterilants Against Screwworm Flies. 2. 307
THIMIJAN, R. W., L. G. PICKENS, N. O MORGAN, and R. W. MILLER—House Fly Capture as a Function of Number of Traps in a Dairy Barn 876
THOMAS, C. A., see R. F. NASH 908
THOMAS, E. DAVID, and CHARLES F. REICHELDERFER—A Modified Vaccinator for Inoculating Diet Surfaces for Nuclear Polyhedrosis Virus Production 1766
THOMAS, G. D., and C. E. MORGAN—Parasites of the Horn Fly in Missouri 169
THOMAS, PETER E.—Mode of Expression of Host Preference by *Circulifer tenellus,* the Vector of Curly Top Virus 119
THOMPSON, A. C., see P. A. HEDIN 1232, 1284
THOMPSON, A. R., and F. L. GORE—Toxicity of Twenty-Nine Insecticides to *Folsomia candida:* Laboratory Studies 1255
TILTON, ELVIN W., see GARY A. BROWN 203
TILTON, ELVIN W., see JOHN H. BROWER 222, 250, 531
TILTON, ELVIN W., see MIR M. HOSSAIN ...673, 1566
TILTON, ELVIN W., see ROBERT R. COGBURN 818
TILTON, ELVIN W., see SHAHID H. ASHRAFI 1265
TINGLE, F. C., see E. P. LLOYD 552, 1144, 1153
TIPPINS, H. H., see C. M. BECKHAM 865
TIPTON, K. W., see B. F. OLIVER 1759
TOBA, H. H., and A. N. KISHABA—Modifications of a Larval Diet for Cabbage Loopers 127
TOBA, H. H., A. N. KISHABA, and D. T. NORTH—Reduction of Populations of Caged Cabbage Loopers by Release of Irradiated Males.. 408
TOBA, H. H., see A. N. KISHABA 117
TOBA, H. H., see W. W. WOLF 1039
TOBA, H. H., see M. W. STIMMANN 1496
TODD, JAMES W., and T. DON CANERDAY—Control of Soybean-Insect Pests with Certain Systemic Insecticides 501
TODD, JAMES W., N. A. MINTON, and P. D. DUKES—Infestations of Phytophagous Insects on Soybeans Following Applications of du Pont 1410 Foliar Sprays and Other Insecticides Applied to the Soil 295
TODD, JAMES W., and LOY W. MORGAN—Effects of Hand Defoliation on Yield and Seed Weight of Soybeans 567
TODD, JAMES W., M. B. PARKER, and T. POWELL GAINES—Populations of Mexican Bean Beetles in Relation to Leaf Protein of Nodulating and Non-Nodulating Soybeans 729
TOGASHI, KUNIHIKO, see TAKAO SAGAWA 372
TOMLIN, ALAN D., and ANDREW J. FORGASH—Penetration of Gardona and DDT in Gypsy Moth Larvae and House Flies 942
TOMLIN, ALAN D., and ANDREW J. FORGASH—Toxicity of Insecticides to Gypsy Moth Larvae 953
TONKS, N. V., see R. M. ADAMSON 1205
TORGESON, D. C.—Albert Hartzell (1891–1972) ..... (Obit.) 935
TORRIES, W. J., see J. R. STEWART 861
TORRIES, W. J., see E. P. LLOYD 1502
TRAHAN, G. B., see B. F. OLIVER 268, 711
TRAHAN, G. B., see J. R. GIFFORD 1380
TREECE, ROBERT E., see JERRY T. LANG 740
TREVINO, J. L., see R. O. DRUMMOND 1354
TSIROPOULOS, G. J.—Storage Temperatures for Eggs and Pupae of the Olive Fruit Fly 100
TUGWELL, PHILIP, F. D. MINER, and D. E. DAVIS—Threecornered Alfalfa Hopper Infestations and Soybean Yield 1731
TUMLINSON, J. H., see D. D. HARDEE 97
TURNER, J. E., see GEORGE TAMAKI 1024
TURNER, NEELY—Philip Garman (1891–1972) ..... (Obit.) 1533
TURNER, WILLIAM E., see CHARLES R. WARD 764, 899
TURNIPSEED, SAM G.—Response of Soybeans to Foliage Losses in South Carolina 224
TURPIN, F. T., L. C. DUMENIL, and D. C. PETERS—Edaphic and Agronomic Characters that Affect Potential for Rootworm Damage to Corn in Iowa 1615
TYLER, ROBERT G., see BRUCE L. PARKER 1757

U

UECKERT, D. N., S. P. YANG, and R. C. ALBIN—Biological Value of Rangeland Grasshoppers as a Protein Concentrate 1286

UECKERT, DARRELL N., and RICHARD M. HANSEN—Egestion Time of Grasshoppers Determined by a Microscopic Technique 1263

UK, SOLANG, see CHESTER M. HIMEL 990

V

VANCE, ARLO M., AVERY S. HOYT, and FRED W. POOS—Clyde Monroe Packard (1889–1971) ..... (Obit.) 1531

VAN CLEAVE, HORACE W., see DAVID J. BOETHEL 232

VAN MIDDELEM, C. H., D. H. HABECK, and J. R. STRAYER—Residues on Ryegrass Following Preplant or Postemergence Applications of Four Insecticides for Mole Cricket Control 495

VANNATTA, D. L., see M. M. COLE 1495

VINCENT, L. E., and D. L. LINDGREN—Toxicity of Phosphine to the Life Stages of Four Species of Dermestids 1429

VINCENT, L. E., and D. L. LINDGREN—Hydrogen Phosphide and Ethyl Formate: Fumigation of Insects Infesting Dates and Other Dried Fruits 1667

VOADEN, DENYS J., MARTIN JACOBSON, WILLIAM M. ROGOFF, and GORDON H. GRETZ—Chemical Investigation of the Sex Pheromone of the House Fly 358

VOTH, VICTOR, see A. N. KISHABA 117

W

WAGONER, DALE E., see JEAN KAUPPILA KOTCHMAN 571

WALKER, A. L., D. G. BOTTRELL, and J. R. CATE, JR.—Rapid Laboratory Identification of Instars of the Greenbug 286

WALKER, A. L., J. R. CATE, S. D. PAIR, and D. G. BOTTRELL—A Volumetric Method for Estimating Populations of the Greenbug on Grain Sorghum 422

WALLIS, R. L., L. I. BUTLER, and L. M. MCDONOUGH—Sex Pheromones of the Zebra Caterpillar: Bioassay and Preliminary Chemical Investigations 945

WALLIS, R. L., see GEORGE TAMAKI 1024

WALLIS, ROBERT L., see WALTER E. PEAY ..... (Obit.) 313

WALTON, R. R., see RICHARD E. KINZER 782

WALTON, R. R., see SHARON YOUNG 828

WANG, DER-I, see NORMAN F. MCCALLEY 794

WARD, CHARLES R., ELLIS W. HUDDLESTON, JOHN C. OWENS, TOM M. HILLS, L. GENE RICHARDSON, and DONALD ASHDOWN—Control of the Banks Grass Mite Attacking Grain Sorghum and Corn in West Texas 523

WARD, CHARLES R., JOHN C. OWENS, ELLIS W. HUDDLESTON, DONALD ASHDOWN, and C. FRANK BAILEY—Phytotoxic and Residual Properties of Disulfoton Used on Wheat 561

WARD, CHARLES R., JOHN C. OWENS, DONALD ASHDOWN, ELLIS W. HUDDLESTON, and WILLIAM E. TURNER—Greenbug Control on Wheat in 1967–69 764

WARD, CHARLES R., ELLIS W. HUDDLESTON, RICARDO A. PARODI, and GONZALO RUIZ—Biology and Control of the Sorghum Midge. 2. Chemical Control in Argentina 817

WARD, CHARLES R., JOHN C. OWENS, and WILLIAM E. TURNER—Residues of Diazinon Remaining After Application to Wheat 899

WARD, C. R., see ROBERT L. STANFORD 796

WARD, CHARLES R., see ELLIS W. HUDDLESTON 851,892

WARE, G. W., BETTY J. ESTESEN, W. P. CAHILL, and K. R. FROST—Pesticide Drift. V. Vertical Drift from Aerial Spray Applications 590

WARE, G. W., B. J. ESTESEN, W. P. CAHILL, and K. R. FROST—Pesticide Drift VI: Target and Drift Deposits vs. Time of Applications 1170

WARTHEN, J. D., JR., W. A. JONES, and J. JACOBSON—Sex Attractant in Parthenogenetic American Cockroaches 1760

WASH, D. B., see D. K. HAYES 1229

WASHINGTON, F., see M. M. COLE 1495

WATERFIELD, R. L., see R. N. HOFMASTER 1672

WATERS, L. H., see W. L. ROELOFS 1276

WATSON, T. F., see J. E. SLOSSER 1493

WEAVER, J. B., JR., see I. D. SINGH 821

WEBSTER, J. A., D. H. SMITH, JR., and C. LEE—Reduction in Yield of Spring Wheat Caused by Cereal Leaf Beetles 832

WEBSTER, J. A., and H. L. KOHLS—Occurrence of a Cecidomyiid, *Clinodiplosis* sp., on Grain Sorghum in Michigan 923

WEIBEL, D. E., see K. J. STARKS 623

WENTWORTH, B. C., see DHARM KAUR 21

WESTIGARD, P. H., L. E. MEDINGER, and O. E. KELLOGG—Field Evaluation of Pesticides for Their Suitability in an Integrated Program for Spider Mites on Pear 191

WHETSTONE, T. M., see D. I. DARROW 156

WHETSTONE, T. M., see R. O. DRUMMOND 1641

WHITCOMB, W. H., see WENDELL L. MORRILL .. 1194

WHITE, CLARENCE E., EDWARD J. ARMBRUST, and JANE ASHLEY—Cross-Mating Studies of Eastern and Western Strains of Alfalfa Weevil 85

WHITE, GAILEN D., and ERLING T. JACOBSON—Phosphine Fumigation: Effects on the Germination of Grass Seed 1523

WHITE, J. R., see D. S. MOODY 1215

WHITE, L. D., and R. B. HUTT—Effects of Treating Adult Codling Moth with Sterilizing and Substerilizing Doses of Gamma Irradiation in a Low-Temperature Environment 140

WHITE, L. D., H. KAMASAKI, D. F. RALSTON, R. B. HUTT, and H. D. V. PETERSEN—Longevity and Reproduction of Codling Moths Irradiated with Cobalt-60 or Cesium-137 692

WHITE, L. D., see R. B. Hutt 615, 1525

WHITE, L. D., see H. R. MOFFITT 1008

WHITE, R., see M. C. MILLER 624

WHITE, T. W., see C. D. STEELMAN 462

WHITTEN, C. J., see D. L. BULL 973
WIDSTROM, N. W., L. M. REDLINGER, and W. J. WISER—Appraisal of Methods for Measuring Corn Kernel Resistance to *Sitophilus zeamais* 790
WIDSTROM, N. W., see W. W. MCMILLIAN 229
WIDSTROM, N. W., see B. R. WISEMAN 767, 835
WILDE, GERALD, see ELLIS W. HUDDLESTON 851
WILDER, WILLIAM H., see CHARLES H. SCHAEFER 1066
WILKINSON, C. F., see G. M. BENKE 1221
WILKINSON, J. D., R. K. MORRISON, and P. K. PETERS—Effect of Calco Oil Red N-1700 Dye Incorporated into a Semiartificial Diet of the Imported Cabbageworm, Corn Earworm, and Cabbage Looper 264
WILKINSON, R. C., see D. R. MINNICK 1577
WILKINSON, R. E., see E. E. BURGESS 1484
WILLIAMS, H. E., see E. E. BURGESS 1484
WILLIAMS, LONNIE H.—Roller Cages for Study of Wood-Products Insects in Building Crawl Spaces 613
WILSON, H. G., see G. C. LABRECQUE 867
WINDELS, MARK B., H. C. CHIANG, and R. E. STUCKER—Survival of the European Corn Borer on Opaque-2 Corn Hybrids and Their Normal Counterparts 1055
WINTERFIELD, R. G., see H. R. MOFFITT 1321
WISEMAN, B. R., N. W. Widstrom, and W. W. MCMILLIAN—Flight Movements and Color Preference of the Sorghum Midge 767
WISEMAN, B. R., W. W. MCMILLIAN, and N. W. WIDSTROM—Tolerance as a Mechanism of Resistance in Corn to the Corn Earworm 835
WISEMAN, B. R., see W. W. MCMILLIAN 229, 900
WISER, W. J., see N. W. WIDSTROM 790
WOESSNER, R. A., see T. L. PAYNE 1178
WOESSNER, R. A., see JACK E. COSTER 612
WOLF, W. W., and M. W. STIMMANN—An Automatic Method of Marking Cabbage Looper Moths for Release-Recovery Identification .. 719
WOLF, W. W., H. H. TOBA, A. N. KISHABA, and N. GREEN—Antioxidants to Prolong the Effectiveness of Cabbage Looper Sex Pheromone in the Field 1039
WOLF, W. W., M. W. STIMMANN, and G. K. PARKER—A Mechanism to Aid Sorting of Male and Female Cabbage Looper Pupae 1044
WOLF, W. W., see M. W. STIMMANN 102, 1496
WOLFENBARGER, D. A., see R. L. MCGARR ... 897, 1765
WOLFENBARGER, D. A., see A. A. GUERRA ... 966, 1122
WOLFENBARGER, D. A., see P. D. LINGREN 1295
WOLFENBARGER, DAN A.—Toxicities of Four *O*-Alkyl Ethylphosphonodithioate and Four *O,O*-Dialkyl Phosphorothioate Homologues to Bollworms and Tobacco Budworms 1481
WOLFENBARGER, DAN A., and CHARLES L. MANGUM—Fertility of Moths of Pink Bollworm Reared from Irradiated Eggs 919
WOLFENBARGER, DAN A., J. B. NOSKY, N. C. GONZALEZ, CHARLES L. MANGUM, and A. B. BOŘKOVEC—Sterilization of Pink Bollworms with Aziridine Chemosterilants and with Hempa 962
WOLFENBARGER, DAN A., and A. A. GUERRA—Toxicity of Endosulfan and Its Isomers to the Bollworm and Tobacco Budworm 1122
WOLFENBARGER, DAN A., A. A. GUERRA, H. T., Dulmage, and R. D. Garcia—Properties of the β-Exotoxin of *Bacillus thuringiensis* IMC 10,001 Against the Tobacco Budworm 1245
WOLFENBARGER, DAN A., and A. A. GUERRA—Toxicity of Seven Alkyl Organophosphorus Insecticides to the Bollworm, Pink Bollworm, and Tobacco Budworm and Persistence of Naled in Various Formulations on Cotton Leaves 1377
WOLFENBARGER, DAN A., and A. A. GUERRA—Sexual Competitiveness of ^{60}Co-Irradiated Tobacco Budworm 1596
WOLFENBARGER, DAN A., see ELIUD CANTU 615
WOLFENBARGER, DAN A., see ANTONIO A. GUERRA 1341
WOLFENBARGER, D. O.—Effects of Temperature on Mortality of Green Peach Aphids on Potatoes Treated with Ethyl-Methyl Parathion . 881
WOLTZ, S. S., see S. L. POE 201
WONG, T. T. Y., D. G. DAVIS, T. E. MOUZIN, D. F. RALSTON, J. A. BURNSIDE, and R. E. DOLPHIN—Populations of Redbanded Leafrollers Surveyed on Washington Island in 1970 697
WONG, T. T. Y., H. KAMASAKI, R. E. DOLPHIN, D. G. DAVIS, T. E. MOUZIN, D. F. RALSTON, and J. E. BURNSIDE—Mass Trapping of Male Lesser Peachtree Borer Moths with Virgin-Female Traps on Washington Island, Wisconsin, 1970 1034
WOOD, E. A., JR., and K. J. STARKS—Damage to Sorghum by a Lygaeid Bug, *Nysius raphanus* 1507
WOOD, E. A., JR., see K. J. STARKS 623
WOODLEY, J. R., see L. F. STEINER 1447
WOODS, C. W., see A. B. BORKOVEC 1543
WRIGHT, C. G., H. C. MCDANIEL, H. E. JOHNSON, and C. E. SMITH—American Cockroach Control in Sewer Access Shafts with Drione Applied with a Plunger Duster 1763
WRIGHT, DONALD P., JR.—Rearing *Eleodes suturalis* without Diapause 1731
WRIGHT, JAMES E.—Hormones for Control of Livestock Arthropods. Effectiveness of Three Juvenile Hormone Analogues for Control of Stable Flies 1361
WRIGHT, JAMES E., and GEORGE E. SPATES—Laboratory Evaluation of Compounds to Determine Juvenile Hormone Activity Against the Stable Fly 1346
WRIGHT, JAMES E., and MEYER SCHWARZ—Juvenilizing Activity of Compounds Related to the Juvenile Hormone Against Pupae of the Stable Fly 1644
WUSTNER, D. A., and J. R. SANBORN—A Facile Synthesis of Esters of Thiocholine Iodide, Substrates for Cholinesterase 1745

Y

YAHNKE, W. E., and JOHN A. GEORGE—Earthworms as Prey for Larvae of *Coenosia tigrina* 1478

YANG, S. P., see D. N. UECKERT 1286
YEARGAN, D. RAY, see GEORGE C. ROCK 932
YENDOL, WILLIAM G., and SALVADOR B. ROSARIO—Laboratory Evaluation of Methods for Inoculating Termites with Entomophthoraceous Fungi 1027
YONCE, C. E., J. A. PAYNE, and R. R. PATE—Feeding and Oviposition Preferences of Female Plum Curculios 1206
YONKE, T. R., see J. C. REESE 1047
YOUNG, J. R., E. A. HARRELL, and W. W. HARE—Mortality of Adult Corn Earworms Treated with Insecticidal Formulations in Sweet Corn in Fields and in the Laboratory 786
YOUNG, J. R., see W. J. LEWIS 705
YOUNG, J. R., see J. WENDELL SNOW 1431
YOUNG, J. R., see W. D. PERKINS 1518
YOUNG, SHARON, RICHARD E. KINZER, R. R. WALTON, and R. S. MATLOCK—Field Screening for Tobacco Thrips Resistance in Peanuts .. 828
YOUNG, SHARON, see RICHARD E. KINZER 782

Z

ZIMMACK, HAROLD L., see ALBERT L. ESTERLINE 283
ZUBER, M. S., see LEROY L. PETERS 576, 581, 1168

SUBJECT INDEX, VOLUME 65, 1972

Compiled by Gladys O. Visel

A

Abagrotis alternata, 737
  barnesi, 737
  barnesi, distribution and biology, 397
Abate, effect on alfalfa pests, 549
Abate against: gypsy moth, 954
  redback cutworm, 534
  rice water weevil, 1380
Abnormalities of oriental fruit flies, 300
AC-24055 effect on Philippine lady beetle, 1482
AC-43064 against redback cutworm, 534
AC-47031 against redback cutworm, 534
AC-47470 against: European corn borer, 1130
  redback cutworm, 534
AC-47772 against redback cutworm, 534
Acaracide treatment, citrate accumulation by, 1754
Acaralate against: mites, 525
  spider mites, 191
  twospotted spider mite, 1747
Acarina, 74, 114, 117, 132, 156, 174, 188, 191, 211, 306, 310, 427, 500, 523, 617, 619, 641, 702, 761, 775, 890, 932, 947, 1098, 1104, 1108, 1110, 1207, 1248, 1354, 1483, 1507, 1512, 1600, 1619, 1638, 1641, 1684, 1718, 1746, 1751, 1754
Acarol against: brown dog tick, 175
  mites, 525
  twospotted spider mite, 1747
Acarus siro, 1619
Accothion against: *Adelges cooleyi*, 914
  gypsy moth, 954
Aceria camelliae, 306
Achatodes zeae, 1201
Acheta domesticus, 638, 1442, 1464
Acidified sprays on alfalfa, 546
Acids in mosquito larvicides, 177
Acrobasis indigenella, 1736
  juglandis, 148
  nuxvorella, 148, 909, 933
Acrosternum hilare, 501
Activity of: benzaldomine carbamates, 28
  disparlure related to gypsy moth, 665
  small insects, recording, 129
Aculus schlechtendali, 446
Acyrthosiphon pisum, 440, 546, 1508, 1661, 1725
  solani, 511, 802, 808, 1384
Additive repellency in pesticide formulations, 1173
Adelges abietis, 1745
  cooleyi, control and biology, 912
Advertisements, miscellaneous, 1080
Aedes aegypti, 48, 68, 159 1058, 1256, 1443, 1454
  acids in larvicides against them, 177
  apholate resistance in, 1357
  embryonic inhibition and oviposition induction in, 1588
  repellent effect on behavior, 1318
Aedes atropalpus, 651
  nigromaculis, 1066
  stimulans, longevity of embryos, 891
  taeniorhynchus, 159
  triseriatus and temperature effect, 625
Aeoloplides turnbulli, 1263
Aeolothrips bicolor, 866
  melaleucus, 866
Aerosols to control insects in aircraft, 1442, 1444, 1447, 1450, 1454, 1458, 1462, 1464
Aflatoxins: in house flies, 375
  production inhibited with dichlorvos, 988
Agathis gibbosa, 1337
  sp., 1337
Agistemus flechneri, 446
Agritox against: alfalfa looper, 795
  wireworms, 774
Agronomic characters affecting rootworm damage, 1615
Agrotis gladiaria, 1018
  ipsilon, 9, 336, 1018, 1040 1047
  orthogonia, 1470
Air separation of castes of imported fire ant, 872
Aircraft, codling moth release from, 1321
  control of insects in, 1442, 1444, 1447, 1450, 1454, 1458, 1462, 1466
Akton against confused flour beetle, 939
Alabama argillacea, 481, 1018
Alar influence on European red mite and apple aphid, 1751
Aldicarb, on tomatoes, 862
Aldicarb against: *Adelges cooleyi*, 913
  beet armyworm, 1712
  boll weevil, 1664
  collembolan, 1257
  Colorado potato beetle, 1673
  confused flour beetle, 939
  corn stunt disease, 1136
  cotton insects, 231, 486
  greenbug, 1097
  pine shoot moth, 1082
  slugs, 243
  southern potato wireworm, 1165
  soybean insects, 295, 502
  tobacco thrips, 1701
Aldicarb + DBCP against tobacco thrips, 1701
Aldicarb sulfone, recovery from tomatoes, 863
Aldicarb sulfoxide, recovery from tomatoes, 863
Aldrin, in soils, 842
  rice water weevil resistance to, 1490
Aldrin against: cockroaches, 1221
  collembolan, 1257
  crickets, 342
  cutworms, 342
  flies, 342
  house flies, 351, 633
  Hylemya antiqua, 348
  H. brassicae, 348
  H. platura, 348
  mouse, 633
  redbacked cutworm, 535
  rice water weevil, 1382
Aleochara bipustulata, 170
Aleuroglyphus ovatus, 373
Alfalfa, bioassay of insecticide residues in, 1593
  mass screening, 621
  pea aphid-resistant in field, 1661
  pest control on, 546
Alfalfa looper, control on lettuce, 794
Alfalfa weevil, cross-mating of eastern and western, 85
  device for sampling, 1742
  photoperiodic sensitivity, 1289
  temperature treatments affecting fecundity, 146
  trap for, 624
Alkyl OP insecticides against cotton insects, 1377
Allethrin, in micronized dusts, 1445
  toxicity to mammals, 1446
Allethrin against: alfalfa weevil, 1463
  boll weevil, 1463
  brown dog tick, 1463
  fruit flies, 1448
  insects in: trailers, 1455; vans, 1451
Allethrin against: medically important insects, 1460
  tobacco budworm, 1463
  vinegar fly, 1463
Allethrin + Gardona, in micronized dusts, 1446
Allethrin + Gardona against: fruit flies, 1448
  insects in vans, 1451
  medically important insects, 1461

Allied Chem. ACD-10284 against *Boophilus* spp., 1355
Allotropa burrelli, 1331
Allyl isothiocyanate, cabbage maggot bait, 1343
Almonds, *Bacillus thuringiensis* for suppression of navel orangeworm on, 1747
disinfestation of shelled, 222
Almond moth, damage to soybean grain, 902
Alsophila pometaria, 1119
Aluminum foil mulches and potato yield, 507
Aluminum phosphate to control boll weevils, 1650
Amblyomma americanum, 742, 747, 1641
maculatum, 1641
Amblyseius andersoni, 446
fallacis, 446
morgani, 446
putmani, 446
Amdal against caterpillars, 1401
American cockroach, control in sewer shafts, 1763
sex attractant in, 1760
Aminocarb against: cotton leafperforator, 1765
forest tent caterpillar, 929
sorghum midge, 853
Symmerista canicosta, 1560
Amphimallon majalis, 1442, 1464, 1555, 1686
Amphipyra spp., 1325
Amynothrips andersoni, rearing, 1521
Analyses of busulfan, 353
Anaphes flavipes, 405
Anaphothrips obscurus, 1051
Anastrepha suspensa, 1443, 1447
Angoumois grain moth, and corn amylose, 576, 581
control, 531
corn endosperm effect on biology, 1168
Animal systematic insecticides, evaluation, 745
Animert V-101 against lice, 469
Annual meeting notice, 864
Anopheles albimanus, 1443, 1454
crucians, 463
quadrimaculatus, 463, 1443, 1454
stephensi, death rate, 165
Antennal amputation for bio-marking aphids, 1725
Anthocoris antevolens, 272
Anthonomus grandis, 13, 48, 82, 97, 353, 370, 473, 481, 552, 559, 821, 855, 861, 898, 1021, 1144, 1153, 1190, 1200, 1215, 1232, 1284, 1295, 1410, 1443, 1463, 1502, 1509, 1543, 1548, 1550, 1621, 1650, 1663, 1733
Anthrenus flavipes, 1735
Antibiosis to twospotted spider mite in cotton, 1110
Anticarsia gemmatalis, 224, 501, 730
Anticholinesterase activity of phenyl methylcarbamate insecticides to *Chrysomya megacephala* and *Phaenicia suprina*, 1535
Antifeeding compound AC-24055 effect on Philippine lady beetle, 1482
Antimetabolite effects on *Spodoptera eridania*, 201
Antioxidants and cabbage looper sex pheromone, 1039
Aonidiella aurantii, 698
citrina, 698
Apanteles congregatus, 1418
dignus, 1336
marginiventris, response to insecticides, 1295
melanoscelus, 954
scutellaris, 1337
sp., 92, 621
subandius, 1337
Aphaereta bimaculata, 1637
pallipes, 170, 621
Aphid (s), aluminum foil mulches effects on abundance, 507
bio-marking, 1725
vectors of sugarcane mosaic, 439
Aphid (s), control: by insect predators, 511, 514
on potatoes, 511, 514, 799, 805, 810, 1099, 1383, 1388, 1392
on safflower, 1085
Aphis craccivora, 440, 1306
fabae, 1085, 1388
gossypii, 231, 425, 440, 481, 593, 1508
helichrysi, 1085
maidiradicis, 440
medicaginis, 444
nasturtii, 802, 808, 1384, 1392
spiraecola, 1306
Aphodius lutulentus, 621
Apholate, against pink bollworm, 964
in house fly diet, 13
influence on house fly proteins, 23
resistance in *Aedes aegypti*, 1357
Apiomerus sp., 92
Apis mellifera, 19, 32, 40, 48, 306, 546, 924
Apparatus for detection of virus-diseased citrus red mite, 890
aphid, alar influence on, 1751
Apple
control of spider mite on, 188
European red mite control on, 1684
insecticide persistence on, 208
mite fauna of foliage, 445
orchard ecosystem, persistence of insecticide-resistant strains, 211
spray oils on bloom, 1408
trees, control of *Tetranychus mcdanieli* in, 310
Apple maggot, in pear, 597
mass rearing, 1292
Applying insecticides against western corn rootworm, 1714
Aptinothrips rufus, 1051
stylifer, 1051
Araecerus fasciculatus, 866
Aramite against petunia pollen, 489
Araneida, 1071, 1491
Argyrotaenia velutinana, 697
Army cutworm, rearing, 717
Arthropods, confining wingless, 1175
livestock, hormones to control, 1361
Artificial squares for boll weevil oviposition and feeding, 1200
Artipus floridanus, 184
Aspondylia sp., 1689
Astylus atromaculatus, control on grain sorghum, 892
Ateuchus histeroides, 621
Atherigona varia soccata, 1123
ATPase, DDT sensitive to brain, 1238
Atrazine residues in eggs, 986
Attagenus megatoma, 529, 702, 1074, 1429, 1439, 1443, 1450, 1735
Attractants, for dipterans, 1740
hexalure to pink bollworm, 1709
response of *Conophthorus ponderosae*, 726
treating tephritids with, 279
Aulocara elliotti, toxicity of malathion to, 387
Autographa californica, 794, 1040
Azinphosethyl against wasps, 1297
Azinphosmethyl, codling moth susceptibility to, 1008
degradation and physical factors, 315
to control Egyptian alfalfa weevil, 1480
Azinphosmethyl against: apple pests, 208
boll weevils, 898, 1153
cabbage maggot, 841
collembolan, 1257
Colorado potato beetle, 1674
European corn borer, 1115
green peach aphid, 1437
hickory shuckworm, 223
leafroller, 1486
mites, 526
pine shoot moth, 1082
plum curculio, 1704
rice stinkbug, 269
rough strawberry root weevil, 881
sorghum midge, 853
southwestern corn borer, 564
tarnished plant bug, 1158
wasps, 1297
Azinphosmethyl effect on: petunia pollen, 488
toxicity to boll weevil, 1021
Azinphosmethyl + azinphosethyl against carmine spider mite, 618
Aziridine (s), as potentiators of juvenile hormone activity, 1605
chemosterilants, pink bollworm sterilization with, 962
in house fly diet, 13
producing sterility in boll weevil, 1544

B

Bacillus thuringiensis, 206, 758, 825, 1112
control of gypsy moth with, 1119
control of elm spanworm with, 1119
effect on *Telenomus alsophilae*, 1132
evaluation for suppression of navel orangeworm, 1747
for tobacco budworm and bollworm control, 897
Bacillus thuringiensis against: bagworm, 477
European corn borer, 1414
tobacco budworm, 1245
Bacillus t. kurstaki against European corn borer, 1414
Bacillus t. var. *alesti* against caterpillars, 1399
Bagworm, *Bacillus thuringiensis* against, 477
Baler twine tests, 276
Banded cucumber beetle, mortality, 605
Banks grass mite control, 523
Bark beetle emergence cages, performance of polypropylene jars, 931
BASSA against *Nephotettix cincticeps*, 643
Bay 30237 against lice, 469
Bay 37289 against: collembolan, 1257
European chafer, 1687
garden symphylan, 600
lice, 469
redbacked cutworm, 534

rice water weevil, 1380
slugs, 243
tenlined June beetle, 1499
tobacco flea beetle, 916
Bay 37341 against redbacked cutworm, 534
Bay 37344 against: *Chrysomya megacephala*, 1535
Phaenicia cuprina, 1535
rice water weevil, 1380
Bay 38156 against redbacked cutworm, 534
Bay 41831 against redbacked cutworm, 534
Bay 45432 against: *Adelges cooleyi*, 913
redbacked cutworm, 534
rice water weevil, 1380
Bay 50282 against lice, 468
Bay 58733 against rice water weevil, 1380
Bay 62862 against rice water weevil, 1380
Bay 62863 against lice, 468
Bay 64995 against: *Boophilus* spp., 1355
lice, 469
Bay 65258 against: cabbage looper, 1658
Colorado potato beetle, 1673
lice, 469
Bay 68138 against: carmine spider mite, 617
Colorado potato beetle, 1673
common cattle grub, 747
European corn borer, 1113, 1130
redbacked cutworm, 535
rice water weevil, 1380
slugs, 243
Bay 75546 against: European corn borer, 1113
stored-product insects, 530
Bay 77049 against southwestern corn borer, 564
Bay 78537 against rice water weevil, 1380
Bay 79845 against: European corn borer, 1113
house fly, 868
stored-product insects, 530
Bay 80833 against redbacked cutworm, 535
Bay 83820 against southwestern corn borer, 565
Bay 85032 against redbacked cutworm, 535
Bay 85194 against: redbacked cutworm, 535
southern potato wireworm, 1164
Bay 88941 against tenlined June beetle, 1499
Bay 88991 against redbacked cutworm, 535
Bay 91273 against: common cattle grub, 747
European corn borer, 1113
house fly, 868
redbacked cutworm, 535
Bay 92114 against: redbacked cutworm, 535
tenlined June beetle, 1499
Bay 93820, metabolism in cotton, 973
Bay 93820 against: bollworm, 897
common cattle grub, 747
cotton insects, 1112
cotton leafperforator, 1765
European corn borer, 1113
house fly, 868
mites, 526
redbacked cutworm, 535
rice water weevil, 1380
southwestern corn borer, 564
tobacco budworm, 897
Bay S-2217 against cotton insects, 1377
Bay S-2249 against: cotton insects, 1377
wasps, 1297
Baygon against slugs, 243
Bean leaf beetle, resistance of soybean cultivars to, 1669
Bean pod mottle disease, DMSO influence on, 1195
Bean seed treatments, 248
Beer against slugs, 243
Beet armyworm, rearing, 596
Behavior of: *Aedes aegypti*, 1318
dieldrin in soil, 8, 333
Eupsilia morrisoni, 1335
face fly, study, 602
heptachlor epoxide in soil, 336
sterilized tobacco budworm, 966
Benomyl, against petunia pollen, 489
ovicidal action of, 1718
treated seedlings, feeding of smaller European elm bark beetle on twigs, 1542
Benzaldomine carbamates, activity, 28
β-exotoxin against tobacco budworm, 1245
BHC persistence in soil, 1011
Binapacryl against spider mites, 192
Bioactivity of: carbofuran and disulfoton in corn, 1183
hydrolyzed trichloromethyl pyridines, 931
insecticides and corn stunt vectors, 324
parathion formulations in soil, 329
Bioassay, trials of twospotted spider mite, 74
Bioassay of insecticide: against tenlined June beetle, 1498
residues in alfalfa, 1593
Biochemical effect of metepa on house fly eggs, 321
Biological, activity of chlordane in soil, 341
effects of insecticides on confused flour beetle, 939
notes on seed chalcid, 296
values of grasshopper protein, 1286
Biology, adult and egg, of *Phytomya syngenesiae*, 1310
ecology, and damage of *Platynota stultana* on grapes, 1042
Biology of: *Abagrotis barnesi*, 397
Adelges cooleyi, 912
Angoumois grain moth, and corn amylose, 576, 581
Angoumois grain moth, corn endosperm effect on, 1168
brown climbing cutworm, 734
house fly following irradiation, 1721
living beech borer, 1307
Neodiprion excitans, 701
Platynota flavedana, 1486
sorghum midge, 796, 817, 851
Bio-marking aphids, 1725
Bionomics of: climbing cutworms, 397, 734, 1333
green fruitworms, 1325
Biorhythym in house fly, 1191
Biothion, effect on alfalfa pests, 549
Biothion against: cereal leaf beetle, 825
tarnished plant bug, 1157
Biotrol against: cabbage looper, 1737
gypsy moth and elm spanworm, 1119
navel orangeworm, 1747
Telenomus alsophilae, 1133
Biotype of greenbug, nonpreference, 623
Birds, potential mosquito-breeding sites, 608
Black carpet beetle, parasitization by straw itch mite, 702
Black cutworm, rearing, 1047
Black-eyed peas, citrus oils as protectants, 1433
Blattella germanica, 373, 458, 1173, 1443, 1458
Blattisocius keegani, predation on *Diaprepes abbreviatus* eggs, 1483
Blissus l. leucopterus, 894
Blister beetle, coumarin effects on, 1632
Boll infestation, relationship between, and pink bollworm larvae, 1493
Boll weevil (s) : analysis of busulfan in, 353
captured in wing traps, 559
chemosterilants against. Aziridines, 1543; triazines, 1548; phosphorus amides, 1550
constituents, 1232, 1284
diet-induced sterility in, 13
dyes for body fat and eye color, 370
feeding stimulants added to diet, 1190
genetic characteristics, 1621
growth and infestation on cotton, 821
male-baited traps to control, 552
mass producing diet for, 861
movement and survival, 82
producing artificial squares for oviposition and feeding, 1200
relationship between phospholipids and triglycerides in, 1733
response to grandlure, 97
shaker for sampling overwintering, 1502
suppression with integrated control, 1663
temperature and photoperiod effect on toxicity to, 1021
toxicity of azinphosmethyl to, 1021
Boll weevil control with: azinphosmethyl or malathion, 1153
fumigants, 1650
trapping, 1144
traps, dispensing grandlure on cigarette filters used as bait, 1215
Bollworm, age and mating status, 1611
alkyl OP insecticides against, 1377
comparison of cultivation and herbicides on emergence, 870
control, 897
in Upland cotton, 425
induction of sexual sterility in, 368
mortality, 1682
resistance of soybean cultivars to, 1669
resistance to methyl parathion and toxaphene-DDT, 1193
salicylanilide against, 1166
toxaphene-DDT against, 474
Bollworm, toxicity of: endosulfan to, 1122
esters to, 615
phosphorothioate homologues to, 1481
Bollworm, winter survival, 1030
Boophilus annulatus, 64
control on cattle, 1354
microplus, 64, 1639

Boric acid, as face fly chemosterilant, 740
silica dusts to control German cockroaches, 458
Bothynus gibbosus, 866
Bovine droppings, insects associated with, 621
Brachymeria intermedia, 954
Brachyrhinus rugostriatus, 881
Brachystola magna, 1287
Brachyufens osborni, 184
Bracondiae, 49
Bradysia coprophila, damage to soybean, 597
Brevipalpus lewisi, 446
Bromophos, in micronized dusts, 1445
toxicity to mammals, 1446
Bromophos against: alfalfa weevils, 1463
apple pests, 208
boll weevil, 1463
brown dog tick, 175, 1463
forest tent caterpillar, 929
fruit flies, 1448
insects in: trailers, 1456; vans, 1451
medically important insects, 1461
redbacked cutworm, 536
rice water weevil, 1382
southern cattle tick, 1640
tobacco budworm, 904
Bromophos-ethyl against: *Boophilus* spp., 1355
brown dog tick, 175
lice, 468
southern cattle tick, 1640
Bromopropylate, metabolism by mites and flies, 1600
Broomcorn cultivar, greenbug for, 623
Brown climbing cutworm, biology, 734
Brown dog tick, control, 174
Brown recluse spider, control, 1071
tests against, 1491
Bruchidae, determining seed host preference, 1189
Bruchophagus roddi, 296
Bryobia praetiosa, 274, 446
Bucculatrix thurberiella, 1765
Büchner funnel for dispensing eggs of beetles for parasite production, 1185
Budworm mortality, 1682
Building crawl spaces, wood-products insects in, 613
Busulfan, analyses in boll weevils, 353
in house fly diet, 13
Bux, timing applications, 1698
Bux against: collembolan, 1257
garden symphylan, 600
rice water weevil, 1380
southern potato wireworm, 1164

C

C-2307 against: common cattle grub, 747
European corn borer, 1113
rice water weevil, 1381
C-8514 against: bollworm, 897
carmine spider mite, 617
cotton insects, 1112
cotton leafperforator, 1765
lice, 469
rice water weevil, 1381
tobacco budworm, 897
wasps, 1297
C-8874 against redbacked cutworm, 535
C-9491, as mothproofing agent, 584
C-9491 against: *Adelges cooleyi*, 914
Boophilus spp., 1355
common cattle grub, 747
corn earworm, 522, 788
lice, 469
rice water weevil, 1381
spiders, 1072
stored-product insects, 530
C-9643 against lice, 468
C-10015 against: rice water weevil, 1381
slugs, 243
C-11042 against house fly, 868
C-11044 against common cattle grub, 747
C-11753 against lice, 468
C-13880 against house fly, 868
C-13963 against sorghum shoot fly, 1124
C-13963 + endosulfan against sorghum shoot fly, 1124
C-14814 against house fly, 868
C-17018 against cabbage looper, 1737
Cabbage, cabbage looper control on, 205
caterpillar control on, 1399
diazinon, dieldrin, and supracide effect on seedlings, 1179
Cabbage looper, control, 757, 1658, 1737
diet, 264
marking moths, 719
mechanical impacts on, 102
modifications of diet, 127
pheromone response of gamma-irradiated, 1496
release, 408
sex pheromone and antioxidants, 1039
sorting by sex, 1044
tetramine-induced sterility in, 994
threshold and spray interval, 205
Cabbage maggot, control in crucifers, 837
resistance to chlordane, 347
trapping, 1343
Cabbage moth, tepa and metepa effects on reproduction, 93
Cacodylic acid against southern pine beetle, 754
Cadra figulitella, 1667
Caenurgina erechtea, 1018
Cage(s), box, for holding insects on plants, 1764
for insect studies on soybeans, 1501
insect field, support for, 285
roller, for wood-products insects, 613
Calcium arsenate against: bollworm, 897
tobacco budworm, 897
Calco oil Red N-1700 in diet, 264
California red scales, specificity of pheromones, 698
Callosobruchus chinensis, 254, 373, 1189
maculatus, 255, 1126, 1189, 1434 1439, 1566
Calves, dichlorvos applied topically, 925
Camellia bud mite, bud drop and flower deterioration of, 306
Campoletis perdistinctus, and systemic insecticides, 484
host preference of, 104
response to insectides, 1295
Campoplex haywardi, 1337
Cantaloupe resistance to *Diabrotica*, 1140
Canthon cyanellus, 621
nigricornis, 621
pilularius, 621
probus, 621
puncticollis, 621
viridis, 621
Capitophorus hippophaes, 1306
Captan, effect on petunia pollen, 489
Capture of house flies, 876
Carbamate action on house cricket eggs, 638
Carbanolate against: *Boophilus* spp., 1356
Nephotettix cincticeps, 643
redbacked cutworm, 537
Carbaryl, action on house cricket eggs, 639
codling moth susceptibility to, 1008
effect on petunia pollen, 489
metabolism, modification in rats, 958
penetration, 350
reference insecticide, 49
toxicity to mammals, 1446
Carbaryl against: *Adelges cooleyi*, 913
Astylus atromaculatus, 893
bagworm, 479
Boophilus spp., 1356
brown dog tick, 175
Cerambyx dux, 423
cereal leaf beetle, 826
collembolan, 1257
Colorado potato beetle, 1674
corn earworm, 230, 788
cotton insects, 1424
Dioryctria spp., 1491
eastern spruce gall aphid, 1746
Egyptian cotton leafworm, 363
European corn borer, 1114
forest tent caterpillar, 929
greenbug, 238
green peach aphid, 1437
gypsy moth, 954
Heliothis spp., 1683
honey bee, 41
house flies, 351
leafroller, 1486
lice, 468
mites, 526
Nephotettix cincticeps, 643
pecan spittlebug, 1519
pine shoot moth, 1082
redbacked cutworm, 537
rice stinkbug, 269
slugs, 243
sorghum midge, 818, 853
southwestern corn borer, 564
soybean insects, 502
Symmerista canicosta, 1560
Telenomus alsophilae, 1133
tobacco flea beetle, 218
tobacco thrips, 1701
tomato pests, 793
wasps, 1297
western yellowjacket, 41
winter grain mite, 427
Carbaryl + dimethoate against: green peach aphid, 1437
tomato pests, 794
Carbaryl + molasses against *Heliothis* spp., 1683
Carbaryl + parathion against tomato pests, 794
Carbaryl + piperonyl butoxide, 954
Carbofuran, bioactivity in corn, 324, 1183

for bean seed treatment, 249
in soil for insect control, 1203
interaction with DMSO, 1197
metabolites and conjugates found in fish, 1738
susceptibility of leafhopper in corn, 1236
timing applications, 1698
Carbofuran against: beet armyworm, 1712
Boophilus spp., 1355
cabbage looper, 1659
cabbage maggot, 839
cereal leaf beetle, 825
collembolan, 1257
Colorado potato beetle, 1673
corn earworm, 522
corn stunt disease, 1136
Dalbulus maidis, 1237
Egyptian alfalfa weevil, 1480
European corn borer, 1115, 1130
greenbug, 237, 1096
green peach aphid, 1437
horned oak galls, 1485
leafroller, 1486
pine needle scale, 1163
pine shoot moth, 1082
pinyon stunt needle midge, 217
plum curculio, 1704
redbacked cutworm, 537
rice stinkbug, 269
rice water weevil, 1381
rough strawberry root weevil, 881
slugs, 243
sorghum shoot fly, 1124
southern potato wireworm, 1165
southwestern corn borer, 492, 564
soybean insects, 502
spider mites, 192
tobacco flea beetle, 916
tobacco thrips, 1701
twospotted spider mite, 777
Carbofuran effect on: alfalfa pests, 550
petunia pollen, 489
Carbofuran + DBCP against tobacco thrips, 1701
Carbofuran + endosulfan against sorghum shoot fly, 1124
Carbofuran + Sorba-spray Mg, effect on alfalfa pests, 550
Carbon dioxide to control egg production of Indian meal moth, 1316
Carbophenothion, effect on petunia pollen, 489
Carbophenothion against: *Astylus atromaculatus*, 893
brown dog tick, 175
leafroller, 1486
lice, 468
mites, 525
sorghum midge, 798, 818, 853
twospotted spider mite, 776
winter grain mite, 427
Carbophenothion + dimethoate against twospotted spider mite, 777
Carmine spider mite, control, 617
Carpophilus hemipterus, 1667
mutilatus, 1667
Carrot(s), absorption of dieldrin by, 333
lygus bug feeding on seed, 297
seed chalcid attacking, 296
Cartap against: European corn borer, 1113
rice water weevil, 1381
Caterpillars, control on cabbage, 1399
Cattle, *Boophilus* control on, 1354
chlorpyrifos residues in, 1647
dust bags for horn fly control on, 470
feed, control of ticks in, 1641
toxicity of insecticides to stressed, 64
Cattle grub control with: crotoxyphos, 466
dust bag treatments, 1368
systemics, 450
Cavariella aegopodii, 297
Cecidomyia texana, 1689
Cecidomyiid occurrence on grain sorghum, 923
Cela K-673 against: common cattle grub, 747
house fly, 868
Cela S-2957 against: common cattle grub, 747
house fly, 868
southern potato wireworm, 1164
Cerambyx dux, toxicity studies on, 423
Ceramica picta, 945, 1024, 1175
Ceratitis capitata, 1, 279, 866, 914, 969, 1217, 1372, 1514, 1652, 1749
Ceratoma trifurcata, 1501
Cercyon nigriceps, 621
Cereal(s), stored-product mites on, 1301
Cereal leaf beetle, and yield loss, 832
Büchner funnel for dispensing eggs, 1185
chemical control of, 824
new parasite of, 405
Cerotoma trifurcata, 1669
Cesium-137 irradiated codling moths, 692
CGA 10279, tests on *Tetranychus urticae*, 1249
Chaetocnema confinis, 1655
Chaetopsis debilis, 9, 342
Chalcodermus aeneus, 542, 778, 1679, 1712
Charcoal, pesticide residues affected by, 982
Charips sp., 604
Chelonus blackburni, 1337
curvimaculatus, 1337
Chemagro 7375 against rice water weevil, 1381
Chemicals, for European corn borer control, 1113
investigation of sex pheromone of house fly, 358
Chemosterilants against: boll weevil. Aziridines, 1543; triazines, 1548; phosphorus amides, 1550
screwworm, 303, 307, 594
Chemosterilization of: face fly, 21
house flies, 390
house fly lipids with metepa, 887
Lucilia cuprina, 1352
Chevron 5305 against: European corn borer, 1113
southern potato wireworm, 1164
Chevron 9006 against European corn borer, 1113, 1130
Chevron 9006 + 5305 against European corn borer, 1114
Chiggers, control on turkeys, 454
Chilo partellua, 1124
plejadellus, 711
suppresalis, 373, 644
Chinch bug, mass rearing, 894
Chlordane, biological activity in soil, 341
in soils, 842
persistence in soil, 1011
Chlordane against: brown dog tick, 175
collembolan, 1257
crickets, 342
cutworms, 342
firebrat, 918
flies, 342
honey bee, 41
Hylemya antiqua, 348
H. brassicae, 348
H. platura, 348
maggots, 347
mole cricket, 495
redbacked cutworm, 535
spiders, 1072
tenlined June beetle, 1499
western yellowjacket, 41
winter grain mite, 427
wireworms, 774
Chlordane residues in: corn and soils, 976
eggs, 986
Chlorfenvinphos against: cabbage maggot, 839
collembolan, 1257
southern cattle tick, 1640
Chlorobenzilate against: carmine spider mite, 618
mites, 525
twospotted spider mite, 1747
Chloropropylate, metabolism by mites and flies, 1600
Chlorotettix sp., 866
Chlorphenamidine against leafroller, 1486
Chlorphoxim against: redbacked cutworm, 536
rice water weevil, 1381
southern potato wireworm, 1165
Chlorpyrifos, dose-toxicity on house fly, 990
hazard on turkeys, 1208
in micronized dusts, 1445
residues in cattle, 1647
testing for control of *Neoschöngastia americana*, 1207
toxicity to mammals, 1446
Chlorpyrifos against: alfalfa weevil, 1463
boll weevil, 1463
Boophilus spp., 1355
brown dog tick, 1463
cabbage looper, 1738
carmine spider mite, 1467
chrysanthemum aphid, 1467
citrus mealybug, 1467
collembolan, 1257
European chafer, 1463
firebrat, 918
forest tent caterpillar, 929
fruit flies, 1448
grasshopper nymphs, 1467
green peach aphid, 1467
greenbug, 1096
greenhouse leftlier, 1467
greenhouse whitefly, 1467
house cricket, 1463
insects in aircraft, 1453, 1455; railroad cars, 1465; trailers, 1455; vans, 1451
Japanese beetle, 1463, 1467
medically important insects, 1460
Platynota stultana, 1467
rice water weevil, 1382
rough strawberry root weevil, 881
southern cattle tick, 1640
southern potato wireworm, 1165
spiders, 1072
Symmerista canicosta, 1560
tobacco budworm, 904, 1463

twospotted spider mite, 1467
vegetable leafminer, 1467
vinegar fly, 1463
Chlorpyrifos + Gardona against medically important insects, 1461
Chlorpyrifos + Gardona + propoxur against fruit flies, 1448
Chlorpyrifos + Gardona + propoxur + resmethrin: against medically important insects, 1460
in micronized dusts, 1446
Chlorpyrifos + Mobam, in micronized dusts, 1446
Chlorpyrifos + Mobam against: fruit flies, 1448
insects in railroad cars, 1465
medically important insects, 1461
Chlorpyrifos + propoxur + Gardona against insects in vans, 1451
Chlorpyrifos + propoxur + Gardona + resmethrin against fruit flies, 1448
Chlorpyrifos + propoxur + resmethrin, in micronized dusts, 1446
Chlorpyrifos + propoxur + resmethrin against: fruit flies, 1448
medically important insects, 1460
Chlorpyrifos + resmethrin, in micronized dusts, 1446
Chlorpyrifos + resmethrin against: fruit flies, 1448
insects in: aircraft, 1453; railroad cars, 1466
medically important insects, 1460
Chlorpyrifos + resmethrin + propoxur against insects in vans, 1451
Chlorpyrifos + resmethrin + propoxur + Gardona against insects in vans, 1451
Cholinesterase insensitivity in *Nephotettix cincticeps*, 643
Choristoneura occidentalis, 951, 1277
rosaceana, 865
Chorizagrotis auxillaris, 737
Christmas tree, *Schizolachnus pineti* control in plantations, 896
Chrysomya megacephala, phenyl methylcarbamate activity to, 1535
Chrysopa carnea, 855, 1098, 1100
plorabunda, 546
rufilabris, 1098
septempunctata, 515
sp., 49, 511, 514, 766, 800, 805, 810, 1100, 1331, 1383, 1412
Ciba (see C)
Cidial against redbacked cutworm, 535
Cigarette filters, dispensing grandlure on, 1215
injecting grandlure into, 1509
Cimex lectularius, 1443, 1458
Circulifer tenellus, host preference of, 119
Citrate accumulation in twospotted spider mites, house flies, and mice following acaracide treatment, 1754
Citrus, *Scaphytopius nitridus* on, 880
Citrus oils, protectants of black-eyed peas, 1433
toxicity to stored-product insects, 1438
Citrus red mite, apparatus for detection of diseased, 890
infection through culturing, 1507
prolonged storage effect on virus of, 1512
viral disease persistence, 619
Citrus root weevil, colonization of parasites of, 184
Clastoptera achatina, 1519
xanthocephala, 865
Clausenia purpurea, 1331
Climbing cutworm, bionomics, 397, 1333
Clinodiplosis sp. on grain sorghum, 923
Coastal bermudagrass, Dasanit persistence in, 257
Cobalt-60 irradiated codling moths, 692
Coccinella septempunctata, 511, 514, 800, 805, 810, 1099, 1383, 1388, 1392
species, winter survival, 1392
transversoguttata, 546, 810, 1099, 1384, 1388, 1392
Coccophagus gurneyi, 1332
Cochliomyia hominivorax, 303, 307, 353, 408, 571, 594, 742, 877, 1214, 1349, 1543, 1721
macellaria, 747
Cochroach, microsomal oxidases in, 1221
Codling moth, artificial diet for, 636
collection of mass-reared by phototaxic response, 1525
fruit storage effects on, 770
longevity and reproduction of irradiated, 692
markers for, 882
modification of diet, 57
oviposition substrates for, 1756
polystyrene toxic to, 615
rearing on artificial diet, 888
release from aircraft, 1321
sex attractant, 1276
sex pheromones of, 108
sterilizing, 140
suppression, 411
susceptibility to insecticides, 1008
traps for, 609, 1741
Coenosia tigrina, earthworms prey for, 1478
Coffee, control of Mediterranean fruit fly in, 1749
Cold tolerance of pink bollworm larvae, 1503
Cole crops, cabbage looper control on, 1658
Coleoptera, 13, 42, 49, 60, 82, 85, 97, 138, 146, 185, 203, 217, 245, 250, 288, 292, 353, 356, 370, 405, 407, 423, 434, 511, 542, 552, 559, 605, 611, 624, 656, 681, 684, 689, 702, 713, 723, 726, 731, 754, 773, 778, 790, 821, 824, 832, 844, 861, 879, 881, 887, 892, 904, 908, 916, 921, 939, 1116, 1140, 1144, 1153, 1164, 1185, 1188, 1190, 1197, 1200, 1206, 1213, 1215, 1232, 1260, 1284, 1289, 1307, 1313, 1338, 1392, 1396, 1402, 1427, 1429, 1433, 1479, 1482, 1490, 1498, 1502, 1504, 1508, 1516, 1520, 1529, 1542, 1543, 1548, 1550, 1566, 1573, 1579, 1603, 1605, 1615, 1621, 1632, 1650, 1662, 1669, 1679, 1686, 1697, 1703, 1706, 1714, 1731, 1733
Coleoptera, resistance in sweet potatoes, 1655
Collecting: codling moths by phototaxic response, 1525
whitefringed beetle eggs, 611
Collembola, 1255
Collops spp., 855
Colonization of parasites of citrus root weevils, 184
Color preference of sorghum midge, 767
Colorado potato beetle control with soil insecticides, 1672
Compound 4072 against: *Boophilus* spp., 1355
brown dog tick, 175
sorghum shoot fly, 1124
Compound 4072 + endosulfan against sorghum shoot fly, 1124
Comstock mealybug and its enemies, 1329
Coneworm, chemical control, 1491
Confining wingless arthropods, 1175
Confused flour beetle, biological effects of insecticides on, 939
diatomaceous earth for control, 1427
radiation fumigation, 245
sodium fluoride affecting, 356
susceptibility to HE and N_2, 60
toxicity ot malathion and Gardona to, 1706
Coniferous seeds, methyl bromide fumigation of, 1374
Conioscinella sp., 1741
Conoderus falli, 347, 916, 1164, 1655
vespertinus, 916
Conophthorus ponderosae, 1188
attractant response of, 726
Conotrachelus nenuphar, 1206, 1703
Constituents of boll weevil, 1232, 1284
Containers, commercial, as laboratory cages, watering devices, and egging receptacles of fruit flies, 1514
Contarinia sorghicola, 767, 796, 817, 923
mosquito, agents, 158, 1066
studies on pecan spittlebug, 1519
Control of: *Adelges cooleyi*, 912
alfalfa looper, 794
alfalfa pests, 546, 794
American cockroach in sewer shafts, 1763
Angoumois grain moth, 531
Astylus atromaculatus, 892
aphids, by insect predators, 511, 514
aphids, on potatoes, 511, 514, 799, 805, 810, 1099, 1383, 1388, 1392
aphids on safflower, 1085
Banks grass mite, 523
boll weevil, 1153, 1650, 1663
bollworm, 897
Boophilus on cattle, 1354
brown dog tick, 174
brown recluse spider, 1071
cabbage insects, 757
cabbage looper, 1658, 1737
cabbage maggot, 837
carmine spider mite, 617
caterpillars on cabbage, 1399
cattle grubs, 450, 466, 1368
cereal leaf beetle, 824
codling moths, 411
Colorado potato beetle, 1672
coneworms, 1491
corn earworm, 229, 521
corn earworm oviposition by high-frequency sound, 911
cotton insects, 231
cowpea insects, 1421
Cryptotermes brevis, 1577
eastern spruce gall aphid, 1745
Egyptian alfalfa weevil, 1479
elm spanworm, 1119

European chafer grubs, 1686
European corn borer, 1113, 1129, 1414, 1697
European pine shoot moth, 1081
European red mite on apple, 1684
field corn slugs, 220
firebrat, 917
garden symphylan, 599
German cockroaches, 458
green peach aphid, 271, 794, 1436
greenbug, 235, 764, 1095
greenhouse whitefly, 862, 1205
gypsy moth, 1119
Heliothis spp., 1182
horn flies with dust bag treatments, 1368
host ticks, 1641
house fly, 449, 470, 1064
Hylemya spp. on tobacco, 1761
Indian meal moth reproduction, 1316
Control of insects, with aerosols and dusts, 1442, 1444, 1447, 1450, 1454, 1458, 1463, 1466
Control of insects in: aircraft, 1442, 1444, 1447, 1450, 1454, 1458, 1462, 1466
railroad cars, 1465
soil, 1711
tobacco plant beds, 1203
trailers, 1455, 1464
vans, 1448, 1451
wheat flour, 254
khapra beetle, 1603
leaf crumpler, 1736
lice on poultry, 468
Mediterranean fruit fly, 1749
metabolic heat, 866
nematodes in soil, 1711
Neoschongastia americana, 454, 1207
onion maggot, loss of activity of diazinon in, 873
painted maple aphid, 874
pine needle scale, 1161
pinyon stunt needle midge, 216
Platynota flavedana, 1486
plum curculio, 1703
red imported fire ant, 1468
redbacked cutworm, 533
rice stinkbug, 268
rice water weevil, 1380
root mealybug, 241
rough strawberry root weevil larvae, 881
sorghum midge, 796, 817, 851
sorghum shoot fly, 1123
southern cattle tick by pour-on insecticides, 1638
southern pine beetle, 754
southern potato wireworm, 1164
southwestern corn borer, 491, 563
soybean insect pests, 501
spider mite on apple, 188
stable flies, 1361
stored-product insects, potential, 1450
sugarbeet wireworm, 773
Tetranychus mcdanieli, 310
tobacco budworm, 897, 903
tobacco flea beetle, 916
tobacco-thrips, 1700
twospotted spider mite, 775, 1746
Trisetacus campnodus, 500
viral disease in citrus red mite, 619
western corn rootworm, 116, 1697
wheat insects, 818
whitefringed beetle larvae, 879
Convergent lady beetle, life cycle and temperature, 1508
Converting trailer to spray rig, 1757
Copidosoma koehleri, 1337
Coptotermes formosanus, 601
Co-Ral against horn flies and cattle grubs, 1369
Cordyceps sp., 92
Corn, amylose and Angoumois grain moth, 576, 581
Banks grass mite control on, 523
bioactivity of carbofuran and disulfoton in, 1183
bioactivity of insecticides in, 1134
chlordane residues in, 976
dichlorvos aflatoxin inhibitor on, 988
endosperm effect on Angoumois grain moth biology, 1168
experimental, and Angoumois grain moth, 581
factors affecting damage by rootworm, 1615
feeding southwestern corn borer larvae on, 519
hybrids, survival of European corn borer on, 1055
leaf aphid resistance to Maydeae, 195
leafhopper susceptibility to systemic insecticides in, 1236
silage, Dasanit persistence in, 257
stunt disease and leafhopper control relationship, 1134
stunt vectors, bioactivity of insecticides and, 324
tolerance to corn earworm, 835
Corn earworm, control, 229, 521
diet, 264, 385, 1759
dye markers for moths, 123
irradiation on ability to transfer sperm, 906
mortality in sweet corn, 786
oxidase in mid-gut, 1510
tolerance in corn, 835
corn fields, garden symphylan control in, 599
kernel resistance to *Sitophilus zeamais*, 780
Correlation to toxicity of insecticides to house fly and mouse, 632
Cotton: antibiosis to twospotted spider mite in, 1110
Bay 93820 metabolism in, 973
boll weevils, captured in wing traps in fields near, 559
boll weevils, growth and infestation on, 821
bollworm control on, 474
carmine spider mite control on, 617
comparative yields, 480
field, lepidopterous larvae in, 287
fruiting forms and insects on, 1410
Cotton insects: control, 231
on varieties, 425
sampling distributions of, 855
Cotton leafperforator, field tests with insecticides, 1765
mortality of *Heliothis* spp. on, 1682
naled persistence on leaves, 1377
pests in Upland cotton, 425
resistance of bollworm and tobacco budworm from, 1193
resistance of two spotted spider mite on, 1108
Cotton, salicylanilide against bollworm on, 1166
sesame interplantings, *Heliothis* in, 1524
systemic insecticides against *Campoletis perdistinctus* on, 484
temperatures near surface of leaves, 1209
Cottonwood twig borer, cottonwood clonal selections resistant to, 1178
insecticides against, 612
Coumaphos against: *Boophilus* spp., 1356
brown dog tick, 175
cattle grubs, 1369
horn fly, 471, 1369
lice, 468
southern cattle tick, 1640
ticks, 1642
Coumarin effect on blister beetle, 1632
Cow manure, house fly control in, 1064
Rabon for house fly control in, 455
Cowpea, control of insects by chemicals, 1421
Cowpea curculio, resistance, 542, 778, 1679
Cowpea weevil, protectants of blackeyed peas against, 1433
sensitivity to gamma radiation, 1566
CP 10502 against twospotted spider mite, 776
CP-12432 against lice, 469
CP-19203 against *Boophilus* spp., 1355
CP-40294 against: *Boophilus* spp., 1355
lice, 469
CP 51453 against lice, 468
Cricket, baler twine against, 276
Cross-mating of eastern and western alfalfa weevil, 85
Cross-resistance by maggots to chlordane, 347
Crotoxpyhos against: *Boophilus* spp., 1355
brown dog tick, 175
cattle grubs, 466
chiggers, 455
horn fly, 471
lice, 468
southern cattle tick, 1640
Crucifers, cabbage maggot control in, 837
Crufomate against: cattle grubs, 452
southern cattle tick, 1640
ticks, 1642
Cryptolaemus montrouzieri, 1331
Cryptolestes pusillus, 255, 1523
spp., 818
Cryptotermes brevis, 602
brevis, control, 1577
Ctenicera spp., 775
Cue-lure + naled to control melon fly, 505
Cuerna costalis, 866
Culex pipiens molestus, 373
p. quinquefasciatus, 159
tarsalis, 1066
Culiseta inornata, 1594
Culturing potato tuberworm parasites, 1336
Curculio caryae, 908, 1529
Curly top virus, *Circulifer tenellus* vector of, 119
Cuterebra sp., 742
white mice infested with larvae, 1211
Cylindrocopturus adspersus, 866
Cyolane, bioassay methods for residues, 1593

Cyolane against: leaf beetle, 825
greenbug, 1095
green peach aphid, 1437
Cytrolane, against greenbug, 1095
bioassay methods for residues, 1593
Czenspinskia lordi, 446

D

Daconil against tomato pests, 793
Dacus cucurbitae, 279, 505, 969, 1217, 1514, 1727
dorsalis, 279, 300, 505, 556, 969, 1217, 1372, 1514, 1652
oleae, 100
Dairy: barns, doorway curtains to exclude flies from, 1061
cattle, study of face fly behavior on, 602
cows, control of cattle grubs on, 466
Dalbulus maidis, 325, 1134, 1183, 1236
Damage, by mice and cricket, baler twine against, 276
factors affecting damage by rootworm to corn, 1615
threshold for control of cabbage looper, 205
Damage of aphid on safflower, 1085
fabric insect to woolens, 1735
of podworm to soybean, 193
Damage to: crops by whitefringed beetle larvae, 713
sorghum, by fall armyworm, 927
sorghum, by *Nusius raphanus*, 1507
soybean by: almond moth, 902
Dasanit, for bean seed treatment, 249
persistence, 257
Dasanit against: cabbage looper, 1658
collembolan, 1257
Colorado potato beetle, 1673
onion maggot, 873
redbacked cutworm, 535
rice water weevil, 1381
slugs, 243
southern potato wireworm, 1164
southwestern corn borer, 564
soybean insects, 295
tenlined June beetle, 1499
tobacco flea beetle, 916
wireworms, 774
Dasanit + Bay 37289 against garden symphylan, 600
Dasanit + disulfoton against: Colorado potato beetle, 1676
soybean insects, 295
Dates, fumigating insects infesting, 1667
DBCP against: beet armyworm, 1712
tobacco thrips, 1701
DD against: beet armyworm, 1712
whitefringed beetle, 879
DDT, codling moth susceptibility to, 1008
high resolution radioautography of, 1004
penetration in gypsy moth larvae and house flies, 942
persistence in soil, 1011
residues in eggs, 986
sensitive brain ATPase, 1238
toxicity to mammals, 1446
DDT against: apple pests, 208
Astylus atromaculatus, 893
brown dog tick, 175
collembolan, 1257
corn earworm, 788
cotton insects, 1422
Egyptian cotton leafworm, 363
European corn borer, 1114
forest tent caterpillar, 929
green peach aphid, 1437
gypsy moth, 954
honey bee, 41
house flies, 351, 633
Hylemya spp., 1762
leafroller, 1486
mouse, 633
sorghum midge, 818, 853
Symmerista canicosta, 1560
tarnished plant bug, 1157
tenlined June beetle, 1499
tobacco flea beetle, 218
wasps, 1297
western yellowjacket, 41
DDT effect on: forest-soil microflora, 1089
petunia pollen, 489
DDT + carbaryl against: alfalfa weevil, 1463
boll weevil, 1463
brown dog tick, 1463
fruit flies, 1448
insects in: trailers, 1455; vans, 1448, 1451
medically important insects, 1460
tobacco budworm, 1463
vinegar fly, 1463
DDT + Pinolene against European corn borer, 1114
Death rate of *Anopheles stephensi*, 165
Dectes spirrosus?, 865
Deet, against lice, 468
mosquito activity in response to, 1320
Defoliation and yields of soybeans, 224
Degradation of: azinphosmethyl, 315
malathion on sorghum, 497
Dehydrogenases, house fly, 36
Deltocephalus sonorus, 1139, 1236
Demeton against: aphids, 1086
carmine spider mite, 618
horned oak galls, 1485
mites, 525
pine shoot moth, 1082
root mealybugs, 242
sorghum midge, 853
wasps, 1297
Dendroctonus frontalis, 754
sterilization of pupae with White's solution, 1504
Dendroctonus ponderosae, 138, 1396
rufipennis, 1520
spp., 931
Deraecoris brevis, 272
nebulosus, 1098
Dermacentor variabilis, 1641
Dermatophagoides farinae, 1301
Dermestids, toxicity of phosphine to, 1429
Deroceras reticulatum, 220
Determining seed host preference of Bruchidae, 1189
Diabrotica, pollen substitute and honey in diet, 887
balteata, 605, 1140, 1655
longicornis, 1615
spp., 1655; cantaloupe resistance to, 1140
undecimpunctata howardii, 687, 866, 887, 1140, 1655
virgifera, 48, 129, 329, 347, 685, 1116, 1615, 1697, 1714
Diacrisia virginica, 1018
Diadegma stellenbochense, 1337
Dialifor against: carmine spider mite, 619
European corn borer, 1114
pecan spittlebug, 1519
redbacked cutworm, 536
Diamond Shamrock 13182 against Colorado potato beetle, 1673
Diaparsis carnifer, 905
establishment, 405
Diapause termination in *Draeculacephala crassicornis*, 364
Diaprepes abbreviatus, 184, 1740
predation on eggs by *Blattisocius keegani*, 1483
Diatomaceous earth for beetle control, 1426
Diatraea grandiosella, 491, 519, 563, 1582
saccharalis, 711
Diazinon, comparison with nematode for *Hylemya* spp. control, 1761
for bean seed treatment, 249
house fly resistance to Rabon, pressured with, 6
loss of activity in onion maggot control, 873
oral feeding of house fly with, 1187
reference insecticide, 49
residues on wheat, 899
timing applications, 1698
toxicity to turkeys, 162
Diazinon against: *Adelges cooleyi*, 913
aphids, 1087
apple pests, 208
Astylus atromaculatus, 893
Boophilus spp., 1355
brown dog tick, 175
cabbage maggot, 839
Cerambyx dux, 423
chiggers, 455
collembolan, 1257
corn earworm, 522
cotton insects, 1422
crickets, 342
cutworms, 342
European chafer, 1687
European corn borer, 1114
firebrat, 918
flies, 342
greenbug, 765
gypsy moth, 954
hickory shuckworm, 233
honey bee, 41
Hylemya spp., 1762
leaf crumpler, 1737
leafroller, 1486
mites, 525
mole cricket, 495
onion maggot, 873
plum curculio, 1704
redbacked cutworm, 536
rice water weevil, 1382
slugs, 243
sorghum midge, 818, 853
southern potato wireworm, 1165
southwestern corn borer, 492, 564
spiders, 1072
tenlined June beetle, 1499
tobacco flea beetle, 916
western yellowjacket, 41
winter grain mite, 427
Diazinon effect on: house fly, 1553
petunia pollen, 489
seedlings, 1179
Dicapthon against lice, 469

Dichlorvos, inhibitor of alfatoxin production, 988
stored rough rice protectant, 1694
topically applied to calves, 925
Dichlorvos against: brown recluse spider, 1492
firebrat, 918
granary weevil, 1402
lice, 469
slugs, 243
tenlined June beetle, 1499
Dichlorvos effect on: house fly, 1554
petunia pollen, 489
Dichotomius carolinus, 621
Dicofol, effect on petunia pollen, 489
Dicofol against: leafroller, 1486
spider mites, 192
twospotted spider mite, 776
Dicofol + carbophenothion against two spotted spider mite, 777
Dicofol + dimethoate against two-spotted spider mite, 777
Dicrotophos, effect on alfalfa pests, 550
Dicrotophos against: *Astylus atromaculatus*, 893
European corn borer, 1114
house flies, 351
pine shoot moth, 1082
redbacked cutworm, 536
sorghum midge, 818, 853
two-spotted spider mite, 776
Dieldrin, behavior in soil, 333
distribution in house flies, 378
for bean seed treatment, 249
Dieldrin-treated soil, residues in wheat seedlings grown in, 302
Dieldrin against: brown dog tick, 175
Cerambyx dux, 423
cockroaches, 1221
collembolan, 1257
cotton insects, 1424
European chafer, 1687
gypsy moth, 954
house flies, 351, 633
mouse, 633
redbacked cutworm, 535
spiders, 1072
Dieldrin effect on: house fly, 1554
rat brain, 1243
seedlings, 1179
Dieldrin resistance in: European chafer, 1555
whitefringed beetles, 1260
Diet, and sugarcane resistance to New Guinea sugarcane weevil, 1197
artificial, for: army cutworm, 717
codling moth, 636, 888
pale western cutworm, 1470
Diet, Calco oil red N-1700 in, 264
codling moth, modification of, 57
Diabrotica, pollen substitute and honey in, 887
from sorghum hybrids, effect on corn earworm larvae, 1759
sterility induced in boll weevils, by, 13
surfaces, vaccinator for inoculating, 1766
WSB, for corn earworm and fall armyworm, 385
Diet for: boll weevils, mass producing, 861
cabbage looper, modification of, 127
Tephritidae, 969
Diet of: Angoumois grain moth, 1168
boll weevils, 1190, 1549, 1551
Mediterranean fruit fly, metabolic heat control in, 866
Diethyl parathion against greenbug, 238
Difolatan against tomato pests, 793
Dihydroaldrin, against house flies, 351
penetration, 350
Dihydroisodrin against cockroaches, 1221
Dihydroxyacetone monester mosquito repellents, 66
Dilan against house fly and mouse, 632
toxicity to house flies, 1585
Dimethoate against: *Adelges cooleyi*, 913
aphids, 1087
cabbage looper, 1659
cabbage maggot, 841
camellia bud mite, 307
cotton insects, 1422
greenbug, 239, 1096
green peach aphid, 1437
horned oak galls, 1485
leaf crumpler, 1737
leafroller, 1486
lice, 469
pine shoot moth, 1082
pinyon stunt needle midge, 217
redbacked cutworm, 536
rice stinkbug, 269
root mealybugs, 242
slugs, 243
tarnished plant bug, 1157
tomato pests, 793
two-spotted spider mite, 776
Dimethoate effect on: alfalfa pests, 550
petunia pollen, 489
Dimethoate + azinphosmethyl against tarnished plant bug, 1158
Dimethoate + endosulfan against tarnished plant bug, 1158
Dimethoate + malathion against: aphids, 1088
tarnished plant bug, 1158
Dimethoate + parathion against tarnished plant bug, 1158
Dimethoate + trichlorfon against tarnished plant bug, 1158
Dimethoxon, toxicity to house flies, 1586
Dimethrin against forest tent caterpillar, 929
Dimethyl sulfoxide influence on bean pod mottle disease, 1195
Dimite against twospotted spider mite, 776
Dinocap, effect on petunia pollen, 489
Dioryctria amatella, 869
charioralis, 869
n. sp., 869
spp., 1491
species of loblolly pine, 868
zimmermani, 868
Dioxathion, to control cattle parasites, 64
Dioxathion against: *Boophilus* spp., 1355
brown dog tick, 175
lice, 469
southern cattle tick, 1640
Dipel against: cabbage insects, 759
corn earworm, 522
gypsy moth and elm spanworm, 1119
navel orangeworm, 1747
Telenomus alsophilae, 1133
Diptera, 1, 6, 21, 23, 36, 49, 53, 69, 100, 144, 158, 165, 169, 177, 216, 298, 300, 303, 307, 321, 347, 358, 375, 378, 390, 393, 449, 450, 455, 466, 470, 505, 556, 594, 597, 602, 625, 629, 667, 739, 740, 742, 748, 751, 767, 796, 799, 817, 837, 851, 866, 867, 873, 876, 877, 887, 890, 895, 914, 915, 942, 955, 969, 990, 997, 1001, 1058, 1064, 1066, 1123, 1176, 1186, 1191, 1202, 1211, 1214, 1217, 1269, 1293, 1310, 1318, 1343, 1346, 1349, 1357, 1361, 1364, 1368, 1372, 1447, 1479, 1505, 1514, 1527, 1535, 1552, 1568, 1585, 1588, 1600, 1636, 1644, 1652, 1689, 1721, 1727, 1749, 1761
Diptera, attractants for species, 1740
Disinfestation of pecans, almonds, and walnuts, 222
Disparlure, activity related to gypsy moth, 665
mating-inhibition tests with, 1090
Dispensing grandlure on cigarette filters, 1215
Distribution, sampling, of cotton insects, 855
Distribution of: *Abagrotis barnesi*, 397
aflatoxin in house flies, 375
dieldrin in house flies, 378
malathion in house fly, 53
pavement ant, 1180
Disulfoton, bioactivity in corn, 324, 1183
effect on alfalfa pests, 550
in soil for insect control, 1203
interaction of DMSO with, 1195
on wheat, 561
susceptibility of leafhopper in corn, 1236
Disulfoton against: *Adelges cooleyi*, 913
beet armyworm, 1713
carmine spider mite, 618
collembolan, 1257
Colorado potato beetle, 1673
corn stunt disease, 1136
cotton insects, 486
Dalbulus maidis, 1237
greenbug, 237, 765, 1096
green peach aphid, 1437
horned oak galls, 1485
mites, 525
pine needle scale, 1162
pine shoot moth, 1082
slugs, 243
sorghum midge, 798, 853
southwestern corn borer, 492
soybean insects, 502
tobacco flea beetle, 218
tobacco thrips, 1701
wasps, 1297
Disulfoton + DBCP against tobacco thrips, 1701
Disulfoton + DMSO, interaction, 1197
Dithiazolium chemosterilant, 390
Dithiobiuret chemosterilant, 390
DMP, mosquito activity in response to, 1320
Doorway curtains to exclude flies from dairy barns, 1061
Dosage mortality for hickory shuckworm, 232
Douglas-fir, control and biology of *Adelges cooleyi* on, 912
Douglas-fir beetle, pheromone for manipulation, 723
Dowco 109 against lice, 469

Dowco 175 against lice, 469
Dowco 214 against: common cattle grub, 747
rice water weevil, 1381
Symmerista canicosta, 1560
tobacco budworm, 903
Draeculacephala crassicornis, termination of diapause in, 364
Drepanaphis acerifoliae, 874
Dried fruits, fumigating insects infesting, 1667
Drione, American coackroach control with, in sewer shafts, 1763
Drop size distribution, drop impingement efficiency and, 884
Drosophila melanogaster, 653, 939, 1256, 1443, 1463, 1594
spp., 651, 889
du Pont 1410, insects on soybeans following sprays, 295
duPont 1410: against beet armyworm, 1712
cereal leaf beetle, 825
Colorado potato beetle, 1673
slugs, 243
soybean insects, 503
duPont 1642 against: cabbage looper, 1737
collembolan, 1257
redbacked cutworm, 535
duPont 1764 against: bollworm, 897
Colorado potato beetle, 1673
cotton leafperforator, 1765
slugs, 243
tobacco budworm, 897
Dursban, effect on petunia pollen, 489
for bean seed treatment, 249
Dursban against: brown dog tick, 175
chiggers, 455
corn earworm, 522
lice, 469
redbacked cutworm, 535
slugs, 243
Dust (s), to control insects in aircraft, 1442, 1444, 1447, 1450, 1454, 1458, 1463, 1466
toxicity to greenhouse insects, 1466
Dust bags, evaluation for horn fly control, 470
treatments for horn fly and cattle grub control, 1368
Dyes, for body fat and eye color of boll weevils, 370
markers for corn earworm moths, 123
Dyfonate, effect on petunia pollen, 489
timing applications, 1698
Dyfonate against: collembolan, 1257
European chafer, 1687
garden symphylan, 600
mites, 526
mole cricket, 495
onion maggot, 873
redbacked cutworm, 535
rice water weevil, 1381
rough strawberry root weevil, 881
slugs, 243
southern potato wireworm, 1164
tenlined June beetle, 1499
tobacco budworm, 903
tobacco flea beetle, 916
wireworms, 774
Dyfonate + EPTC against wireworms, 774

E

Earthworms prey for *Coenosia tigrina*, 1478
Eastern spruce gall aphid, control, 1745
Ebony pearl boll weevil, effect of dyes on, 370
Economic-injury level of green cloverworm on soybean, 197
Edaphic characters affecting rootworm damage, 1615
EDB, *Sitophilus granarius* susceptibility to, 43
Edesa sp., 92
EDS-CCI residues and soybeans, 1126
Egestion time of grasshoppers, 1263
Eggplant, diazinon, dieldrin, and supracide effect on seedlings, 1179
Egyptian alfalfa weevil, 1479
sampling for, 689
Egyptian cotton leafworm, acute toxicity and latent effects of insecticides on, 360
Elder shoot borer, seasonal activity, 1201
Electroantennograms of gypsy moth, 679
Electrophysiological responses of: Japanese beetle antennae, 921
Lepidoptera, 1582
Eleodes suturalis, rearing, 1731
Elm spanworm, control with *Bacillus thuringiensis*, 1119
egg parasite, *Bacillus thuringiensis* effect on, 1132
Embryonic inhibition in *Aedes aegypti*, 1588
Emergence, cage for wood-boring insects, 1499
trap for pecan weevils, 1529
Empoasca fabae, 78, 623, 1669
Enaphalodes rufulus, 1307
Endosulfan, effect on petunia pollen, 489
Endosulfan against: *Adelges cooleyi*, 913
alfalfa looper, 796
aphids, 1087
cabbage insects, 759
cabbage looper, 1738
caterpillars, 1401
cereal leaf beetle, 825
European corn borer, 1115
green peach aphid, 795
greenhouse whitefly, 1407
house fly and mouse, 633
leafroller, 1486
redbacked cutworm, 535
tarnished plant bug, 1157
tobacco flea beetle, 218
Endosulfan toxicity to: bollworm, 1122
house fly, 990
tobacco budworm, 1122
Endosulfan + parathion against caterpillars, 1401
Endrin against: *Astylus atromaculatus*, 892
collembolan, 1257
Egyptian cotton leafworm, 363
house flies, 351, 633
mouse, 633
redbacked cutworm, 535
sorghum midge, 798, 818, 853
southwestern corn borer, 564
wasps, 1297
Ennomos subsignarius, 1119
ENT 21256 against pink bollworm, 964
ENT 25012 in house fly diet, 13
ENT 50787 against pink bollworm, 964
ENT 50788 against pink bollworm, 964
ENT 51028 against pink bollworm, 964
ENT 51253 against pink bollworm, 964
ENT 51904 in house fly diet, 13
ENT 61168 in house fly diet, 13
Enthyneura, 220
Environmental simulation chambers, 401
Eotetranychus hicoriae, 149
Ephedrus plagiator, greenbug parasite, 604
Ephestia cautella, 254
Epicauta fabricii, 1632
pennsylvanica, 1633
pestifera, 1633
vittata, 1633, 1669
Epilachna philippinensis, 1482
varivestis, 224, 288, 295, 501, 729, 1482
Epitrix hirtipennis, 217, 916
EPN against: European corn borer, 1113
southwestern corn borer, 492, 564
tobacco budworm, 904
wasps, 1297
Escherichia coli, histological effects on European corn borer, 283
Esterases of chemosterilized house fly, 1568
Estigmene acrea, 288, 855, 1018, 1412
Ethanol and house fly larvicidal action, 1202
Ethion, residues in eggs, 986
toxicity to turkeys, 162
Ethion against: brown dog tick, 175
carmine spider mite, 619
chiggers, 455
leaf crumpler, 1737
sorghum midge, 853
spider mites, 192
winter grain mite, 427
Ethyl formate to fumigate insects, 1667
Ethyl hexanediol, mosquito activity in response to, 1320
Ethyl-methyl parathion, mortality of green peach aphids on potatoes treated with, 881
Ethyl trichlorfon against: cotton insects, 1377
wasps, 1297
Ethylene dibromide, fumigation treatment of mangoes, 1372
kills spruce beetles, 1520
Eulophidae, 49
Eulophus basalis, 1329
Euphorocera sp., 92
Eupsilia morrisoni, life history, 1333
transversa, 208
Eupteromalus sp., 170
European chafer, control of grubs on, 1686
resistance to dieldrin, 1555
European corn borer, histological effects of *Escherichia* and *Serratia* on, 283
macromolecular synthesis in, 676
mass rearing, 1472
monoamine oxidase activity in larvae, 1229
survival on corn hybrids, 1055
timing insecticidal control applications, 1697
European corn borer control with: *Bacillus thuringiensis*, 1414
chemicals, 1113

systemic insecticides, 1129
European elm bark beetle, feeding on benomyl-treated seedlings, 1542
European pine shoot moth, control, 1081
European red mite, alar influence on, 1751
control on apple, 1684
major predators, 1098
Euschistus spp., 261, 866
Euxoa auxiliaris, 717, 1470
messoria, 342
ochrogaster, 533
Evaluation of: animal systemic insecticides, 745
Bacillus thuringiensis for suppression of naval orangeworm, 1747
Exorista rossica, 954
Expedited publication, 566

F

Fabric-insect damage, protecting against, 1735
Face fly, behavior study, 602
boric acid as chemosterilant, 740
chemosterilization, 21
parasites and predators, 1636
Fall armyworm, damage to sorghum, 927
estimating reduction, 482
induced resistance in pearl millet, 1608
separating egg masses, 900
sterilization by gamma irradiation, 1431
toxicity of esters to, 615
WSB diet for, 385
Famphur against ticks, 1642
Fatty acids in mosquito larvicides, 177
Fecundity of khapra beetle, 1603
Feeding, lepidopterans, loop for, 1518
preference of plum curculio, 1206
southwestern corn borer larvae, 519
stimulants and diet of boll weevil, 1190
Feeding of: boll weevil, producing artificial squares for, 1200
lygus bugs on carrot seed, 297
smaller European elm bark beetle on twigs, 1542
Spodoptera eridania, antimetabolite effects on, 201
Feltia subgothica, 1018
subterranea, 1018
Fenazaflor against carmine spider mite, 618
Fenitrothion, effect on forest-soil microflora, 1089
in micronized dusts, 1445
oral feeding of house fly with, 1187
toxicity to mammals, 1446
Fenitrothion against: alfalfa weevil, 1463
boll weevil, 1463
brown dog tick, 1463
cereal leaf beetle, 826
collembolan, 1257
cotton insects, 1422
fruit flies, 1448
insects in trailers, 1455; in vans, 1451
medically important insects, 1461
southwestern corn borer, 564
tobacco budworm, 1463
vinegar fly, 1463
Fensulfothion, timing applications, 1698
Fensulfothion against: beet armyworm, 1712
cabbage maggot, 839
petunia pollen, 489
pine shoot moth, 1082
Fensulfothion sulfone against cabbage maggot, 839
Fenthion, in micronized dusts, 1445
toxicity to mammals, 1446
Fenthion against: alfalfa weevil, 1463
apple pests, 208
boll weevil, 1463
Boophilus spp., 1355
brown dog tick, 175, 1463
cattle grubs, 452
corn stunt disease, 1136
forest tent caterpillar, 929
fruit flies, 1448
horn fly, 471
insects in trailers, 1456; in vans, 1451
medically important insects, 1461
rice water weevil, 1382
Symmerista canicosta, 1560
ticks, 1642
vinegar fly, 1463
Ferbam persistence in soil, 1011
Fermethion against twospotted spider mite, 776
Field beans, twospotted spider mite control on, 775
Field corn, phorate to control slugs in, 220
translocation of aldrin and chlordane in, 842
Figites sp., 170
Filipin, effect on house fly, 1553
Firebrat, control, 917
Fish, metabolites and conjugates of carbofuran found in fish, 1738
Flies, doorway curtain to exclude from dairy barns, 1061
traps for surveying density, 144
Flight, ability of house fly following irradiation, 1721
movements of sorghum midge, 767
of maize weevil, 434
times of *Lygus hesperus*, 1299
Fluorescent, compound for marking Tephritidae, 1217
dye technique for marking insect eggs, 1477
Folidol, oral feeding of house fly with, 1187
Folsomia candida, toxicity of insecticides to, 1255
Fonofos against cabbage maggot, 839
Forage corn, Dasanit persistence in, 257
Forcipomyia (Thyridomyia) nana, 1741
Forest tent caterpillar, toxicity of insecticides to, 928
Formation of active male chemosterilant, 1751
Formetanate against: spider mites, 192, 1747
Formetanate monohydrochloride against carmine spider mite, 618
Formothion against lice, 469
Frankliniella fusca, 782, 828, 866, 1700
occidentalis, 1051
Frankliniella spp., 1712
tritici, 866
Free, fatty acid and development of boll weevil, 1284
-flying Caribbean fruit flies, effectiveness of aerosols against in aircraft, 1447
Frontalure against southern pine beetle, 754
Fruit cocktail, fruit flies in, 1652
Fruit flies, commercial containers and, 1514
storage effects on codling moth, 770
Fruiting forms and insects on cotton, 1410
Fuel oil kills spruce beetles, 1520
Fumigating confused flour beetles, 245
insects infesting dried fruits, 1667
Fundal, effect on petunia pollen, 489
Fundal against: corn earworm, 522
European red mite, 1685
spider mites, 191
Fungi, inoculating termites with, 1027
Fungicide-insecticide compatibility on tomato, 792
Fusarium spp., 599

G

G-1707, tests, 1446
G-1707 against: insects in trailers, 1455, 1464
medically important insects, 1462
G-1707 + Tropital, against insects in vans, 1452
tests, 1449
G-1729, tests, 1446
G-1729 against: insects in trailers, 1455, 1464
medically important insects, 1462
G-1729 + sulfoxide, tests, 1449
G-1730, tests, 1446, 1449
G-1730 against: insects in trailers, 1455, 1464; in vans, 1452
medically important insects, 1462
G-1731, tests, 1446
G-1731 against: insects in trailers, 1455, 1464
medically important insects, 1462
G-1731 + piperonyl butoxide, against insects in vans, 1452
tests, 1449
Galecron against: cabbage looper, 1737
mites, 525
two-spotted spider mite, 776
Galleria mellonella, 651
spp., 705
Gamma-irradiated: cabbage looper, pheromone response, 1496
red flour beetles, malathion toxicity to, 185
Gamma radiation, behavior of tobacco budworm sterilized with, 966
disinfestation of shelled nuts, 222
fumigation on confused flour beetles, 245
grain mite sensitivity to, 1619
sensitivity of cowpea weevil to, 1566
sterilization of fall armyworm by, 1431
Gamma radiation and: *Sitophilus*, 203
sterility in tobacco budworm, 1282
effects on: *Tetranychus arabicus*, 947
Trogoderma, 250
Gamma radiation for: Angoumois grain moth control, 531
pink bollworm sterilization, 645
sterilizing codling moths, 140
sterilizing Mediterranean fruit fly, 1
wheat insect control, 818

Gamma rays and lesser grain borer, 656
Garden symphylan, control, 599
development, 1628
reproduction, 1628
Gardona, effect on petunia pollen, 489
in micronized dusts, 1445
penetration in gypsy moth larvae and house flies, 942
stored rough rice protectant, 1694
Gardona against: alfalfa weevil, 1463
boll weevil, 1463
brown dog tick, 1463
cabbage looper, 1737
cabbage maggot, 841
confused flour beetle, 939
corn earworm, 230, 522, 786
Dioryctria spp., 1491
fruit flies, 1448
granary weevil, 1402
insects in trailers, 1455; in vans, 1451
leafroller, 1486
medically important insects, 1460
plum curculio, 1704
redbacked cutworm, 535
southwestern corn borer, 564
spider mites, 191
stored-product insects, 530
Symmerista canicosta, 1560
tarnished plant bug, 1157
tobacco budworm, 1463
vinegar fly, 1463
Gardona toxicity to: confused flour beetle, 1706
mammals, 1446
Gardona analogues, against house fly and mouse, 632
analogues, synergism and structural changes, 629
Gardona + dichlorvos, stored rough rice protectant, 1694
Garment bag tests, 1074
Gas chromatography, analyses of busulfan by, 353
GC-3583 against twospotted spider mite, 776
GC-6506 against: cabbage looper, 1658
cereal leaf beetle, 825
GC-9160 against cereal leaf beetle, 825
Geigy (see GS)
Generation time of *Ooencyrtus kuwanai* on gypsy moth eggs, 284
Genetics, characterstics of boll weevil, 1621
of apholate resistance in *Aedes aegypti*, 1357
Geocoris bullatus, 546
pallens, 546
sp., 49, 560, 766, 855
Geotrupes opacus, 621
German cockroach, control with boric acid-silica dust, 458
Glass beads, light effects of malathion residues on, 847
Glena bisulca, defoliator of *Cupressus lustanica*, 89
Glycyphagus domesticus, 1301
Goes pulverulentus, 1307
tigrinus, 1308
Gossypium hirsutum, twospotted spider mite resistance in races, 1108
sp., screen seedlings for twospotted mite resistance, 1104
Grain mite, sensitivity of eggs to gamma radiation, 1619
Grain sorghum, *Astylus atromaculatus* control on, 892
Clinodiplosis sp. on, 923
greenbug control in, 235, 1095
Graminella nigrifrons, 1236
Granary weevil, dichlorvos and Gardona against, 1402
Grandlure, boll weevil response to, 97
dispensing on cigarette filters, 1215
injecting into cigarette filters, 1509
Granular application equipment for plot work, 1116
Grape root borer development, 182
Grapes, biology, ecology, and damage of *Platynota stultana* on, 1042
Prodectatoma cooki on, 1530
Graphocephala coccinea, 866
Graphognathus leucoloma fecundus, 1263
l. striatus, 1263
minor, 1263
peregrinus, 1263
spp., 611, 713, 731, 879, 918, 1260
Grapholitha molesta, 1212
Grass seed, and thrips, 1050
phosphine fumigation and germination, 1523
Grasshopper, biological value of protein, 1286
egestion time of, 1263
Green cloverworm, injury to soybean, 197
larval populations, 414
Green fruitworm, bionomics, 1325
Green peach aphid against greenhouse insects, 1467
consumption by *Coccinella* spp., 1388
control, 271, 794, 1436
temperature effects on mortality, 881
Greenbug, biotype nonpreference, 623
control, 235, 764, 1095
Ephedrus plagiator parasite of, 604
identification of instars, 286
sampling on sorghum, 422
voracity and survival of *Propylea 14-punctata* on, 1313
Greenhouse insects, toxicity of dusts to, 1466
Greenhouse whitefly, control on tomatoes, 862, 1205
effect on tomatoes, 1406
Gromphadorhina portentosa, microsomal oxidases in, 1221
Gryllus pennsylvanicus, 9, 333, 336, 342
sp., 278
GS-13005 against: carmine spider mite, 617
gypsy moth, 954
slugs, 243
GS-13005 + RO5-8019 against gypsy moth, 954
GS-13006 against: house fly, 868
slugs, 243
GS-13798 against lice, 468
GS-19851 against carmine spider mite, 617
GS-24163 against carmine spider mite, 617
GS-27365 against lice, 469
GS-27926 against mites, 526
GS-30494 against twospotted spider mite, 776
GS-35157 against lice, 469
GS-35234 against lice, 468
Guar seed production, midge impact on, 1689
Gulf Port warehouse, natural surfaces, 1706
Guthoxon against wasps, 1297
Gyponana sp., 866
Gypsonoma haimbachiana, 612, 1178
Gypsy moth, activity of disparlure related to, 665
control with *Bacillus thuringiensis*, 1119
disparlure synthetic sex pheromone of, 1090
electroantennograms of, 679
generation time of *Ooencyrtus* on eggs, 284
penetration of Gardona and DDT in larvae, 942
sex attractant, 659
toxicity of insecticides to larvae, 953

H

Habrobracon spp., 651
Haematobia irritans, 169, 463, 470, 621, 1368
Haemolymph proteins of house fly, apholate influence on, 23
Hand defoliation of soybeans, 567
Haplodiplosis equestris, 957
Haptoncus humeralis, 1667
HCS-3260 against wireworms, 774
HD-1, for tobacco budworm and bollworm control, 897
Heliothis in cotton-sesame interplantings, 1524
Heliothis spp., 232, 425, 651, 1295
control, 1182
overwintering, 708
Heliothis virescens, 368, 425, 481, 615, 708, 870, 897, 903, 966, 973, 1004, 1111, 1182, 1193, 1229, 1246, 1282, 1341, 1377, 1417, 1443, 1463, 1481, 1524, 1582, 1596, 1611, 1682
Heliothis zea, 48, 123, 193, 224, 229, 264, 287, 288, 291, 295, 368, 385, 425, 473, 475, 501, 521, 560, 606, 615, 708, 786, 835, 855, 865, 870, 897, 903, 906, 911, 1018, 1030, 1111, 1122, 1166, 1182, 1193, 1377, 1412, 1417, 1481, 1510, 1611, 1669, 1682, 1759, 1766
zea, parasitism of eggs by *Trichogramma evanescens*, 705
Helium, flour beetle susceptibility to, 60
Hemerobius humulinus, 1098
sp., 272
Hemiptera, 132, 195, 268, 271, 297, 425, 593, 604, 810, 894, 924, 1383, 1392, 1507, 1605, 1661
Hemiptera (Heteroptera), 1156
Hemiptera (Homoptera), 119, 623, 698, 794, 799, 805, 880, 1085, 1205, 1388, 1406, 1731
Hempa, face fly sterilization by, 21
pink bollworm sterilization with, 962
Hens, residues in eggs and tissues affected by charcoal, 982
Heptachlor, residues in pheasants, 1013
Heptachlor against: brown dog tick, 176
collembolan, 1257
crickets, 344
flies, 344
house flies, 351, 633
mouse, 633

redbacked cutworm, 535
spider, 1072
Heptachlor epoxide, against house flies, 351
behavior in soil, 336
effect on rat brain, 1243
Herbicides and honey bees, 32
Hercules 7522-H against lice, 468
Hercules 13462 against lice, 469
Hercules 13843 against lice, 469
Hercules 17409 against common cattle grub, 747
Hercules 17413 against: carmine spider mite, 617
common cattle grub, 747
European corn borer, 1113
slugs, 243
Hercules 18009 against common cattle grub, 747
Hercules 18010 against common cattle grub, 747
Hesperotettix speciosus, 1287
Hessian fly ability to stunt winter wheat, 955, 997, 1001
Heteroptera, 49
Heterotylenchus autumnalis, 1636
Hexalure, attractant to pink bollworm, 1709
Hickory shuckworm, and BL traps, 148
BL trap effects on, 1624
dosage mortality studies for, 232
High-frequency sound to control oviposition by corn earworm, 911
-resolution radioautography of ^{3}H-DDT, 1004
Hippelates pusio, 1740
Hippodamia convergens, 546, 766, 855, 1315, 1508
sinuata, 546
tredecimpunctata tibialis, 1392
Histological effects of *Escherichia* and *Serratia* on European corn borer, 283
Hoechst 2960 against slugs, 243
Homalodisca sp., 866
Homoeosoma electellum, 865
Homoptera, 78, 110, 235, 241, 261, 286, 293, 324, 364, 422, 439, 507, 511, 621, 643, 764, 862, 874, 881, 896, 912, 1095, 1099, 1134, 1148, 1161, 1236, 1313, 1329, 1436, 1519, 1725, 1745
Honey, in *Diabrotica* diet, 887
Honey bee, and herbicides, 32
carbamate toxicity to, 924
longevity by Oxodene, 19
toxicity of Triton X-100 to, 306
Hooker HRS-1422 against lice, 468
Hopcide against *Nephotettix cincticeps*, 643
Horismenus sp., 92
Hormones to control arthropods, 1361
Horn fly, parasites, 169
Horn fly control: on cattle, 470
with dust bag treatments, 1368
Host preference of: *Circulifer tenellus*, 119
noctuid larvae, 104
House cricket, carbamate effect on eggs, 638
House fly, aflatoxins in, 375
apholate influence on proteins, 23
biology following irradiation, 1721
capture, 876
chemosterilization of, 390
citrate accumulation in following acaracide treatment, 1754
dehydrogenases, 36
dieldrin distribution in, 378
dose-toxicity of insecticides on, 990
effect of polyene antibiotics on, 1552
esterases of chemosterilized, 1568
Gardona analogues against, 629
investigation of sex pheromone, 358
larvicidal action of carbohydrates and ethanol, 1202
lipids, chemosterilization, 887
malathion distribution in, 53
malathion recovery from, 1269
mating discrimination, 571
metabolism of benzilate acaricides, 1600
metepa effect on eggs, 321
penetration of Gardona and DDT in larvae, 942
proteins during oögenesis and embryogenesis, 395
Rabon against, 455
reduction of malathion penetration in, 895
resistance, 6, 748
separation of eggs, 298
sterility induction in, 751
temperature-sensitive mutations in, 1364
thiotepa effect on protein of eggs, 1176
triazinyl chemosterilants for, 69
water conservation of, 667
House fly control with: baited chemosterilants, 449
Rabon, 1064
House fly toxicity: of dimethoate to, 1585
dimethoxon to, 1586
insecticides to, 632, 867
Hyaloides harti, 1098
sp., 1099
vitripennis, 1098
Hydrogen cyanide, response of *Plodia interpunctella* to, 1562
Hydrogen phosphide to fumigate insects, 1667
Hydrol against *Nephotettix cincticeps*, 643
Hylemya antiqua, 347, 873
brassicae, 347, 837, 1343
cinerella, 621
florilega, 347, 1761
platura, 248, 347, 1761
Hylemya spp., nematode comparison with diazinon for control on tobacco, 1761
Hylobius pales, 292
Hylotrupes bajalus, 614
Hymenoptera, 19, 32, 40, 49, 104, 184, 284, 293, 296, 306, 405, 484, 604, 705, 872, 924, 1132, 1181, 1194, 1295, 1468, 1484, 1487, 1530
Hypera brunneipennis, 689, 1479
postica, 85, 146, 624, 690, 1289, 1443, 1463, 1479, 1743
Hypoderma bovis, 467
lineatum, 453, 467, 748, 1368
spp., 450, 466
Hystoneura setariae, 440

I

Ichneumonid parasite and systemic insecticides, 484
Identification of greenbug instars, 286
Imidan, effect on petunia pollen, 489
evaluation, 450
to control cattle parasites, 64
Imidan against: alfalfa looper, 795
Astylus atromaculatus, 893
Boophilus spp., 1355
plum curculio, 1704
rice water weevil, 1381
sorghum midge, 818
Symmerista canicosta, 1560
tarnished plant bug, 1157
ticks, 1642
Impact of midges on guar seed production, 1689
Imported cabbageworm, control, 757
diet, 264
Imported fire ant, air separation of castes, 872
trap for, 1194
Indalone, mosquito activity in responses to, 1320
Index to interactions of *Typhlodromus occidentalis* in control of *Tetranychus mcdanieli*, 310
Indian meal moth, control of egg production, 1316
radiation-induced sterility in, 1265
radiation sensitivity, 673
Infection through culturing citrus red mites, 1507
Inherited sterility in pink bollworms, 1272
Inhibition of house fly acetylcholinesterase, 1505
Inhibitors, insect developmental, 1066
Injecting grandlure into cigarette filters, 1509
Insecticides, against cotton insects evaluated, 1111
residues in alfalfa, bioassay, 1593
Iodofenphos, stability studies of, 1488
Irradiated tobacco budworm, sexual competitiveness, 1596
Irradiation, biology of house fly following, 1721
on corn earworm ability to transfer sperm, 906
Isobenzan against: collembolan, 1257
Boophilus spp., 1355
house fly and mouse, 633
redbacked cutworm, 535
Isolan, against house flies, 351
and house fly weight loss, 672
penetration, 350
Isopropyl against wasps, 1297
Isopropyl + trichlorfon against cotton insects, 1377
Isoptera, 1577

J

Janetiella nr. *coloradensis*, 216
Japanese beetle, apparatus to manipulate during insecticide screening, 1516
electrophysiological response of antennae, 921
sterile-male release, 1338
trap-height influence on capture, 407
Juvenile hormones; against stable flies, 1346, 1644
analogues on western spruce budworm, 950

aziridines as potentiators of activity, 1605
from plants, 980
mimics, reduction of fecundity and control of khapra beetle with, 1603

K

Kepone against southern potato wireworm, 1164

L

Lacinipolia renigera, 1018
Laelius sp., 621
Laemophloeus minutus, 254
Landrin against: cereal leaf beetle, 825
confused flour beetle, 939
European corn borer, 1113
forest tent caterpillar, 929
slugs, 243
Symmerista canicosta, 1560
Large milkweed bug, aziridines and, 1605
carbamate toxicity to, 924
Lasioderma serricorne, 255, 529, 1439
Laspeyresia caryana, 148, 233, 933, 1624
pomonella, 57, 108, 140, 191, 411, 609, 615, 636, 692, 770, 882, 888, 1008, 1044, 1276, 1321, 1525, 1741, 1756
Latent effects of insecticides to Egyptian cotton leafworm, 360
Lead arsenate, persistence in soil, 1011
Lead arsenate against: leafroller, 1486
plum curculio, 1705
Leaf crumpler, control, 1736
Leafhopper, control and corn stunt disease relationship, 1134
susceptibility to systemic insecticides in corn, 1236
Lema trilineata, 1185
Lemophagus curtus, 405, 905
Lepidoptera, 49, 57, 89, 93, 102, 108, 123, 127, 140, 148, 182, 193, 197, 201, 205, 208, 229, 232, 264, 283, 289, 301, 360, 368, 385, 397, 409, 411, 414, 425, 430, 435, 474, 477, 482, 491, 519, 521, 531, 533, 539, 563, 576, 581, 596, 609, 612, 615, 636, 645, 659, 665, 673, 676, 679, 692, 697, 705, 708, 711, 717, 719, 734, 757, 770, 786, 794, 834, 868, 870, 882, 888, 897, 900, 902, 903, 906, 909, 911, 919, 927, 928, 933, 942, 945, 950, 953, 962, 966, 994, 1008, 1024, 1030, 1034, 1039, 1042, 1044, 1047, 1055, 1081, 1090, 1113, 1119, 1122, 1129, 1132, 1166, 1168, 1174, 1178, 1182, 1193, 1201, 1212, 1229, 1245, 1265, 1272, 1276, 1277, 1282, 1316, 1321, 1325, 1333, 1336, 1341, 1377, 1414, 1431, 1470, 1472, 1481, 1486, 1491, 1493, 1496, 1503, 1510, 1524, 1525, 1560, 1562, 1596, 1608, 1611, 1625, 1658, 1669, 1682, 1697, 1709, 1736, 1737, 1741, 1747, 1756, 1757, 1765
Lepidoptera, electrophysical responses of, 1582
responses to electromagnet radiation, 291
sex pheromones of, 1592
Lepidopterans, loop for feeding, 1518
Lepidopterous larvae in cotton field, 287
Leptinotarsa decemlineata, 1672
Leptoglossus phyllopus, 866
Leptometopa latipes, 1741
Leptophos against: cabbage looper, 1738
cotton leafperforator, 1765
rice water weevil, 1382
Leptothrips mali, 1098
Lesser grain borer and gamma rays, 656
peachtree borer, trapping moths, 1034
Lethal action of UV irradiation on insects, 650
Lettuce, control of insects on, 794
Leucopis ocellaris, 1331
Leucotermes speratus, 601
Lice, control on poultry, 468
Life cycle of: convergent lady beetle, 1508
whitefringed beetle, temperature effect on, 918
Life history of: *Eupsilia morrisoni*, 1333
Lithophane unimoda, 1325
Life tables to evaluate zebra caterpillar rearing, 1024
Light effects on malathion residues, 847
Light traps, age and mating status of budworms and bollworms collected in, 1611
in capturing pecan nut casebearer moths, 933
Limonius californicus, 773
spp., 1499
Limothrips cerealium, 1051
Lindane, effect on rat brain, 1243
Lindane against: *Adelges cooleyi*, 913
Boophilus spp., 1355
brown dog tick, 175
collembolan, 1257
cotton insects, 1422
eastern spruce gall aphid, 1746
house fly and mouse, 633
Lindane residues in: eggs, 986
pheasants, 1013
Linuron residues, in eggs, 986
Liriomyza munda, 793, 1443, 1467
Lissorhoptrus oryzaephilus, 1490
Lithophane antennata, 1328
laticinerea, 1328
spp., 1325
unimoda, life history, 1325
Living beech borer in red oaks, 1307
Lixus sp., 866
Loblolly pine, *Dioryctria* species of, 868
Lodgepole pine, mountain pine beetle attraction to, 1396
phloem re mountain pine beetle, 138
Lone star tick, ixodicide resistance in, 156
Longevity of: *Aedes stimulans* embryos, 891
Cobalt-60 irradiated codling moth, 692
honey bees, and Oxodene, 19
screwworm, 877
Loop for feeding solutions to lepidopterans, 1518
Lovozal against spider mites, 191
Loxosceles reclusa, 1071, 1491
Lucilia cuprina, 48
chemosterilization, 1352
Lucilia sericata, 1352
Lure sprays for oriental fruit flies, 556
Lygus bugs, feeding on carrot seed, 297
Lygus elisus, 546
hesperus, 546, 855
hesperus, flight times, 1299
lineolaris, 425, 1156
pratensis, 297
Lysiphlebus spp., 238
testaceipes, 766
rearing, 293

M

M-3196 against corn earworm, 522
Macbal against *Nephotettix cincticeps*, 643
Macromolecular synthesis in European corn borer, 676
Macrosiphoniella differentialis, 1467
sanborni, 1443, 1467
Macrosiphum avenae, 825
creelii, 546
euphorbiae, 509, 511, 516, 802, 808, 810, 1384, 1388, 1392
Maize weevil, flight, 434
Malacosoma disstria, 928
Malaoxon, recovery from house flies, 1270
Malaoxon against: *Nephotettix cincticeps*, 643
wasps, 1297
Malathion, and sprays on Mexican bean beetle on snap beans, 288
degradation on sorghum, 497
distribution in house fly, 53
light effects on residues, 847
oral feeding of house fly with, 1187
recovery from house flies, 1269
reduction in penetration in house fly, 895
Malathion against: *Adelges cooleyi*, 913
aphids, 1088
apple pests, 208
Boophilus spp., 1355
boll weevil, 1153
brown dog tick, 175
corn earworm, 788
eastern spruce gall aphid, 1746
firebrat, 918
forest tent caterpillar, 929
gypsy moth, 954
hickory shuckworm, 233
honey bee, 41
horn fly, 471
leaf crumpler, 1737
lice, 469
mites, 526
Nephotettix cincticeps, 643,
rice stinkbug, 270
rough strawberry root weevil, 881
spiders, 1072
stored-product insects, 530
Symmerista canicosta, 1560
tarnished plant bug, 1157
wasps, 1297
western yellowjacket, 41
Malathion effect on: petunia pollen, 489
toxicity to boll weevil, 1021
Malathion toxicity to: *Aulocara elliotti*, 387
red flour beetles, 185
Malathion + methoxychlor against cabbage maggot, 841

Male-annihilation technique to control melon fly, 505
baited traps for boll weevil control, 552
chemosterilant, formation of active, 1751
Mallophaga, 468
Mammals, toxicity of test compounds to, 1446
Manduca sexta, 301, 539, 1417, 1582
Mangoes, ethylene dibromide fumigation treatment, 1372
Markers for codling moth, 882
Marking: cabbage looper moths, 719
insect eggs with fluorescent dye, 1477
yellowjackets, 1487
Tephritidae, 1217
Maruca testulalis, 1422
Mass, producing diet for boll weevil, 861
screening alfalfa, 621
Mating: behavior of pecan nut casebearer, 909
compatibility of stable flies, 738
discrimination in house flies, 571
inhibition field tests with diaparlure, 1090
Maydeae, corn leaf aphid resistance to, 195
Mayetiola avenae, 957
destructor, 955, 997, 1001
mimeuri, 957
MBR-5667 against rice water weevil, 1381
MBR-6168 against rice water weevil, 1381
Meadow spittlebug, mass screening alfalfa, 621
Measurement of water on vegetation, 135
Measuring corn kernel resistance to *Sitophilus zeamais*, 790
Mechanical impacts on cabbage loopers, 102
Mediterranean fruit fly control in coffee, 1749
control of metabolic heat in diet, 866
in fruit cocktail, 1652
infesting mangoes, 1372
reproduction, 914
sterilization, 1
Megachile rotundata, 546
Melanichneumon sp., 92
Melanomya sp., 621
Melanoplus angustipennis, 1263
differentialis, 1287
foedus, 1263
spp., 1467
Melon aphid, tristeza virus transmitted by, 593
Melon fly, control, 505
transporting pupae, 1727
Melothria pendula source of WMV-1, 1303
Meobal against *Nephotettix cincticeps*, 643
Mesurol, effect on petunia pollen, 489
Mesurol against: leafroller, 1486
redbacked cutworm, 535
Metabolic heat control in Mediterranean fruit fly diet, 866
Metabolism of: Bay 93820 in cotton, 973
chloropropylate and bromopropylate by mites and flies, 1600
Metaldehyde against slugs, 243
Metaseiulus occidentalis, 1175
Meta-Systox R against green peach aphid, 795
Metepa, against pink bollworm, 965
chemosterilization of house fly lipids with, 887
face fly sterilization by, 21
effect on: cabbage looper reproduction, 93
house fly eggs, 321
Methomyl against: alfalfa looper, 795
bollworm, 898
cabbage looper, 206, 1655, 1737
caterpillars, 1401
cereal leaf beetle, 826
collembolan, 1257
Colorado potato beetle, 1675
corn earworm, 522, 786
corn stunt disease, 1136
cotton leaf perforator, 1765
forest tent caterpillar, 929
greenbug, 1097
green peach aphid, 795, 1437
honey bee, 41
lice, 469
Nephotettix cincticeps, 643
redbacked cutworm, 537
rice water weevil, 1381
root mealybugs, 242
slugs, 243
southwestern corn borer, 492
soybean insects, 502
Symmerista canicosta, 1560
tarnished plant bug, 1157
tenlined June beetle, 1499
tobacco budworm, 898
tomato pests, 793
western yellowjacket, 41
Methomyl effect on: alfalfa pests, 550
petunia pollen, 489
Methomyl + dimethoate against tomato pests, 794
Methomyl + parathion against tomato pests, 794
Methoxychlor, effect on petunia pollen, 489
Methoxychlor against: *Boophilus* spp., 1355
brown dog tick, 176
brown recluse spider, 1492
cattle grubs, 1369
honey bee, 41
horn flies, 1369
western yellowjacket, 41
Methyl bromide, fumigation of coniferous seeds, 1374
fumigations, methyl chloride formation during, 1753
response of *Plodia interpunctella* to, 1562
Sitophilus granarius susceptibility to, 42
to control boll weevils, 1650
Methyl chloride, formation during fumigations, 1753
Methyl demeton against twospotted spider mite, 777
Methyl eugenol against oriental fruit flies, 556
Methyl paraoxon, relative toxicity, 974
Methyl parathion, bollworm and tobacco budworm resistance to, 1193
control on tobacco budworm-resistant, 903
formulation, 473
reference insecticide, 49
relative toxicity, 974
Methyl parathion against: aphids, 1087
Astylus atromaculatus, 893
cereal leaf beetle, 826
collembolan, 1257
greenbug, 765, 1096
Heliothis spp., 1182
hickory shuckworm, 233
house flies, 351
Nephotettix cincticeps, 643
rice stinkbug, 269
sorghum midge, 818, 853
tobacco budworm, 904
wasps, 1297
Methyl parathion + DDT against *Heliothis* spp., 1182
Methyl parathion + endrin against: *Astylus atromaculatus*, 893
sorghum midge, 818
Methyl parathion + toxaphene against corn earworm, 522
Methyl trithion against sorghum midge, 854
Mevinphos against: aphids, 1088
cabbage looper, 206, 1738
Mevinphos + dimethoate against aphids, 1088
Mexican bean beetle and: malathion sprays on snap beans, 288
soybean populations, 729
Microcephalothrips abdominalis, 866
Microsomal oxidases in a cockroach, 1221
Microsomes, oxidase in mid-gut of corn earworm, 1510
Microtus spp., 279
Microwave radiation to control Angoumois grain moth, 531
Midges, impact on guar seed production, 1689
Milichiella sp., 1741
Mipcin against *Nephotettix cincticeps*, 643
Mirex, against southern potato wireworm, 1165
bait formulations to control red imported fire ant, 1468
Mitacidal activity of tetranactin, 372
Mite(s), fauna of apple foliage, 445
tomato resistance to, 50
Mobam, in micronized dusts, 1445
toxicity to mammals, 1446
Mobam against: alfalfa weevil, 1463
boll weevil, 1463
brown dog tick, 1463
carmine spider mite, 1467
cereal leaf beetle, 825
chrysanthemum aphid, 1467
citrus mealybug, 1467
European chafer, 1463
fruit flies, 1448
grasshopper nymphs, 1467
green peach aphid, 1467
greenhouse leaftier, 1467
greenhouse whitefly, 1467
gypsy moth, 954
house cricket, 1463
insects in railroad cars, 1465; in trailers, 1456; in vans, 1451
Japanese beetle, 1463, 1467
medically important insects, 1460
Platynota stultana, 1467
tobacco budworm, 1463
twospotted spider mite, 1467
vegetable leafminer, 1467
vinegar fly, 1463
Mobam + resmethrin, in micronized dusts, 1446

Mobam + resmethrin against: fruit flies, 1448
insects in railroad cars, 1465
medically important insects, 1461
Mocap against: European corn borer, 1113
garden symphylan, 600
redbacked cutworm, 535
rice water weevil, 1381
tobacco budworm, 903
tobacco flea beetle, 916
Modification of codling moth diet, 57
Mole cricket control, 495
Molluscicides, candidate, 242
MON-856 against cotton leafperforator, 1765
MON-0856, new insecticide, 48
Monellia nigropunctata, 149
Monitor against: alfalfa looper, 795
cabbage looper, 1658
corn earworm, 522
green peach aphid, 795
house fly, 1506
mites, 526
southwestern corn borer, 564
soybean insects, 503
Symmerista canicosta, 1560
tobacco budworm, 903
Monamine oxidase, activity in European corn borer larvae, 1229
inhibitors, carbaryl metabolism modification with, 958
Monocrotophos, and house fly weight loss, 672
effect on petunia pollen, 489
Monocrotophos, tests on *Tetranychus urticae*, 1249
Monocrotophos against: *Adelges cooleyi*, 914
Boophilus spp., 1355
cabbage looper, 1738
carmine spider mite, 618
cereal leaf beetle, 826
confused flour beetle, 939
corn earworm, 788
cotton insects, 486, 1112, 1765
European corn borer, 1114
greenbug, 765, 1096
Heliothis spp., 1683
hickory shuckworm, 233
house flies, 351
mites, 525
pecan spittlebug, 1519
pine needle scale, 1162
pine shoot moth, 1082
rice water weevil, 1382
root mealybugs, 242
southwestern corn borer, 564
soybean insects, 504
tarnished plant bug, 1157
tobacco budworm, 904
twospotted spider mite, 776
wasps, 1297
Monohydroxy-dihydoisodrin against cockroaches, 1221
Monsanto (see CP)
Mordellistena pustulata, 865
Mortality of: banded cucumber beetle, 605
corn earworm, 786
green peach aphid, 881
Mosquito, antigen, rabbits immunized with, 165
breeding sites and birds, 608
control agents, 158, 1066
dihydroxyacetone monoester repellents against, 66
feeding on cattle, effects, 462
Mothproofing agent, Ciba C-9491, 584
Moths, seasonal trends, 1018
Mountain pine beetle: and phloem thickness, 138
attraction to lodgepole pines, 1396
Mouse, baler twine against, 276
citrate accumulation in following acaracide treatment, 1754
toxicity of insecticides to, 632
Movement of boll weevils, 82
Multiplication of stored-product mites, 1301
Musca autumnalis, 21, 470, 602, 740, 1636
domestica, 6, 24, 29, 36, 48, 53, 69, 144, 298, 321, 349, 358, 373, 375, 378, 390, 395, 449, 455, 463, 571, 629, 633, 667, 748, 751, 867, 876, 887, 895, 943, 990, 1061, 1064, 1085, 1176, 1191, 1256, 1269, 1364, 1443, 1454, 1506, 1543, 1552, 1568, 1594, 1600, 1721, 1754
Muscidifurax raptor, 170
Muscina stabulans, 621
Mycetophila fisherae, 621
Mymaridae, 49
Myzus persicae, 271, 373, 440, 508, 511, 516, 604, 794, 802, 808, 810, 881, 1388, 1392, 1436, 1443, 1467

N

N-2404 against lice, 469
N-2596 against: cabbage looper, 1737
cabbage maggot, 839
carmine spider mite, 617
cereal leaf beetle, 825
collembolan, 1257
corn earworm, 522
garden symphylan, 600
redbacked cutworm, 535
rice water weevil, 1381
slugs, 243
southern potato wireworm, 1164
N-2860 against lice, 469
N-3727 against tobacco budworm, 903
N-4446 against: corn earworm, 788
redbacked cutworm, 535
rice water weevil, 1381
N-4543 against: cereal leaf beetle, 825
lice, 469
Nabidae, 560
Nabis alternata, 546
sp., 49, 766, 855
Naled, effect on alfalfa pests, 551
effect on petunia pollen, 489
persistence on cotton leaves, 1377
Naled against: brown dog tick, 175
forest tent caterpillar, 929
lice, 469
rice sinkbug, 269
Naled + phosphamidon against rice stinkbug, 269
Nantucket pine tip moth pheromone, 430
Navel orangeworm, *Bacillus thuringiensis* evaluation for suppression, 1747
NC-5016 against carmine spider mite, 618
NC-6897 against: cereal leaf beetle, 825
Colorado potato beetle, 1673
garden symphylan, 600
slugs, 243
southern potato wireworm, 1164
wireworms, 774
Nemacide against lice, 469
Nemacur P against twospotted spider mite, 776
Nematode, comparison with diazinon for *Hylemya* spp. control, 1761
control on peanuts, 1700
Neodiprion excitans, biology of, 701
Neokolla hieroglyphica, 866
Neoschongastia americana, 162
control on turkeys, 454, 1207
Neoseiulus fallacis, toxicity of dinocap to, 932
Neotephritis finalis, 865
Nephotettix cincticeps, 373
cholinesterase insensitivity in, 643
Nephotettix virescens, rice resistance to, 1148
Neraesia hyalinipennis, 170
Neuroptera, 49, 560
New Guinea sugarcane weevil, resistance of sugarcane to, 1197
Nezara viridula, 261, 501
NIA-9203 against redbacked cutworm, 535
NIA-10559 against: lice, 468
redbacked cutworm, 535
NIA-10586 against: lice, 468
redbacked cutworm, 535
rice water weevil, 1381
NIA-11637 against rice water weevil, 1381
Nightly activity of pecan nut casebearer, 909
Niran against corn earworm, 786
Niran + toxaphene against corn earworm, 786
Nitrogen, flour beetle susceptibility to, 60
Nomia melanderi, 546
Noncyclodiene insecticides to control European chafer, 1686
Nor-Am EP-333 against carmine spider mite, 617
Nor-Am EP-334 against carmine spider mite, 617
Notice, of annual meeting, 1057
Notice to: contributors, 181, 566
members, 684
Notoxus spp., 766
Nuclear polyhedrosis virus production, inoculating diet surfaces for, 1766
Nutritional requirements of smaller European elm bark beetle, 681
Nysius raphanus, damage to sorghum, 1507
Nythobia sp., 1337

O

Obituaries: Floyd Andre, 938
Lev Fowler Curl, 1219
James Robert Douglass, 313
Philip Garman, 1533
Harold Gunderson, 937
Albert Hartzell, 935
Clay Lyle, 1532
Clyde Monroe Packard, 1531
George Leslie Smith, 936
William Walter Yothers, 627
Odonata, 560

Odontomachus haematoba erythrocephalus, 92
Oebalus pugnax, 268
Oil and ethion against eastern spruce gall aphid, 1746
Olcella spp., 1741
Olfactory receptor coding in yellow-fever mosquito, 1058
Oligonychus pratensis, 523
Olive fruit fly, storage temperature for, 100
Omite against twospotted spider mite, 776, 1747
Oncometopia orbona, 866
Oncopeltus fasciatus, 129, 651, 924, 1606, 1644
Onion maggot, loss of diazinon activity in control of, 873
resistance to chlordane, 347
Onthophagus h. hecate, 621
Ooencyrtus kuwanai, generation time on gypsy moth eggs, 284
Orgilus lepidus, 1337
parcus, 1337
Oriental fruit fly, abnormalities in, 300
in fruit cocktail, 1652
infesting mangoes, 1372
lure sprays for, 556
Oriental fruit moth, pear host of, 1212
Oriental rat flea, rearing, 1495
Orius insidiosus, 1098
sp., 49, 560, 855
tristicolor, temperature effect on, 132
Orthellia caesarion, 169
Orthene, inhibition of house fly acetylcholinesterase by, 1505
Orthene against: green peach aphid, 1437
leafroller, 1486
tobacco budworm, 903
Orthoptera, 276, 387, 458, 638, 1221, 1263, 1286, 1760, 1762
Orthosia gothica, 208
hibisci, 1329
spp., 1325
Oryzaephilus surinamensis, 222, 254, 818, 1523, 1667
Ostrinia nubilalis, 283, 285, 676, 1055, 1113, 1116, 1129, 1229, 1414, 1472, 1697, 1712
Oulema melanopus, 405, 824, 832, 1185
obtaining cells of, 904
Overwintering of: *Heliothis* spp., 708
Pseudopityophthorus spp., 1520
Ovicidal action of benomyl, 1718
Oviposition, induction in *Aedes aegypti*, 1588
of codling moth, substrates for, 1756
preference of plum curculio, 1206
Oviposition of: boll weevil, producing artificial squares for, 1200
corn earworm, control, 911
screwworm flies, stimulus to, 1214
Oxodene, honey bee longevity increased by, 19
Oxydemetonmethyl, soil injection for painted maple aphid control, 874
tests on *Tetranychus urticae*, 1249
Oxydemetonmethyl against: *Adelges cooleyi*, 913
aphids, 1087
horned oak galls, 1485
leaf crumpler, 1737
mites, 526
pine needle scale, 1162
pine shoot moth, 1082
pinyon stunt needle midge, 217
Oxythioquinox, effect on petunia pollen, 489
Oxythrips sp., 1053

P

Pachnaeus litus, 184
opalus, 184
spp., 184
Padan against cereal leaf beetle, 825
Page charges, 566
Painted maple aphid, control with oxydemetonmethyl, 874
Pale western cutworm, rearing on artificial diet, 1470
Pales weevil, rearing, 292
Panonychus citri, 619, 890, 1507
ulmi, 191, 373, 446, 932, 1098, 1684, 1751
Parachartegus sp., 92
Paracheyletia bakeri, 1175
Paradichlorobenzene fumigation of garment bags, 1074
Paramyelois transitella, 1747
Paramyia nitens, 1741
Parasites of face fly, 1636
Parasitism of *Heliothis zea* eggs, 705
Parathion, bioactivity in soil, 329
effect on house fly, 1554
oral feeding of house fly with, 1187
persistence in soil, 1011
reference insecticide, 49
tests on *Tetranychus urticae*, 1249
Parathion against: *Adelges cooleyi*, 914
aphids, 1087
apple pests, 208
cabbage looper, 206
collembolan, 1257
greenbug, 765
house flies, 351
leafroller, 1486
mites, 525
petunia pollen, 489
plum curculio, 1705
sorghum midge, 798, 852
southern potato wireworm, 1165
tarnished plant bug, 1158
tenlined June beetle, 1499
tobacco flea beetle, 218, 916
tomato pests, 793
wasps, 1297
wireworms, 774
Parathion + methyl parathion against corn earworm, 522
Parathion + methyl parathion + toxaphene against corn earworm, 786
Parathion + toxaphene against corn earworm, 522
Pathyplena scabra, 730
Pavement ant, habitats and distribution, 1180
Pea-aphid-resistant alfalfa, field selected, 1661
Peach trees, green peach aphid control on, 271
Peanuts, dichlorvos aflatoxin inhibitor on, 988
rearing tobacco thrips to test resistance in, 782
tobacco thrips resistance in, 828
Peanuts, tobacco thrips-nematode control on, 1700
Pear, apple maggot in, 597
host of oriental fruit moth, 1212
pesticides against spider mite on, 191
Pearl millet, fall armyworm resistance in, 1608
Pecan (s), disinfestation of shelled, 222
Pecan nut casebearer, light traps in capturing moths, 933
nightly activity and mating behavior, 909
orchard, suppression of hickory shuckworm in, 148
spittlebug, chemical-control studies, 1519
Pecan weevil emergence, 908
trap for, 1529
Pectinophora gossypiella, 289, 435, 645, 855, 919, 962, 1272, 1295, 1377, 1493, 1503, 1523, 1709
tetradecyl acetate effect on, 1592
Pencap E against cabbage looper, 1737
Pencap M, against cabbage looper, 1737
methyl parathion formulation, 473
Penick SBP-1382 against stored-product insects, 530
Pentac, against twospotted spider mite, 1747
effect on petunia pollen, 489
Pentalitomastix plethoricus, 1747
Penthaleus major, 427
Peridromia saucia, 1018
Periplaneta americana, 132, 1004, 1173, 1443, 1458, 1760, 1763
surinamensis, 1761
Persistence of: Dasanit, 257
insecticides on apple, 208
Perthane against: European corn borer, 1113
rice water weevil, 1381
Perthane + Pinolene against European corn borer, 1114
Pestalotia sp., 307
Pesticide, drift, 590, 1170
effectiveness and biorhythm in house fly, 1191
formulations, for control of insects in aircraft, 1444
persistence and effects in soil, 1010
Petrova sp., 217
Petunia, pesticide effect on pollen, 488
Phaenicia cuprina, phenyl methylcarbamate activity to, 1535
Phanaeus triangularis, 621
Pheasants, insecticide residues in, 1013
Phenacaspis pinifoliae, 1161
Phenotypic expression of resistance in mites, 1248
Pheromone, for Douglas-fir beetle manipulation, 723
Nantucket pine tip, 430
response of gamma-irradiated cabbage loopers, 1496
studies of twospotted spider mite, 74
Philaenus spumarius, 621
Philippine lady beetle, AC-24055 effect on, 1482
Philonthus cruentatus, 1637
umbrinus, 1637
Phorate, interaction of DMSO with, 1195
timing applications, 1698
to control corn slugs, 220
Phorate against: beet armyworm, 1712
cabbage maggot, 839
collembolan, 1257
Colorado potato beetle, 1673
corn stunt disease, 1136
European corn borer, 1114
garden symphylan, 600
greenbug, 1096

horned oak galls, 1485
mites, 527
pine shoot moth, 1082
rice water weevil, 1382
root mealybugs, 242
slugs, 243
sorghum shoot fly, 1124
southern potato wireworm, 1165
tenlined June beetle, 1499
tobacco thrips, 1701
twospotted spider mite, 776
wireworms, 774
Phorate + DBCP against tobacco thrips, 1701
Phorate + DMSO, interaction, 1197
Phorate + endosulfan against sorghum shoot fly, 1124
Phorate + thionazin against cabbage maggot, 839
Phorate + Zinophos against: Colorado potato beetle, 1676
European corn borer, 1115
soybean insects, 295
Phormia regina, 651, 742, 747
Phosalone, effect on alfalfa pests, 549
Phosalone against: alfalfa looper, 795
cabbage looper, 1738
cereal leaf beetle, 827
green peach aphid, 795
leafroller, 1486
pecan spittlebug, 1519
plum curculio, 1704
redbacked cutworm, 536
spider mites, 192
Phosmet, effect on alfalfa pests, 550
Phosmet against: cabbage maggot, 841
southern cattle tick, 1640
Phosphamidon against: brown dog tick, 175
green peach aphid, 1437
leafroller, 1486
rice stinkbug, 269
sorghum midge, 853
Phosphine, fumigation and germination of grass seed, 1523
toxicity to dermestids, 1429
Phospholipids, relationship with triglycerides in boll weevil, 1733
Phosphorothioate homologues, toxicity to bollworms and tobacco budworms, 1481
Phosphorus amides in boll weevil diet, 1551
Phosvel, against corn earworm, 522
against mites, 525
rice stinkbug, 269
tobacco budworm, 903
Photoperiodic sensitivity of alfalfa weevil, 1289
Phoxim against: *Adelges cooleyi*, 913
redbacked cutworm, 536
rice water weevil, 1382
southern potato wireworm, 1165
Symmerista canicosta, 1560
Phthorimaea operculella, 1336
Physiological battery, insect as, 654
Phytomyza atricornis, 1310
syngenesiae, biology of adult and egg, 1310
Phytoseiulus persimilis, 1175
influence on *Tetranychus turkestani* on roses, 114
Phytoseius macropilis, 446
Picromalidae, 49
Pieris rapae, 264, 757, 1399
Pine needle scale, control, 1161
Pinioning insects, method, 1199
Pink bollworm, alkyl OP insecticides against, 1377
cold tolerance of larvae, 1503
fertility of moths reared from irradiated eggs, 919
inherited sterility in, 1272
hexalure attractant to, 1709
relationship between larvae and boll infestation, 1493
temperatures for storing, 435
treating eggs to suppress polyhedrosis virus, 289
Pink bollworm, sterilization by: chemosterilants, 962
gamma irradiation, 645
Pinus sylvestris, *Trisetacus campnodus* control on, 500
Pinyon stunt needle midge, control, 216
Piophila casei, 651
Plagionathus politus, 1098
Plagiotrochus cornigerus, insecticide tests against, 1484
Planococcus citri, 1443, 1467
Plant Prot. PP-211 and PP-511: against common cattle grub, 747
lethal to guinea pigs, 746
Plants, box cage for holding insects on, 1764
Plastic pellets, substrates for codling moth oviposition, 1756
Plathypena scabra, 197, 224, 414, 501
Platynota flavedana, biology and control, 1486
stultana, biology, ecology, and damage on grapes, 1402
stultana, 1443, 1467, 1582
Platysamia cecropia, 1605
Plectris aliena, 1655
Plictran against spider mites, 191, 1747
Plodia interpunctella, 222, 255, 291, 529, 651, 674, 1126, 1265, 1316, 1439, 1523, 1667
response to fumigation, 1562
Plum curculio, control, 1703
feeding preferences, 1206
Plutella xylostella, 1399
Podworm damage, soybean response to, 193
Polistes sp., 92
Pollen substitute in *Diabrotica* diet, 887
Pollenia rudis, 1478
Polybia sp., 92
Polyene antibiotics effect on house fly, 1552
Polyethylene bags for transporting melon fly pupae, 1727
Polyhedrosis virus, treating pink bollworm eggs to suppress, 289
Polyphylla decemlineata, 1498
Polypropylene jars and performance of bark beetle emergence cages, 931
Polyram against tomato pests, 793
Polystyrene toxic to codling moths, 615
Ponderosa pine cone beetle, sexing, 1188
Popilia japonica, 407, 473, 842, 921, 1338, 1442, 1464, 1467, 1516, 1669, 1686
Porthetria dispar, 284, 473, 651, 659, 665, 679, 943, 953, 1090, 1119
Potassium axide against beet armyworm, 1712
Potato (es), aluminum foil mulches effects on yield, 507
aphid control on, 511, 514, 799, 805, 810, 1099, 1383, 1388, 1392
mortality of green peach aphid on, 881
sugarbeet wireworm control in, 773
Potato leafhopper, soybean pubescence effects on, 78
Potato tuberworm, culturing parasites, 1336
Poultry, lice control on, 468
Pour-on insecticides, southern cattle tick control by, 1638
PP-211 against: house fly, 868
redbacked cutworm, 535
rice water weevil, 1381
PP-511 against: redbacked cutworm, 535
rice water weevil, 1381
PPG 124 against soybean insects, 503
Precursor of sex pheromone in zebra caterpillar, 1174
Predation by *Blattisocius keegani* on *Diaprepes abbreviatus* eggs, 1483
Predator (s), eggs for aphid control on potatoes, 1383
for aphid control on potatoes, 799, 805, 810, 1383, 1388, 1392
Predators of: European red mite, 1098
face fly, 1636
Prionyxstus robiniae, 1307
Processed foods, stored-product mites on, 1301
Prodecatoma cooki, seed chalcin on grapes, 1530
Prodenia litura, 373
Prolate against: horn flies and cattle grubs, 1369
leafroller, 1486
Prolonged storage effect on virus of citrus red mite, 1512
Pronematus sp., 446
Prophos against: beet armyworm, 1712
tobacco budworm, 903
tobacco thrips, 1701
Prophos + aldicarb against tobacco thrips, 1701
Prophos + carbofuran against tobacco thrips, 1701
Prophos + disulfoton against tobacco thrips, 1701
Prophos + phorate against tobacco thrips, 1701
Propoxur, action on house cricket eggs, 639
effect on alfalfa pests, 550
in micronized dusts, 1445
toxicity to mammals, 1446
Propoxur against: alfalfa weevil, 1463
boll weevil, 1463
Boophilus spp., 1356
brown dog tick, 175, 1463
cereal leaf beetle, 825
Chrysomya megacephala, 1535
corn stunt disease, 1136
European corn borer, 1115
firebrat, 918
fruit flies, 1448
insects in aircraft, 1453, 1455; in trailers, 1455; in vans, 1451
medically important insects, 1460
Nephotettix cincticeps, 643
Phaenicia cuprina, 1535
pine shoot moth, 1082
redbacked cutworm, 537
slugs, 243
sorghum midge, 853
spiders, 1072

Symmerista canicosta, 1560
tobacco budworm, 1463
vinegar fly, 1463
Propoxur + resmethrin, in micronized dusts, 1446
Propoxur + resmethrin against: fruit flies, 1448
medically important insects, 1461
Propylea 14-punctata, voracity and survival on greenbugs, 1313
Prosapia bicincta, 110
Proscirtothrips zeae, 1053
Protecting woolens against insect damage, 1735
Protein, concentrate and grasshoppers, 1286
of house fly during oögenesis and embryogenesis, 395
products for rearing Tephritidae, 969
Pseudaletia unipuncta, 1018, 1505
Pseudaphycus malinus, 1331
Pseudatomoscelis seriatus, 231, 1295
Pseudococcus comstocki, 373, 1329
fragilis, 1332
maritimus, 1331
Pseudocoila sp., 170
Pseudopityophthorus minutissimus, 1520
pruinosus, 1520
spp., overwintering and spring emergence, 1520
Pseudoplusia includens, 224, 295, 501, 730, 786, 1041
Pseudomatoscelis seriatus, 481
Pseudoxychila sp., 92
Psila rosae, 347
Psorophora confinnis, 462
Pyemotes ventricosus, 702
Pyrethrins, in micronized dusts, 1445
toxicity to mammals, 1446
Pyrethrins against: agricultural insects, 1465
alfalfa weevil, 1463
boll weevil, 1463
brown dog tick, 1463
forest tent caterpillar, 929
fruit flies, 1448
insects in: aircraft, 1453, 1455; in trailers, 1455; in vans, 1451
medically important insects, 1460
Symmerista canicosta, 1560
tobacco budworm, 1463
vinegar fly, 1463
Pyrethrins + piperonyl butoxide against brown dog tick, 175
Pyrrhocoris apterus, 1346
Pythium spp., 599

Q

Quasi-synergism and penetration of insecticides, 349

R

R-1505 against lice, 469
R-3423 against lice, 468
R-5723 against lice, 469
R-5725 against lice, 469
R-7239 against lice, 469
R-7240 against lice, 469
R-10044 against carmine spider mite, 617
R-10778 against lice, 469
R-11782 against lice, 468
R-12466 against common cattle grub, 747
R-12783 against common cattle grub, 747
R-13293 against common cattle grub, 747
R-13906 against common cattle grub, 747
R-14487 against common cattle grub, 747
R-14488 against common cattle grub, 747
R-14493 against common cattle grub, 747
R-14789 against common cattle grub, 747
R-15018 against common cattle grub, 747
R-15022 against European corn borer, 1113
R-15201, against common cattle grub, 747
lethal to guinea pigs, 746
R-15206, against common cattle grub, 747
lethal to guinea pigs, 746
R-15644, against common cattle grub, 747
lethal to guinea pigs, 746
R-15792 against: house fly, 868
redbacked cutworm, 535
R-15996 against common cattle grub, 747
R-16374, against common cattle grub, 747
lethal to guinea pigs, 746
R-16745, against common cattle grub, 747
lethal to guinea pigs, 746
R-17335 against carmine spider mite, 617
Rabbits, *Anopheles stephensi* death rate fed on, 165
Rabon, for control of house fly, 1064
resistance in house fly to, 6
Rabon against: chiggers, 455
horn fly, 471
house flies, 455
Rachiplusia ou, 866
Radiation, electromagnetic, Lepidoptera responses to, 291
induced sterility in Indian meal moth, 1265
sensitivity of Indian meal moth, 673
sterilization of Mediterranean fruit fly with, 1
Radiosensitivity of *Rhyzopertha dominica*, 1213
Railroad cars, control of insects in, 1465
Rats, carbaryl metabolism modification in, 958
Ravinia querula, 169
RE-5305 against: *Chrysomya megacephala*, 1535
Phaenicia cuprina, 1535
rice water weevil, 1381
RE-5353 against: *Chrysomya megacephala*, 1535
Phaenicia cuprina, 1535
RE-5655 against: *Chrysomya megacephala*, 1535
Phaenicia cuprina, 1535
RE-11775 against rice water weevil, 1381
RE-11776 against rice water weevil, 1381
RE-12420 against rice water weevil, 1381
Rearing, *Amynothrips andersoni*, 1521
apple maggot, 1292
army cutworm, 717
beet armyworm, 596
black cutworms, 1047
chinch bug, 894
coddling moths on artificial diet, 888
Eleodes suturalis, 1731
European corn borer, 1472
Lysiphlebus testaceipes on *Rhopalosiphum maidis*, 293
oriental rat flea, 1495
pale western cutworm on artificial diet, 1470
pales weevil, 292
tobacco thrips, 782
zebra caterpillar, life tables for evaluating, 1024
Recording activity of small insects, 129
Recovery of malathion from house flies, 1269
Redbacked cutworm, control, 533
Redbanded leafroller populations, 697
Red flour beetle, malathion toxicity to, 185
susceptibility to He and N_2, 60
Red imported fire ant, control with mirex bait formulations, 1468
Red oaks, living beech borer in, 1307
Reduction, of tarnished plant bug injury in strawberries, 1156
of weights in screwworms, 1527
Relationship between: boll infestation and pink bollworm larvae, 1493
phospholipids and triglycerides in boll weevil, 1733
Release, characteristics of attractant and repellent compositions, 1512
Release of: cabbage loopers, 408
codling moths from aircraft, 1321
Japanese beetle sterile males, 1338
Repellents, insect, effect on *Aedes aegypti*, 1318
Reprint charges, revised, 545
Reproduction, and development of garden symphylan, 1628
in Mediterranean fruit fly, 914
Reproduction of: Cobalt-60 irradiated codling moth, 692
Indian meal moth, control, 1316
tobacco budworm, 1341
Reserpine, and sterility in tobacco budworm, 1282
behavior of tobacco budworms sterilized with, 966
Residues, in wheat seedlings, 302
Residues of: chlorpyrifos in cattle, 1647
EDC-CCI in soybeans, 1126
heptachlor and lindane in pheasants, 1013
pesticides as affected by charcoal, 982
Resistance, ixodicide, in lone star ticks, 156
Resistance of: apholate in *Aedes aegypti*, 1357
bollworm to methyl parathion and toxaphene-DDT, 1193
cantaloupe to *Diabrotica*, 1140
Coleoptera in sweetpotatoes, 1655
corn leaf aphid to Maydeae, 195
cottonwood clonal selections to cottonwood twig borer attack, 1178
cowpea curculio, 778

European chafer to dieldrin, 1555
fall armyworm in pearl millet, 1608
Gossypium sp. to twospotted spider mite, 1104, 1108
house fly, 6, 748
meadow spittlebug, 621
rice to *Nephotettix virescens*, 1148
rice water weevil to aldrin, 1490
Solanum to twospotted spider mite, 761
southern peas to cowpea curculio, 1679
soybean cultivars, 1669
strawberries to twospotted spider mite, 117
sugarcane to New Guinea sugarcane weevil, 1197
tobacco budworm to methyl parathion and toxaphene-DDT, 1193
tobacco thrips in peanuts, 828
tomato to *Tetranychus urticae*, 641
tomato to mites, 50
twospotted spider mite, phenotypic expression of, 1248
Vigna sinensis to cowpea curculio, 542
whitefringed beetles to dieldrin, 1260
Resmethrin, in micronized dusts, 1445
tests, 1449
toxicity to mammals, 1446
Resmethrin against: agricultural insects, 1465
alfalfa weevil, 1463
boll weevil, 1463
brown dog tick, 1463
brown recluse spider, 1492
carmine spider mite, 1467
chrysanthemum aphid, 1467
citrus mealybug, 1467
European chafer, 1463
fruit flies, 1448
grasshopper nymphs, 1467
green peach aphid, 1467
greenhouse leaftier, 1467
greenhouse whitefly, 1467
gypsy moth, 954
house cricket, 1463
insects in aircraft, 1453, 1455; in railroad cars, 1465; in trailers, 1455, 1464
Japanese beetle, 1463, 1467
medically important insects, 1460
Platynota stultana, 1467
Symmerista canicosta, 1560
tobacco budworm, 1463
twospotted spider mite, 1467
vegetable leafminer, 1467
vinegar fly, 1463
Resmethrin + chlorpyriphos against agricultural insects, 1465
Resmethrin + piperonyl butoxide against gypsy moth, 954
Resmethrin + propoxur against agricultural insects, 1465
Response of: *Plodia interpunctella* to fumigation, 1562
termite to trail-following substances, 600
Reticulitermes flavipes, 601, 652
virginicus, 601
Rhabdoscelus obscurus, 1197
Rhagoletis pomonella, 597, 1292
Rhipicephalus sanguineus, 174, 1443, 1463
Rhipidothrips brunneus, 1051
Rhizoecus americanus, 241
Rhodnius prolixus, 1443, 1454
Rhodobaenus tredecimpunctatus, 866
Rhopalosiphum maidis, 195, 236, 440, 1314
maidis, rearing *Lysiphlebus testaceipes on*, 293
Rhopalosiphum padi, 440
pseudobrassicae, 440
rufiabdominalis, 440, 1306
Rhyacionia buoliana, 1081
frustrana, 430
Rhynchagrotis cupida, biology, 734
Rhyzopertha dominica, 656, 818, 1523, 1695
radiosensitivity of, 1213
Rice, diatomaceous earth for beetle control in, 1427
dichlorvos aflatoxin inhibitor on, 988
infestation of lines, 711
resistance to *Nephotettix virescens*, 1148
Rice stalk borer, rice infestation by, 711
Rice stinkbug, control, 268
Rice water weevil, control, 1380
resistance to aldrin, 1490
Rice weevil, diatomaceous earth for control, 1427
toxicity of soybean saponin on, 844
Rodent bot fly infesting white mice for insecticide screening, 742
Ronnel against: *Boophilus* spp., 1355
brown dog tick, 175
brown recluse spider, 1492
horn fly, 471
lice, 469
ticks, 1642
tobacco budworm, 904
Root mealybug control, 241
Rootworm, factors affecting damage to corn, 1615
Roses, control of twospotted spider mite on, 1746
influence of *Phytoseiulus persimilis* and *Tetranychus turkestani* on, 114
Rough strawberry root weevil, control of larvae by carbofuran, 881
Ryegrass, residues on for mole cricket control, 495

S

Saccharomyces fragilis, 970
Safflower, aphid damage and control on, 1085
Salicylanilide against bollworm, 1166
Salithion against tobacco budworm, 903
Sampling, alfalfa weevil, device for, 1742
for Egyptian alfalfa weevil, 689
Sand, mortality of banded cucumber beetle in, 605
Sandoz 6607 against European corn borer, 1113
Sandoz 6706 against southern potato wireworm, 1164
Sandoz 52118, against common cattle grub, 747
lethal to guinea pigs, 746
SBP-1382, tested, 1446
SBP-1382 against: brown dog tick, 175
corn earworm, 522
Scaphytopius nitridus on citrus, 880
Scapteriscus acletus, 495
vicinus, 495
Scatophaga furcata, 621
stercoraria, 621
Scatopse fuscipes, 621
Scelionidae, 49
Schering 34615 against lice, 469
Schizaphis graminum, 235, 286, 422, 440, 604, 623, 764, 899, 1095, 1313
Schizolachnus pineti, control with ULV sprays, 896
Scolytus multistriatus, 681, 1542
Scotogramma trifolii, 1040
Screening *Gossypium* sp. seedlings for two-spotted mite resistance, 1104
Screwworm, chemosterilants against, 303, 307
longevity and sexual activity, 877
relationship of weights, 1527
size of larvae, 1349
Screwworm fly, chemosterilants against, 594
stimulus to oviposition for, 1214
Scutigerella immaculata, 1628
Scymnus sp., 766
SD-2614 against house fly and mouse, 633
SD-2642 against house fly and mouse, 633
SD-3110 against house fly and mouse, 633
SD-3450 against house fly and mouse, 633
SD-4314 against house fly and mouse, 633
SD-7438, against confused flour beetle, 939
penetration, 350
SD-7533 against house flies, 629
SD-7536 against house fly and mouse, 633
SD-7859 against: house flies, 629, 633
mouse, 633
SD-8017 against house flies, 629
SD-8210 against: house flies, 629, 633
mouse, 633
SD-8211 against house flies, 629
SD-8280 against: house flies, 629, 633
mouse, 633
SD-8436 against: house fly and mouse, 633
against lice, 469
SD-8446 against house fly and mouse, 633
SD-8447 against: *Boophilus* spp., 1355
brown dog tick, 175
gypsy moth, 954
house flies, 629
lice, 469
SD-8448 against: house flies, 629
lice, 469
SD-8449 against house flies, 629
SD-8482 against house flies, 629
SD-8530, penetration, 350
SD-8530 against *Chrysomya megacephala*, 1535
house flies, 351
Phaenicia cuprina, 1535
SD-8539 against house flies, 629
SD-8540 against house flies, 629
SD-8542 against house flies, 629
SD-8737 against house flies, 629
SD-8740 against house flies, 629
SD-8786, against house flies, 351
penetration, 350
SD-8798 against house flies, 629, 633
mouse, 633
SD-8803 against: house flies, 629
southern potato wireworm, 1164

SD-8856 against house fly, 630
SD-8857 against house fly and mouse, 633
SD-8890 against house fly and mouse, 633
SD-8946 against house flies, 630
SD-8949 against: *Boophilus* spp., 1355
house fly and mouse, 633
SD-8955 against house flies, 630
SD-8967, against house fly and mouse, 633
SD-8968 against house fly and mouse, 633
SD-8972 against lice, 469
SD-8988 against *Boophilus* spp., 1355
house flies, 630
SD-8989 against house flies, 630
SD-9003, against house flies, 351
penetration, 350
SD-9020 against house flies, 630
SD-9022 against house flies, 630
SD-9049 against house flies, 630
SD-9050 against house flies, 630
SD-9067 against house flies, 630
SD-9069 against; house flies, 630, 633
mouse, 633
SD-9084 against house flies, 630
SD-9085 against house flies, 630
SD-9097 against house flies, 630
SD-9103 against house flies, 630
SD-9106 against house flies, 630
SD-9115 against: house flies, 630, 633
mouse, 633
SD-9198 against house flies, 630
SD-9202 against house flies, 630
SD-9216 against house flies, 630
SD-9233 against house flies, 630
SD-9234 against house flies, 630
SD-9291 against house flies, 630
SD-9293 against house flies, 630
SD-9639 against house flies, 630
SD-9641 against house flies, 630
SD-9736 against house flies, 630
SD-9737 against house flies, 630
SD-11097, against house flies, 352
penetration, 350
SD-11319, against house flies, 351
penetration, 350
SD-11370, against house flies, 352
penetration, 350
SD-11373, against house flies, 352
penetration, 350
SD-11374, against house flies, 352
penetration, 350
SD-11392, against house flies, 351
penetration, 350
SD-16898 against twospotted spider mite, 776
SD-17250 against: bollworm, 898
carmine spider mite, 617
cotton insects, 1112
greenbug, 1095
tenlined June beetle, 1499
tobacco budworm, 898
twospotted spider mite, 776
Seasonal trends of moths, 1018
Seed chalcid, biological notes on, 296
Seed host preference of Bruchidae, determining, 1189
Seedcorn maggots, resistance to chlordane, 347
Seedlings, diazinon, dieldrin, and supracide effects on, 1179
Selected synergists on action of western spruce budworms, influence, 1277
Separating fall armyworm egg masses, 900
house fly eggs, 298
Sericothrips interruptas, 866
occipitalis, 1422
Serratia marcescens, histological effects on European corn borer, 283
Sevimol, effect on petunia pollen, 489
Sevithion against tarnished plant bug, 1157
Sewer shafts, American cockroach control in, 1763
Sex, attractant for codling moth, 1276
attractant in American cockroaches, 1760
differences in radiosensitivity of *Rhyzopertha dominica*, 1213
Sex pheromones of: codling moth, 108
house fly, 358
Lepidoptera, 1592
zebra caterpillar, 945
Sexing ponderosa pine cone beetle, 1188
Sexual, activity of screwworm, 877
competitiveness of irradiated tobacco budworm, 1596
Shaker for sampling boll weevils, 1502
Shell (see SD)
Silicid acid, house flies pretreated with, 895
Sinea spp., 855
Sipha flava, 440
Siphonaptera, 1495
Siphonomyia melas, 92
Sitophilus granarius, 1402
gamma radiation and, 203
susceptibility, 42, 1573, 1579
Sitophilus oryzae, 254, 818, 645, 1427, 1439, 1695
zeamais, corn kernel resistance to, 790
zeamais, gamma radiation and, 203
Sitophilus zeamaize, 434
Sitotroga cerealella, 531, 576, 581, 1168, 1508
Size of screwworm larvae, 1349
Smaller European elm bark beetle, nutritional requirements, 681
Snap beans, and Mexican bean beetle and malathion sprays, 288
Snarol against slugs, 243
Sodium fluoride and fecundity of confused flour beetles, 356
Sodium pentobarbital and house fly weight loss, 672
Soil, aldrin and chlordane in, 842
banded cucumber beetle mortality in, 605
bioactivity of parathion in, 329
biological activity of chlordane in, 341
carbofuran and disulfoton applied to in tobacco plant beds, 1203
chlordane residues in, 976
control of insects and nematodes in, 1711
dieldrin behavior in, 8, 333
dieldrin-treated, residues in wheat seedlings grown in, 302
du Pont 1410 foliar sprays on, 295
forest, DDT and fenitrothion effect on microflora, 1089
heptachlor epoxide behavior in, 336
injection of oxydemetonmethyl for painted maple aphid control, 874
insecticides for Colorado potato beetle control, 1672
loss of diazinon control of onion maggot in, 873
moisture effect on grape root borer development, 182
pesticide persistence in, 1010
treatments, hazard of chlorpyrifos on turkeys, 1208
Solanum resistance to twospotted spider mite, 761
Solenopsis invicta, 1194, 1468
saevissima richteri, 872
spp., 872
Sorba-spray Mg, effect on alfalfa pests, 551
Sorghum, Banks grass mite control on, 523
control of sorghum shoot fly on, 1123
greenbug sampling on, 422
hybrids, effect on diet from, on corn earworm larvae, 1759
light effects of malathion residues on, 847
malathion degradation on, 497
southwestern corn borer control in, 491
Sorghum bicolor, 851
Sorghum midge, biology and control, 796, 817, 851
flight movements and color preference, 767
Sorghum shoot fly, control on sorghum, 1123
Sorghum damage by: fall armyworm to, 927
Nysius raphanus, 1507
Sorting cabbage looper pupae by sex, 1044
Southern cattle tick, control by pour-on insecticides, 1638
Southern peas, control of insects and nematodes affecting, 1711
resistance to cowpea curculio, 1679
Southern pine beetle control, 754
Southern potato wireworm, control, 1164
Southwestern corn borer, control, 491, 563
feeding larvae, 519
Soya, rearing codling moth on, 636
Soybean (s), cage for insect studies on, 1501
damage by *Bradysia coprophila*, 597
defoliation and yields of, 224
EDC-CCI residues in, 1126
grain, damage by almond moth, 902
green cloverworm injury to, 197
hand defoliation of, 567
insect pests, control, 501
insects on application of du Pont 1410 foliar sprays, 295
leaf protein levels, 729
pubescence, effects on potato leafhopper, 78
relationship of pod removal to yields, 606
resistance of cultivars, 1669
response to podworm damage, 193
saponin, toxicity on rice weevil, 844
stink bug damage to, 261
threecornered alfalfa hopper infestations against, 1731
Spalangia haematobia, 170
hirta, 170
muscae, 170
muscidarum, 170

nigra, 170
nigroaenea, 170
Specificity of sex pheromones of yellow scales and California red scale, 698
Spectrofluorometric determination of tobacco hornworms, 539
Sphaeridium spp., 1637
Spider mite, control on apple, 188
gamma radiation effects on, 947
pesticides against on pear, 191
Spissistilus festinus, 1501, 1731, 1764
Spodoptera eridania, 48, 104, 615, 793, 1482
eridania, antimetabolite effects on, 201
exigua, 104, 288, 501, 596, 786, 793, 855, 1040, 1712
frugiperda, 104, 291, 385, 482, 502, 615, 786, 900, 927, 1399, 1431, 1518, 1608, 1766
littoralis, 360
ornithogalli, 104, 287, 502
praefica, 1040
Spray, oils on apple bloom, 1408
rig, converting trailer to, 1757
technique for applying aphid eggs, 1099
Spruce beetles, dibromide or fuel oil kills, 1520
Square-foot device for sampling alfalfa insects, 1742
Stability studies of Iodofenphos, 1488
Stable fly, control, 1361
juvenile hormones against, 1346, 1644
mating compatibility, 738
sterility induction in, 751
susceptibility to insecticides, 915
Starch, rearing codling moth on, 636
Stauffer (see N, R)
Steers, mosquito feeding on, 462
Stegobium paniceum, 254
Stemphylium solani, 793
Sterility, induced in tobacco budworms, 1282
induction in fly pupae, 751
Sterility in: boll weevils by diet, 13
bollworms and tobacco budworms by heat treatment, 368
Indian meal moth, 1265
pink bollworms, 1272
Sterilization of: codling moths, 140
Dendroctonus frontalis, 1504
fall armyworm, 1431
Mediterranean fruit fly, 1
pink bollworms, 645, 962
tobacco hornworms, 301
Stethorus punctum, 1098
Stibadium spumosum, 865
Stimulus to oviposition for screwworm flies, 1214
Stink bug damage, effect on seed, 261
Stomoxys calcitrans, 463, 738, 742, 747, 751, 915, 1346, 1361, 1644
Storage of whitefringed beetle eggs, 731
Stored-product insects, new insecticides against, 529
insects, potential control, 1450
mites, survival and multiplication, 1301
Stored rough rice, protectants, 1694
Straw itch mite parasitization of black carpet beetle, 702
Strawberries, tarnished plant bug injury in, 1156
Striped blister beetle, resistance of soybean cultivars to, 1669
Strobane against: house fly and mouse, 633
wasps, 1297
Structural changes and synergism of Gardona analogues, 629
Sublethal poison and confused flour beetle, 356
Sugarbeet wireworm control in potatoes, 773
Sugarcane, resistance to New Guinea sugarcane weevil, 1197
Sugarcane mosaic, aphid vectors of, 439
Sulfur, dust against mites, 526
effect on European red mite predators, 1098
persistence in soil, 1011
Sumithion against: Egyptian cotton leafworm, 363
forest tent caterpillar, 929
Symmerista canicosta, 1560
Sunflower insects, observations on, 865
Supona against lice, 469
Support for insect field cages, 285
Suppression of: boll weevil with integrated control, 1663
codling moth, 411
hickory shuckworm, 148
Supracide, effect on seedlings, 1179
to control Egyptian alfalfa weevil, 1480
toxicity to turkeys, 162
Supracide against: cereal leaf beetle, 825
chiggers, 455
greenbug, 765, 1095
mites, 525
pine needle scale, 1162
southwestern corn borer, 564
tarnished plant bug, 1157
Survival, winter of *Coccinella* spp., 1392
Survival of: boll weevils, 82
bollworm, winter, 1030
European corn borer on corn hybrids, 1055
stored-product mites, 1301
Susceptibility of *Sitophilus granarius*, 42, 1573, 1579
Sweep-net method for sampling Egyptian alfalfa weevil, 689
Sweetclover, coumarin effect on blister beetle feeding on, 1632
Sweet corn, corn earworm: control on, 521
mortality in, 786
Sweet peppers, green peach aphid control on, 1436
Sweetpotatoes, Coleoptera resistance in, 1655
Symmerista canicosta, toxicity of insecticides to, 1560
Symphyla, 1628
Synanthedon pictipes, 1034
Synergism and structural changes of Gardona analogues, 629
Synthetic JH and *Draeculacephala crassicornis*, 364
Systena blanda, 866
elongata, 1655
frontalis, 1655
spp., 1655
Systole geniculata, 296

T

Tabanus quinquevittatus, 1063
s. subsimilis, 1063
Taeniothrips sjöstedti, 1422
Tarnished plant bug, in Upland cotton, 425
reduction of injury in strawberries, 1156
Tarsonemus setifer, 446
Tartan against twospotted spider mite, 776
TD-1771 against tenlined June beetle, 1499
TD-5032 against European corn borer, 1113, 1130
TD-5056 against tenlined June beetle, 1499
TD-8550 against European corn borer, 1113
TDE against: European corn borer, 1114
leafroller, 1486
TDE + Pinolene against European corn borer, 1114
TDE 50W + parathion + Difolatan against tomato pests, 793
"Tea-bag" technique to control brown dog tick, 174
Telenomus alsophilae, 92
Bacillus thuringiensis and carbaryl effect on, 1132
Temelucha sp., 1337
Temperature, affecting alfalfa weevil fecundity, 146
life cycle of convergent lady beetle in relation to, 1508
near surface of cotton leaves, 1209
photoperiod, and toxicity of azinphosmethyl and malathion to the boll weevil, 1021
sensitive mutation in house fly, 1364
Temperature and: *Aedes triseriatus* growth, 625
degradation of azinphosmethyl, 315
Temperature effects on: green peach aphid mortality, 881
Orius tristicolor, 132
whitefringed beetle, 918
Temperature storage, for olive fruit fly, 100
for pink bollworm, 435
Tenebrio molitor, 980, 1606, 1644
Tenlined June beetle, bioassays of insecticides against, 1498
Tepa, against pink bollworm, 965
effect on cabbage looper reproduction, 93
sterilization of tobacco hornworms with, 301
Tephritidae, marking, 1217
protein products for rearing, 969
Tephritids, treating with attractants, 279
Termite(s), inoculating with fungi, 1027
response to trail-following substances, 600
Terpenoids, embryonic inhibition and oviposition induction by, 1588
Tests, against brown recluse spider, 1491
of insecticides against *Plagiotrochus cornigerus*, 1484
protocol for study of control of insects in aircraft, 1442

Tetradecyl acetata, effect on *Pectinophora gossypiella*, 1592
Tetradifon against twospotted spider mite, 777
Tetramethrin against forest tent caterpillar, 929
Tetranactin, miticidal activity, 372
Tetraneura hirsuta, 440
Tetranychus arabicus, gamma radiation effects on, 947
cinnabarinus, 373, 481, 617, 973, 1111, 1443, 1467
desertorum, 617
kanzawa, 373
mcdanieli, control by *Typhlodromus occidentalis*, 188
mcdanieli, index to control of, 310
pacificus, 1042
pacificus, *Orius tristicolor* feeding on, 132
schoenei, 446, 617
telarius, 50
turkestani, 617
turkestani on roses, influence of *Phytoseiulus persimilis* on, 144
urticae, 74, 117, 191, 274, 373, 446, 473, 617, 761, 775, 932, 1104, 1108, 1110, 1175, 1248, 1443, 1467, 1600, 1718, 1746, 1751, 1754
urticae, resistance in tomato, 641
viennensis, 373
Tetrastichus bruchophagi, 296
haitiensis, 1483
haitiensis, control agent for citrus root weevils, 184
julis, 405, 905
venustus, 296
TH 367-1 against rice water weevil, 1381
TH 427-1 against rice water weevil, 1381
Thanite, penetration, 350
Therioaphis maculata, 440, 1508
Thermobia domestica, 917
Thionazin against cabbage maggot, 839
Thiotepa effect on house fly eggs, 1176
Thompson-Hayward TH-367-I against carmine spider mite, 617
Threecornered alfalfa hopper and soybean yields, 1731
Threelined potato beetle, Büchner funnel for dispensing eggs, 1185
Thrips, and grass seed, 1050
nigropilosus, 866
tabaci, 866
Thuricide against: cabbage insects, 759
cabbage looper, 206
gypsy moth and elm spanworm, 1119
navel orangeworm, 1747
Telenomus alsophilae, 1133
Thuricide HP against corn earworm, 522
Thuricide HPC against bagworm, 477
Thyridopteryx ephemeraeformis, 477
Thysanoptera, 782, 828, 1050, 1521, 1700
Thysanura, 917
Thysanus sp., 1331
Ticks, control of host in cattle feed, 1641
Timing insecticidal applications for insect control, 1697
Tineola bisselliella, 1074
Tinocallis caryaefoliae, 149
Tobacco, control of tobacco flea beetle on, 916
nematode comparison with diazinon for control of *Hylemya* spp. on, 1761
Tobacco budworm, age and mating status, 1611
alkyl OP insecticides against, 1377
behavior of sterilized, 966
β-exotoxin against, 1245
comparison of cultivation and herbicides on emergence, 870
in Upland cotton, 425
induction of sexual sterility in, 368
reproduction, 1341
resistance to methyl parathion and resistance to toxaphene-DDT, 1193
sexual competitiveness of irradiated, 1596
sterility induced in, 1282
Tobacco budworm control, 897
of methyl parathion-resistant, 903
Tobacco budworm toxicity of: endosulfan to, 1122
esters to, 615
phosphorothioate homologues to, 1481
Tobacco flea beetle, control on tobacco, 916
insecticides against, 217
Tobacco hornworm, spectrofluorometric determination, 539
sterilization, 301
Tobacco plant, control of insects in beds, 1203
Tobacco stalk cutting effect on insects, 1417
Tobacco thrips, rearing to test peanut resistance, 782
resistance in peanuts, 828
Tobacco thrips-nematode control, 1700
Tolerance in corn to corn earworm, 835
Tomato (es), aldicarb on, 862
diazinon, dieldrin, and supracide effect on seedlings, 1179
fungicide-insecticide compatibility on, 792
greenhouse, control of greenhouse whitefly in, 1205
greenhouse whitefly effect on, 1406
Tomato resistance to: mites, 50
Tetranychus urticae, 641
Tomosvaryella appendipes, 880
Toxaphene against: *Astylus atromaculatus*, 893
beet armyworm, 786
Boophilus spp., 1355
cabbage looper, 206
honey bee, 41
redbacked cutworm, 535
sorghum midge, 818, 852
soybean looper, 786
wasps, 1297
western yellowjacket, 41
Toxaphene + DDT, boll weevil susceptibility to, 1733
bollworm and tobacco budworm resistance to, 1193
reference insecticide, 49
Toxaphene + DDT against: bollworm, 474
Heliothis spp., 1182, 1683
wasps, 1297
Toxaphene + DDT + methyl parathion against: boll weevil, 1664
cotton insects, 1112
Heliothis spp., 1182
Toxaphene + DDT + methyl parathion + aldicarb against boll weevil, 1664
Toxaphene + methyl parathion against *Heliothis* spp., 1182, 1683
Toxaphene + parathion against sorghum midge, 852
Toxicity by insecticide topicals, vapors, sprays, 990
effectiveness of Aflatoxins and distribution in house flies, 375
hazard of insecticides to turkeys, 162
studies on *Cerambyx dux*, 423
Toxicity of: azinphosmethyl to boll weevil, 1021
carbamates to honey bee and large milkweed bug, 924
citrus oils to stored-product insects, 1438
dimethoate to house flies, 1585
dimethoxon to house flies, 1586
dinocap to *Neoseiulus fallacis*, 932
dusts to greenhouse insects, 1466
endosulfan to bollworm and tobacco budworm, 1122
esters to budworm, armyworm, and bollworm, 615
herbicidal sprays to honey bees, 32
Toxicity of insecticides to: Egyptian cotton leafworm, 360
Folsomia candida, 1255
forest tent caterpillars, 928
gypsy moth larvae, 953
house fly and mouse, 632
stressed cattle, 64
Symmerista canicosta, 1560
western yellowjacket, 40
Toxicity of malathion to: *Aulocara elliotti*, 387
red flour beetles, 185
confused flour beetle, 1706
new insecticides, 529
phenyl methylcarbamate insecticides to *Chrysomya megacephala* and *Phaenicia cuprina*, 1535
phosphine to dermestids, 1429
phosphorothioate homologues to bollworms and tobacco budworms, 1481
polystyrene to codling moths, 615
soybean saponin, 844
test compounds to mammals, 1446
Triton X-100 to honey bees, 306
Toxicity to house fly of new insecticides, 867
Toxoptera citricida, 593
Trail-following substances, termite response to, 600
Trailer, converting to spray rig, 1757
insect control in, 1455, 1464
Transferring newly hatched larvae, 1505
Transporting melon fly pupae, 1727
Trapping, boll weevils, 1144
cabbage maggot, 1343
lesser peachtree borer moths, 1034
Trap(s), BL, and hickory shuckworm moths, 1624
and seasonal trends in moths, 1018
indicating seasonal activity of elder shoot borer, 1201
suppression of hickory shuckworm with, 148
Traps, boll weevil, grandlure on cigarette filters used to bait, 1215
for codling moth, 1741
height, influence on Japanese beetle captures, 407

Traps, light: age and mating status of budworms and bollworms collected in, 1611
collections of twolined spittlebug with, 110
in capturing pecan nut casebearer moths, 933
Trap, male-baited for boll weevil control, 552
sex attractant, for codling moths, 609
virgin-female, for trapping lesser peachtree borer, 1034
Trap for: alfalfa weevil, 624
imported fire ant, 1194
surveying fly density, 144
Treating tephritids with attractants, 279
Tretamine, against pink bollworm, 964
induced inherited sterility in cabbage looper, 994
Tretamorium caespitum, 1180
Trialeurodes vaporariorum, 862, 1205, 1406, 1443, 1467
Triatoma infestans, 1443, 1454
Triazines in boll weevil diet, 1549
Triazinyl chemosterilants for house fly, 69
Tribolium castaneum, 60, 186, 222, 254, 818, 1439
confusum, 60, 246, 356, 529, 939, 1427, 1439, 1695, 1706
spp., 1256
Tricalcium phosphate as flour additive, 254
Trichlorfon against: *Boophilus* spp., 1355
brown dog tick, 175
cattle grubs, 452
corn earworm, 522
cotton insects, 1378
forest tent caterpillar, 929
gypsy moth, 954
honey bee, 41
leaf crumpler, 1737
leafroller, 1486
mole cricket, 495
redbacked cutworm, 536
Symmerista canicosta, 1560
tarnished plant bug, 1158
wasps, 1297
western yellowjacket, 41
Trichlorfon effect on alfalfa pests, 548
petunia pollen, 489
Trichloronat against: cabbage maggot, 839
tobacco budworm, 903
Trichloronat + diazinon against cabbage maggot, 840
Trichogramma evanescens, parasitism of *Heliothis zea* eggs, 705
Trichogrammatidae, 49
Trichoplusia ni, 93, 102, 104, 127, 205, 264, 288, 425, 503, 719, 757, 793, 855, 994, 1024, 1039, 1044, 1111, 1399, 1412, 1417, 1496, 1658, 1737, 1766
Trichopria haematobiae ?, 170
Trisetacus campnodus control, 500
Tristeza virus transmitted by melon aphid, 593
Triton X-100, toxicity to honey bees, 306
Triton X-155, against cotton insects, 1379
Trogoderma glabrum, 255, 1429, 1443, 1450
granarium, 254, 1450, 1603
inclusum, 1443, 1450
inclusum, gamma-radiation effects on, 250
sternale, 1429
variabile, 1429
variabile, gamma-radiation effects on, 250
versicolor, 652
Tsumacide against *Nephotettix cincticeps*, 643
Turfgrass, winter grain mite activity in, 427
Turkeys, control of chiggers on, 454
control of *Neoschongastia americana* on, 454, 1207
hazard of chlorpyrifos treatments in soil, 1208
insecticide toxicity to, 162
Twigs, feeding of smaller European elm bark beetle on, 1542
Twolined spittlebug, light-trap collections of, 110
Twospotted spider mite, antibiosis in cotton, 1110
benomyl action on, 1718
citrate accumulation in following acaracide treatment, 1754
control on field beans, 775
control on roses, 1746
Gossypium sp. resistance to, 1104, 1108
metabolism of benzilate acaricides, 1600
phenotypic expression of resistance in, 1248
pheromone studies of, 74
resistance in strawberries, 117
Solanum resistance to, 761
Tydeus kochi, 446
Typhlodromus conspicuus, 446
longipilus, 446
mcdanieli, 211
Typhlodromus occidentalis, 191, 274
index to interactions in control of *Tetranychus mcdanieli*, 310
studies on, 211
to control *Tetranychus mcdanieli*, 188
Typhlodromus pomi, 446
Tyria jacobaeae, 1477
Tyrophagus dimidiatus, 373
TZ-67 against garden symphylan, 599

U

UC-9880 against lice, 469
UC-10854 against: *Chrysomya megacephala*, 1535
Phaenicia cuprina, 1535
UC-20047A against confused flour beetle, 939
UC-30044 against redbacked cutworm, 535
UC-30045 against redbacked cutworm, 535
UC-34096 against corn earworms, 522
Udea rubigallis, 1467
urticae, 1443
ULV sprays for *Schizolachnus pineti* control, 896
United States Departments, 8 papers reporting on insecticides, 1442
Upjohn U-18120 against lice, 468
Upjhon U-22024 against *Boophilus* spp., 1355
Upjohn U-27415 against carmine spider mite, 617
Urophorus humeralis, 1667
UV irradiation, lethal action on insects, 650

V

Vaccinator for inoculating diet surfaces, 1766
Vans, insect control in, 1448, 1451
VC-13 against garden symphylan, 599
VC-3668 against southern potato wireworm, 1164
VCS-506 against: bollworm, 898
cotton insects, 1112
European borer, 1113
redbacked cutworm, 535
southwestern corn borer, 564
tobacco budworm, 898
Vegetation, measuring water on, 135
Velsicol FCS-13 against lice, 469
Vespamima sp., 216
Vespula pensylvanica, 40, 1487
vulgaris, 1487
Vigna sinensis, resistance to cowpea curculio, 542
Vinyl garment bags chambers for fumigation, 1074
Viral disease of citrus red mite, persistence, 619
Vitacea polistiformis, 182
Volck oil against spider mites, 192
Voracity and survival of *Propylea 14-punctata* on greenbugs, 1313

W

Walnuts, disinfestation of shelled, 222
Water, conservation in house flies, 667
measuring on vegetation, 135
Watermelon mosaic virus 1, *Melothria pendula* source of, 1303
Waxed paper, substrate for codling moth oviposition, 1756
Western corn rootworm, control of larvae with granular insecticides, 1116
emergence, ovarian development, and oviposition, 685
insecticide application against, 1714
timing insecticidal control applications, 1697
Western spruce budworm, influence of selected synergists on, 1277
JH analogues on, 950
Western yellowjacket, toxicity of insecticides to, 40
Wheat, Angoumois grain moth control in, 531
control of insects infesting, 818
diazinon residues on, 899
dichlorvos aflatoxin inhibitor on, 988
disulfoton on, 561
greenbug control on, 764
insecticide residues in pheasants fed with seed, 1013
light effects of malathion residues on, 847
residues in seedlings, 302
yield loss from cereal leaf beetles, 832
Wheat flour, tricalcium phosphate as additive, 254

Wheat germ, rearing codling moth on, 636
Whitefringed beetle, collecting eggs, 611
  crop damage by larvae, 713
  egg storage, 731
  larval control with D-D, 879
  resistance to dieldrin, 1260
  temperature effect on life cycle, 918
White mice, detection of activity of insecticides applied dermally to, 1211
  infested with rodent bot fly for insecticide screening, 742
White's solution for sterilization of *Dendroctonus frontalis*, 1504
Wing traps for capturing boll weevils, 559
Winter, and spring treatments to control Egyptian alfalfa weevil, 1479
  survival of bollworm, 1030
Winter grain mite, seasonal activity, 427
Winter wheat, ability of Hessian fly to stunt, 955, 997, 1001
Wireworms, insecticidal treatments against, 916
Wood-boring insects, emergence cage for, 1499
Wood-product insects, roller cages for, 613
Woolens, stored, protecting against insect damage, 1735
WSB, diet for corn earworm and fall armyworm, 385
Wyandotte W-24 against lice, 469

X

Xenopsylla cheopis, 1443, 1454, 1458, 1495
Xonysius californicus, 865
Xylene, effect on petunia pollen, 489
Xyletinus pellatus, 614
Xylina vetusta, 208

Y

Yellow mealworm, aziridines and, 1605
  scales, specificity of pheromones, 698
Yellowfever mosquito, olfactory receptor coding, 1058
Yellowjackets, marking ground-nesting, 1487

Z

Zabrotes subfasciatus, 1464
Zarhopalus corvinus, 1331
Zebra caterpillar, precursor of sex pheromone in, 1174
  rearing, 1024
  sex pheromones, 945
Zectran, absence of synergism and in vitro oxidation of, 1277
Zectran against: collembolan, 1257
  cotton leafperforator, 1765
  forest tent caterpillar, 929
  gypsy moth, 954
  lice, 468
  redbacked cutworm, 535
  sorghum midge, 853
  Symmerista canicosta, 1561
  tobacco flea beetle, 218
  winter grain mite, 427
Zetellia mali, 446, 1098
Zinophos against: cabbage maggot, 838
  collembolan, 1257
  colorado potato beetle, 1673
  European corn borer, 1113
  garden symphylan, 599
  redbacked cutworm, 535
  slugs, 243
  tobacco flea beetle, 916
  twospotted spider mite, 776
Zinophos + phorate against tenlined June beetle, 1499
Zootermopsis angusticollis, 602